

aThis Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

(19)



Eur päisch s Pat ntamt

Eur pean Pat nt Offic

Offic eur p n des br v t



(11)

**EP 1 249 233 A1**

(12)

**EUROPEAN PATENT APPLICATION**

published in accordance with Art. 158(3) EPC

(43) Date of publication:

16.10.2002 Bulletin 2002/42

(51) Int Cl.7: **A61K 31/18**(21) Application number: **00976387.1**

(86) International application number:

**PCT/JP00/08197**(22) Date of filing: **21.11.2000**

(87) International publication number:

**WO 01/037826 (31.05.2001 Gazette 2001/22)**

(84) Designated Contracting States:

**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU  
MC NL PT SE TR**


Designated Extension States:

**AL LT LV MK RO SI**(30) Priority: **26.11.1999 JP 33646999****14.12.1999 JP 35378699**(71) Applicant: **SHIONOGI & CO., LTD.****Osaka-shi, Osaka 541-0045 (JP)**

(72) Inventors:

• **KAWANISHI, Yasuyuki Shionogi & Co., Ltd.****Osaka-shi, Osaka 553-0002 (JP)**• **TAKENAKA, Hideyuki Shionogi & Co., Ltd.****Osaka-shi, Osaka 553-0002 (JP)**• **HANASAKI, Kohji Shionogi & Co., Ltd.****Osaka-shi, Osaka 553-0002 (JP)**• **OKADA, Tetsuo Shionogi & Co., Ltd.****Osaka-shi, Osaka 553-0002 (JP)**(74) Representative: **VOSSIUS & PARTNER****Siebertstrasse 4****81675 München (DE)**(54) **NPYY5 ANTAGONISTS**

(57) The present invention provides a pharmaceutical composition for use as an NPY Y5 receptor antagonist comprising a compound of the formula (I):



wherein

R<sup>1</sup> is lower alkyl, cycloalkyl or the like,R<sup>2</sup> is hydrogen, lower alkyl or the like,

n is 1 or 2,

X is lower alkylene, lower alkenylene, arylene, cycloalkylene or the like,

Y is CONR<sup>7</sup>, CSNR<sup>7</sup>, NR<sup>7</sup>CO, NR<sup>7</sup>CS or the like,Z is lower alkyl, optionally substituted carbocyclyl, optionally substituted heterocyclyl or the like and R<sup>7</sup> is hydrogen or lower alkyl,

prodrug, pharmaceutically acceptable salt or solvate thereof

**EP 1 249 233 A1**

## Description

## Technical Field

- 5 [0001] The present invention relates to a pharmaceutical composition for use as an NPY Y5 receptor antagonist, specifically, anti-obesitic agent and novel compounds having an anti-obesitic activity.

## Background Art

- 10 [0002] Neuropeptide Y (hereinafter referred to as NPY) is a peptide which consists of 36 amino acid residues and was isolated from porcine brain in 1982. NPY is widely distributed in the central nervous system and peripheral tissues of humans and animals.

- [0003] It has been reported that NPY possesses a stimulating activity of food intake, an anti-seizure activity, a learning-promoting activity, an anti-anxiety activity, an antistress activity etc. in central nervous system, and it may be pivotally involved in the central nervous system diseases such as depression, Alzheimer's disease and Parkinson's disease. NPY is thought to be associated with the cardiovascular diseases, since it induces a contraction of smooth muscles such as blood vessels or cardiac muscles in the peripheral tissues. Furthermore, NPY is also known to be involved in the metabolic diseases such as obesity, diabetes, and hormone abnormalities (Trends in Pharmacological Sciences, Vol.15, and 153 (1994)). Therefore, an NPY receptor antagonist is expected as a medicine for preventing or treating various diseases involved in the NPY receptor.

- 20 [0004] Subtypes of Y1, Y2, Y3, Y4, Y5, and Y6 have now been identified as the NPY receptor (Trends in Pharmacological Sciences, Vol.18, and 372 (1997)). It has been suggested that the Y5 receptor is at least involved in the feeding behavior and its antagonist is expected as an anti-obesitic agent (Peptides, Vol.18, and 445 (1997)).

- 25 [0005] Quinazoline compounds having similar structures to those of the compounds of the present invention and exhibiting an NPY receptor antagonistic activity are described in WO97/20820, WO97/20821, WO97/20823 and the like. In addition, it is described that urea derivatives having a sulfonamide group and amide derivatives having a sulfonyl group in WO 99/64349 and benzyl sulfonamide derivatives in EP1010691-A, have an NPY antagonistic activity.


- 30 [0006] Compounds having similar structures to those of the compounds of the present invention are described in JP59-16871-A and WO97/15567. Their activities are quite different from that of the present invention and these documents do not suggest the present invention.

## Disclosure of Invention

- 35 [0007] The object of the present invention is to provide a superior pharmaceutical composition for use as an NPY Y5 receptor antagonist and novel compounds having the activity.

- [0008] The present invention provides

[1] A pharmaceutical composition for use as an NPY Y5 receptor antagonist comprising a compound of the formula (I):



wherein


- 50 R<sup>1</sup> is optionally substituted lower alkyl, optionally substituted cycloalkyl or optionally substituted aryl,  
R<sup>2</sup> is hydrogen or lower alkyl, and R<sup>1</sup> and R<sup>2</sup> taken together may form lower alkylene,  
n is 1 or 2,  
X is optionally substituted lower alkylene,  
optionally substituted lower alkenylene,  
55 optionally substituted-CO-lower alkylene,  
optionally substituted -CO-lower alkenylene or



wherein  $R^3$ ,  $R^4$ ,  $R^5$  and  $R^6$  are each independently hydrogen or lower alkyl,



is optionally substituted cycloalkylene, optionally substituted cycloalkenylene, optionally substituted bicycloalkylene, optionally substituted arylene or optionally substituted heterocyclydiyl and p and q are each independently 0 or 1,  
-NR<sup>2</sup>-X- may be



wherein



is piperidinediyl, piperazinediyl, pyridinediyl, pyrazinediyl, pyrrolidinediyl or pyrrolediyl and U is single bond, lower alkylene or lower alkenylene,  
Y is OCONR<sup>7</sup>, CONR<sup>7</sup>, CSNR<sup>7</sup>, NR<sup>7</sup>CO or NR<sup>7</sup>CS,  
R<sup>7</sup> is hydrogen or lower alkyl, and  
Z is optionally substituted lower alkyl, optionally substituted lower alkenyl, optionally substituted amino, optionally substituted lower alkoxy, optionally substituted carbocyclyl or optionally substituted heterocyclyl,

prodrug, pharmaceutically acceptable salt or solvate thereof,

[2] The pharmaceutical composition for use as an NPY Y5 receptor antagonist described in [1] wherein R<sup>2</sup> is hydrogen or lower alkyl and Z is optionally substituted lower alkyl, optionally substituted lower alkenyl, optionally substituted lower alkoxy, optionally substituted carbocyclyl, optionally substituted heterocyclyl or optionally substituted amino, provided that R<sup>1</sup> is optionally substituted C3 to C10 alkyl when Z is optionally substituted amino,

[3] The pharmaceutical composition for use as an NPY Y5 receptor antagonist described in [1] wherein R<sup>1</sup> is optionally substituted lower alkyl or optionally substituted cycloalkyl, X is optionally substituted lower alkylene, optionally substituted lower alkenylene or



wherein



is the same as defined in [1], and

Z is optionally substituted lower alkyl, optionally substituted carbocyclyl or optionally substituted heterocyclyl,

[4] The pharmaceutical composition for use as an NPY Y5 receptor antagonist described in any one of [1] to [3]



wherein R<sup>1</sup> is optionally substituted C3 to C10 alkyl,

[5] The pharmaceutical composition for use as an NPY Y5 receptor antagonist described in any one of [1] to [4] which is an anti-obese agent,

[6] The pharmaceutical composition for use as an NPY Y5 receptor antagonist described in any one of [1] to [4] which is an anorectic agent,


[7] A method for treating and/or preventing obesity comprising administering an effective dose of an NPY Y5 receptor antagonist described in any one of [1] to [4],

[8] A method for suppressing food intake comprising administering an effective dose of an NPY Y5 receptor antagonist described in any one of [1] to [4],

[9] Use of an NPY Y5 receptor antagonist described in any one of [1] to [4] for manufacturing a medicine for treating and/or preventing obesity,

[10] Use of an NPY Y5 receptor antagonist described in any one of [1] to [4] for manufacturing a medicine for suppressing food intake,


[11] A compound of the formula (I):




wherein X is C2 to C6 alkylene or C3 to C6 alkenylene, R<sup>1</sup> is optionally substituted C3 to C10 alkyl or optionally substituted C5 to C6 cycloalkyl and the other symbols are the same as defined in [1], provided that Z is not lower alkylphenylamino, hydroxy(lower)alkylphenylamino and acylphenylamino when Y is NR<sup>7</sup>CO, prodrug, pharmaceutically acceptable salt or solvate thereof,

[12] The compound described in [11] wherein Z is optionally substituted lower alkyl or optionally substituted phenyl, prodrug, pharmaceutically acceptable salt or solvate thereof,

[13] A compound of the formula (II):



wherein X is



is optionally substituted cycloalkylene, optionally substituted cycloalkenylene, optionally substituted bicycloalkylene or optionally substituted piperidinylenes, R<sup>1</sup> is optionally substituted C3 to C10 alkyl or optionally substituted C5 to C6 cycloalkyl and the other symbols are the same as defined in [1], prodrug, pharmaceutically acceptable salt or solvate thereof,


[14] The compound described in [13] wherein A is optionally substituted cyclohexylene or optionally substituted piperidine and p and q are simultaneously 0, prodrug, pharmaceutically acceptable salt or solvate thereof,

[15] The compound described in [13] or [14] wherein Y is CONH, prodrug, pharmaceutically acceptable salt or solvate thereof,

[16] The compound described in any one of [13] to [15] wherein Z is optionally substituted lower alkyl, optionally

substituted phenyl, optionally substituted pyridyl or optionally substituted benzopyranyl, prodrug, pharmaceutically acceptable salt or solvate thereof,

[17] A compound of the formula (I):




wherein X is



R<sup>1</sup> is optionally substituted C3 to C10 alkyl or optionally substituted C5 to C6 cycloalkyl, Z is p-(lower)alkylphenyl and the other symbols are the same as defined in [1], provided that Z is not p-n-butylphenyl when R<sup>1</sup> is isopropyl, prodrug, pharmaceutically acceptable salt or solvate thereof,

[18] A compound of the formula (I):



wherein X is



is heteroarylene, R<sup>1</sup> is optionally substituted C3 to C10 alkyl or optionally substituted C5 to C6 cycloalkyl and the other symbols are the same as defined in [1],

prodrug, pharmaceutically acceptable salt or solvate thereof,

[19] The compound described in [18] wherein



is thiophenediyl or furandiyl, prodrug, pharmaceutically acceptable salt or solvate thereof and

[20] A pharmaceutical composition comprising the compound described in any one of [11] to [19], prodrug, pharmaceutically acceptable salt or solvate thereof.

## Best Mode for Carrying out the Invention

[0009] In the present specification, the term "halogen" includes fluorine, chlorine, bromine and iodine. Fluorine or chlorine is preferable.

[0010] The term "protective group" in "optionally protected hydroxy" and "optionally protected hydroxy(lower)alkyl" includes all of hydroxy protecting groups usually used. For example, acyl such as acetyl, trichloroacetyl and benzoyl, lower alkoxycarbonyl such as t-butoxycarbonyl, lower alkylsulfonyl such as methane sulfonyl, lower alkoxy(lower)alkyl such as methoxymethyl, trialkylsilyl such as t-butyltrimethylsilyl are included.

[0011] The term "lower alkyl" includes C1 to C10 straight or branched alkyl. The examples of "lower alkyl" are methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, n-pentyl, isopentyl, neopentyl, hexyl, isohexyl, n-heptyl, isoheptyl, n-octyl, isooctyl, n-nonyl and n-decyl.

[0012] "Lower alkyl" represented by R<sup>1</sup> is preferably C3 to C10 alkyl, more preferably C3 to C6 alkyl and most preferably isopropyl or t-butyl.

[0013] "Lower alkyl" in other cases is preferably C1 to C6 alkyl and more preferably C1 to C4 alkyl.

[0014] The examples of substituents of "optionally substituted lower alkyl" represented by Z are, (1) halogen; (2) cyano;

(3) the following groups (i) to (xvi), which are optionally substituted with one or more substituents selected from "a substituents group β" defined below,

(i) hydroxy, (ii) lower alkoxy, (iii) mercapto, (iv) lower alkylthio, (v) acyl, (vi) acyloxy, (vii) carboxy, (viii) lower alkoxycarbonyl, (ix) imino, (x) carbamoyl, (xi) thiocarbamoyl, (xii) lower alkylcarbamoyl, (xiii) lower alkylthiocarbamoyl, (xiv) amino, (xv) lower alkylamino or (xvi) heterocyclylcarbonyl;

or

(4) a group of the formula:




wherein

R<sup>10</sup> and R<sup>11</sup> are each independently hydrogen or lower alkyl and when this group has two or more of R<sup>10</sup> and/or two or more of R<sup>11</sup>, each R<sup>10</sup> and/or each R<sup>11</sup> may be different,

W is single bond, O, S or NR<sup>12</sup>,

R<sup>12</sup> is hydrogen, lower alkyl or phenyl,



is cycloalkyl, bicycloalkyl, cycloalkenyl, aryl or heterocyclyl, each of which is optionally substituted with one or more of substituents selected from "a substituents group α" defined below and

s is an integer of 0 to 4.

[0015] In the present specification, "a substituents group α" is a group constituting of (1) halogen; (2) oxo; (3) cyano; (4) nitro; (5) imino optionally substituted with lower alkyl or hydroxy;

(6) the following groups (i) to (xxi), which are optionally substituted with one or more of groups selected from the substituents group β,

(i) hydroxy, (ii) lower alkyl, (iii) lower alkenyl, (iv) lower alkoxy, (v) carboxy, (vi) lower alkoxycarbonyl, (vii) acyl, (viii) acyloxy, (ix) imino, (x) mercapto, (xi) lower alkylthio, (xii) carbamoyl, (xiii) lower alkylcarbamoyl, (xiv) cycloalkylcarbamoyl, (xv) thiocarbamoyl, (xvi) lower alkylthiocarbamoyl, (xvii) lower alkylsulfinyl, (xviii) lower alkylsulfonyl, (xix) sulfamoyl, (xx) lower alkylsulfamoyl and (xxi) cycloalkylsulfamoyl;

(7) the following groups (i) to (v), which are optionally substituted with the substituents group β, lower alkoxy(lower)alkyl, optionally protected hydroxy(lower)alkyl, halogeno(lower)alkyl, lower alkylsulfonyl and/or arylsulfonyl,

(i) cycloalkyl, (ii) cycloalkenyl, (iii) cycloalkyloxy, (iv) amino and (v) alkylenedioxy;  
and

(8) the following groups (i) to (xii), which are optionally substituted with the substituents group  $\beta$ , lower alkyl, halogeno(lower)alkyl and/or oxo,

(i) phenyl, (ii) naphthyl, (iii) phenoxy, (iv) phenyl(lower)alkoxy, (v) phenylthio, (vi) phenyl(lower)alkylthio, (vii) phenylazo, (viii) heterocyclyl, (ix) heterocyclyloxy, (x) heterocyclylthio, (xi) heterocyclylcarbonyl and (xii) heterocyclylsulfonyl.

**[0016]** The preferable examples of the substituents group  $\alpha$  as substituents for B ring are halogen; nitro; hydroxy; optionally substituted lower alkyl wherein the substituents is halogen, cyano, phenyl, carboxy and/or lower-alkoxycarbonyl;

lower alkenyl; lower alkoxycarbonyl(lower)alkenyl;

optionally substituted lower alkoxy wherein the substituents is halogen, hydroxy, lower alkoxy, carboxy, lower alkoxycarbonyl, lower alkylamino and/or cyano;

acyl; hydroxyimino; lower alkylthio; lower alkylsulfinyl; sulfamoyl;

optionally substituted amino wherein the substituents is lower alkyl, optionally protected hydroxy(lower)alkyl, phenyl and/or acyl;

alkylenedioxy; cyanophenyl; heterocyclylphenyl; biphenyl; phenoxy; phenylazo optionally substituted with lower alkyl; or

optionally substituted heterocyclyl wherein the substituents is optionally protected hydroxy, mercapto, halogen, lower alkyl, cycloalkyl, lower alkoxycarbonyl, amino, lower alkoxycarbonyl amino, carbamoyl, oxo, phenyl, lower alkoxyphenyl or heterocyclyl.

More preferable examples are halogen; lower alkyl optionally substituted with halogen; or lower alkoxy optionally substituted with halogen.

**[0017]** "A substituents group  $\beta$ " is a group consisting of halogen, optionally protected hydroxy, mercapto, lower alkoxy, lower alkenyl, amino, lower alkylamino, lower alkoxycarbonylamino, lower alkylthio, acyl, carboxy, lower alkoxycarbonyl, carbamoyl, cyano, cycloalkyl, phenyl, phenoxy, lower alkylphenyl, lower alkoxyphenyl, halogenophenyl, naphthyl and heterocyclyl.

**[0018]** Examples of the substituents for "optionally substituted lower alkyl" represented by any other than Z (e.g., R<sup>1</sup>) are one or more substituents selected from the substituents group  $\beta$ . The lower alkyl may be substituted with these substituents at any possible positions.

**[0019]** The lower alkyl part in "lower alkoxy", "lower alkoxycarbonyl", "lower alkoxycarbonyl(lower)alkyl", "lower alkylphenyl", "lower alkoxyphenyl", "lower alkylcarbamoyl", "lower alkylthiocarbamoyl", "lower alkylamino", "halogeno(lower)alkyl", "hydroxy(lower)alkyl", "phenyl(lower)alkoxy", "lower alkylthio", "phenyl(lower)alkylthio", "lower alkoxycarbonylamino", "lower alkoxycarbonyl(lower)alkenyl", "lower alkylsulfinyl", "lower alkylsulfonyl", "aryl(lower)alkoxycarbonyl", "lower alkylbenzoyl" and "lower alkoxybenzoyl" is the same as defined in the above "lower alkyl".

**[0020]** Examples of substituents for "optionally substituted lower alkoxy" are one or more substituents selected from the substituents group  $\beta$ . Preferable examples are phenyl, lower alkylphenyl, lower alkoxyphenyl, naphthyl and heterocyclyl.

**[0021]** The term "cycloalkyl" includes C3 to C8 cyclic alkyl and preferably C5 to C6 cyclic alkyl. Examples are cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl and cyclooctyl.

**[0022]** Examples of substituents for "optionally substituted cycloalkyl" are one or more substituents selected from the substituents group  $\alpha$  and the cycloalkyl may be substituted with these substituents at any possible positions.

**[0023]** The term "bicycloalkyl" includes a group which is formed by excluding one hydrogen from a C5 to C8 aliphatic cycle containing two rings which possess two or more of atoms in common. Examples are bicyclo[2.1.0]pentyl, bicyclo[2.2.1]heptyl, bicyclo[2.2.2]octyl and bicyclo[3.2.1]octyl.

**[0024]** The term "lower alkenyl" includes C2 to C10, preferably C2 to C8 and more preferably C3 to C6 straight or branched alkenyl having one or more double bonds at any possible positions. Examples are vinyl, propenyl, isopropenyl, butenyl, isobutenyl, prenyl, butadienyl, pentenyl, isopentenyl, pentadienyl, hexenyl, isohexenyl, hexadienyl, heptenyl, octenyl, nonenyl and decenyl.

**[0025]** The "lower alkenyl" part in "lower alkoxycarbonyl(lower)alkenyl" is the same as the above "lower alkenyl".

**[0026]** Examples of the substituents for "optionally substituted lower alkenyl" are halogen, lower alkoxy, lower alkenyl, amino, lower alkylamino, lower alkoxycarbonylamino, lower alkylthio, acyl, carboxy, lower alkoxycarbonyl, carbamoyl, cyano, cycloalkyl, phenyl, lower alkylphenyl, lower alkoxyphenyl, naphthyl and/or heterocyclyl.

**[0027]** The term "acyl" includes (1) C1 to C10, preferably C1 to C6 and more preferably C1 to C4 straight or branched alkylcarbonyl or alkenylcarbonyl, (2) C4 to C9 and preferably C4 to C7 cycloalkylcarbonyl and (3) C7 to C11 arylcarbonyl. Examples are formyl, acetyl, propionyl, butyryl, isobutyryl, valeryl, pivaloyl, hexanoyl, acryloyl, propioloyl, methacryloyl, crotonoyl, cyclopropylcarbonyl, cyclohexylcarbonyl, cyclooctylcarbonyl and benzoyl.

[0028] The "acyl" part in "acyloxy" is the same as the above.

[0029] The term "cycloalkenyl" includes a group having at least one double bond at any possible positions in the above cycloalkyl. Examples are cyclopropenyl, cyclobutenyl, cyclopentenyl, cyclohexenyl and cyclohexadienyl.

[0030] Examples of substituents for "optionally substituted cycloalkenyl" are one or more substituents selected from the substituents group  $\beta$ .

[0031] Examples of substituents for "optionally substituted amino" are the substituents group  $\beta$ , optionally substituted benzoyl and/or optionally substituted heterocyclylcarbonyl wherein the substituents is hydroxy, lower alkyl, lower alkoxy and/or lower alkylthio.

[0032] The term "aryl" includes a monocyclic or polycyclic aromatic carbocyclyl group and examples are phenyl, naphthyl, anthryl and phenanthryl. "Aryl" includes aryl fused with other a non-aromatic carbocyclyl group, for example, indanyl, indenyl, biphenyl, acenaphthyl, tetrahydronaphthyl and fluorenyl. Phenyl is preferable.

[0033] The aryl part in "aryl lower alkoxy carbonyl" is the same as the above.

[0034] The term "optionally substituted aryl" and "optionally substituted phenyl" represented by Z include the above "aryl" and "phenyl" respectively, which may be substituted with the substituents group  $\alpha$  or lower alkyl which may be substituted with one or more group selected from the substituents group  $\alpha$ .

[0035] Examples of the substituents for "optionally substituted aryl" and "optionally substituted phenyl" represented by any other than Z are one or more groups selected from the substituents group  $\beta$ .

[0036] The term "carbocyclyl" includes the above "cycloalkyl", "cycloalkenyl", "bicycloalkyl" and "aryl".

[0037] The term "non-aromatic carbocyclyl" includes the above "cycloalkyl", "cycloalkenyl" and "bicycloalkyl".

[0038] The term "optionally substituted carbocyclyl" includes the above "optionally substituted cycloalkyl", "optionally substituted cycloalkenyl", "optionally substituted bicycloalkyl" and "optionally substituted aryl".

[0039] The term "heterocyclyl" includes a heterocyclic group containing at least one heteroatom arbitrarily selected from O, S and N. For example, 5- or 6-membered heteroaryl such as pyrrolyl, imidazolyl, pyrazolyl, pyridyl, pyridazinyl, pyrimidinyl, oxazolyl, oxadiazolyl, isothiazolyl, thiazolyl, thiadiazolyl, furyl and thienyl; fused heterocyclyl consisting of two rings such as indolyl, isoindolyl, indazolyl, indolizynyl, indolynyl, isoindolynyl, quinolyl, isoquinolyl, cinnolynyl, phthalazinyl, quinazolinyl, naphthyridinyl, quinoxalinyl, purinyl, pteridinyl, benzopyranyl, benzimidazolyl, benzisoxazolyl, benzoxazolyl, benzoxadiazolyl, benzisothiazolyl, benzothiazolyl, benzothiadiazolyl, benzofuryl, isobenzofuryl, benzothieryl, benzotriazolyl, imidazopyridyl, triazopyridyl, imidazothiazolyl, pyrazinopyridazinyl, quinazolinyl, quinolyl, isoquinolyl, naphthyridinyl, dihydropyridyl, tetrahydroquinolyl and tetrahydrobenzothieryl; fused heterocyclyl consisting of three rings such as carbazolyl, acridinyl, xanthenyl, phenothiazinyl, phenoxathiinyl, phenoxazinyl and dibenzofuryl; and non-aromatic heterocyclyl such as dioxanyl, thiranyl, oxiranyl, oxathiolanyl, azetidynyl, thianyl, pyrrolidinyl, pyrrolinyl, imidazolidinyl, imidazolynyl, pyrazolidinyl, pyrazolynyl, piperidyl, piperazinyl, morpholynyl, morpholino, thiomorpholynyl, thiomorpholino, dihydropyridyl, tetrahydrofuryl, tetrahydropyranyl, tetrahydrothiazolyl and tetrahydroisothiazolyl.


[0040] "Fused heterocyclyl" fused with a ring other than a heterocycle (e.g., benzothiazolyl), may connect at any possible position.

[0041] Substituents for "optionally substituted heterocyclyl" are the same as those for the above "optionally substituted aryl".


[0042] Heterocyclyl parts in "heterocyclylcarbonyl", "heterocyclyloxy", "heterocyclylthio" and "heterocyclyl substituted phenyl" are the same as the above "heterocyclyl".

[0043] The term "lower alkylene" includes a bivalent group comprising 1 to 6 of methylene, preferably 2 to 6 of methylene and more preferably 3 to 6 of methylene. For example, methylene, ethylene, trimethylene, tetramethylene, pentamethylene and hexamethylene are included. Tetramethylene is preferable.


[0044] "R<sup>1</sup> and R<sup>2</sup> taken together may form lower alkylene" includes the case




is



Preferable examples are



and



[0045] Lower alkylene part in "lower alkylenedioxy" is the same as the above "lower alkylene". Methylenedioxy or ethylenedioxy is preferable.

[0046] The term "lower alkenylene" includes a bivalent group comprising 2 to 6 of methylene, preferably 3 to 6 of methylene and more preferably 4 to 5 of methylene and including at least one double bond.

[0047] The term "cycloalkylene" includes a bivalent group which is formed by excluding one hydrogen from the above "cycloalkyl". A preferable example of cycloalkylene represented by X is 1, 4-cyclohexanedyl.

[0048] The term "cycloalkenylene" includes a group containing at least one double bonds in the above cycloalkylene.

[0049] The term "bicycloalkylene" includes a group which is formed by excluding one hydrogen from the above "bicycloalkyl". Examples are bicyclo[2. 1. 0]pentylene, bicyclo[2. 2. 1]heptylene, bicyclo[2. 2. 2]octylene, and bicyclo[3. 2. 1]octylene.


[0050] The term "heterocyclediyl" includes a bivalent group which is formed by excluding one hydrogen from the above "heterocyclyl". Piperidinediyl, piperazinediyl, pyridinediyl, pyrimidinediyl, pyrazinediyl, pyrrolidinediyl or pyrrolediyl is preferable and piperidindiyl is more preferable.

[0051] The term "arylene" includes a bivalent group which is formed by excluding one hydrogen from the above "aryl". Phenylene is preferable.

[0052] The term "heteroarylene" includes aromatic groups in the above "heterocyclediyl". Examples are pyrrolediyl, imidazolediyl, pyrazolediyl, pyridinediyl, pyridazinediyl, pyrimidinediyl, pyrazinediyl, triazolediyl, triazinediyl, isoxazolediyl, oxazolediyl, oxadiazolelediyl, isothiazolelediyl, thiazolelediyl, thiadiazolelediyl, furandiyl and thiophenediyl.

[0053] One or more groups selected from the substituents group  $\beta$  are examples of substituents for "optionally substituted lower alkylene", "optionally substituted lower alkenylene", "optionally substituted cycloalkylene", "optionally substituted cyclohexylene", "optionally substituted bicycloalkylene", "optionally substituted cycloalkenylene", "optionally substituted phenylene", "optionally substituted heterocyclediyl" and "optionally substituted piperidinylenes". Halogen, hydroxy, lower alkyl, halogeno(lower)alkyl, lower alkoxy, amino, lower alkylamino, acyl, carboxy or lower alkoxy-carbonyl is preferable. These substituents may attach to any possible positions.


[0054] When  $-NR^2-X-$  is



U is preferably single bond or methylene. More preferably,



5 is



[0055] The compounds of the present invention include any formable and pharmaceutically acceptable salts thereof. Examples of "the pharmaceutically acceptable salt" are salts with mineral acids such as hydrochloric acid, sulfuric acid, nitric acid and phosphoric acid; salts with organic acids such as para-toluenesulfonic acid, methanesulfonic acid, oxalic acid and citric acid; salts with organic bases such as ammonium, trimethylammonium and triethylammonium; salts with alkaline metals such as sodium and potassium; and salts with alkaline earth metals such as calcium and magnesium.

[0056] The compounds of the present invention include solvates thereof. Hydrate is preferable and arbitrary numbers of water molecules may coordinate to the compound of the present invention.

[0057] The compounds of the present invention include prodrugs thereof. Prodrug includes derivatives of the compounds of the present invention which have a chemically or metabolically decomposable group and can be converted into pharmaceutically active compounds of the present invention in vivo by solvolysis or under the physiological conditions. The methods for selecting and producing suitable prodrugs are described in Design of Prodrugs, Elsevier, Amsterdam 1985.

[0058] When a compound (I) of the present invention has carboxy, examples of prodrugs are an ester derivative and an amide derivative, which can be produced by reacting a compound (I) having carboxy with a suitable alcohol or a suitable amine, respectively.

[0059] When a compound (I) of the present invention has hydroxy, an example of prodrugs is an acyloxy derivative, which can be synthesized by reacting a compound (I) having hydroxy with a suitable acyl halide or a suitable acid anhydride.

[0060] When a compound (I) of the present invention has amino, an example of prodrugs is an amide derivative, which can be synthesized by reacting a compound (I) having amino with a suitable acid halide or a suitable mixed acid anhydride.


[0061] When the compound (I) of the present invention has an asymmetric carbon atom, it includes racemates, all of enantiomers and all of stereoisomers such as diastereomer, epimer and enantiomer thereof.

[0062] When the compound (I) of the present invention having one or more double bonds forms an E isomer or Z isomer, the compound (I) includes both isomers. When X is cycloalkylene, the compound (I) includes both of cis isomer and trans isomer.

[0063] For example, the compound (I) of the present invention can be synthesized by the following methods.

(Compounds wherein  $Y = \text{CONR}^7$ )

[0064]



wherein Hal is halogen, Q is an amino protecting group and the other symbols are the same as the above.

#### Step A

**[0065]** Compound 1 is reacted with Amino Compound 2 having the desired substituent Z and R<sup>7</sup> in a suitable solvent at 0 °C to 50 °C for several minutes to several hours. As solvents, tetrahydrofuran, dimethylformamide, diethyl ether, dichloromethane, toluene, benzene, xylene, cyclohexane, hexane, chloroform, ethyl acetate, butyl acetate, pentane, heptane, dioxane, acetone, acetonitrile, water, a mixture thereof etc. can be used. An activator such as thionyl chloride, acid halide, acid anhydride and activated ester can be used, if necessary.

#### Step B

**[0066]** Compound 3 is deprotected by the usual method and reacted with Sulfonyl Halide 4 having the desired substituent R<sup>1</sup> in a suitable solvent at 0 °C to 50 °C for several minutes to several hours to give Compound (I-A) wherein n is 2. Tetrahydrofuran, dimethylformamide, diethyl ether, dichloromethane, toluene, benzene, xylene, cyclohexane, hexane, chloroform, ethyl acetate, butyl acetate, pentane, heptane, dioxane, acetone, acetonitrile, water and the mixture thereof etc. can be used as a solvent.


#### Step C

**[0067]** Compound (I-B) wherein n is 1 can be synthesized by reacting Compound 3 with Sulfinyl Halide 5 having substituent R<sup>1</sup>. The conditions for the reaction are the same as those of the above Step B.

#### Step D

**[0068]** Compound (I-B) obtained in Step C is oxidized by the usual method to give Compound (I-A) wherein n is 2. m-Chloroperbenzoic acid, peracetic acid, hydrogen peroxide, trifluoroperacetic acid, sodium periodate, sodium hypochlorite, potassium permanganate etc. can be used as an oxidizer and the reaction may be carried out at 0 °C to 50 °C. Examples of solvents are tetrahydrofuran, dimethylformamide, diethyl ether, dichloromethane, toluene, benzene, xylene, cyclohexane, hexane, chloroform, ethyl acetate, butyl acetate, pentane, heptane, dioxane, acetone, acetonitrile, water, methanol, ethanol, isopropanol and mixture thereof.

**[0069]** In case X is heterocyclediyl containing at least one N atom and the N atom connects to CONR<sup>7</sup>-Z in the compound (I), the following reaction may be employed to obtain Compound (I-A') or (I-B'). Step D may be carried out just after Step C or Step E.



wherein R is lower alkyl or aryl and L is a leaving group.

#### Step C

**[0070]** Compound 5 is reacted with Compound 6 in a similar manner to the above Step C to give Compound 7.

#### Step E

**[0071]** Thus obtained Compound 7 is treated with a base in a suitable solvent to give Compound 8. For example,



barium hydroxide, sodium hydroxide, potassium hydroxide, hydrazine or lithium propanethiolate can be used as a base. As a solvent, tetrahydrofuran, dimethylformamide, dioxane, acetone, acetonitrile, methanol, ethanol, propanol, water, the mixture thereof or the like can be used. The reaction can be carried out at 0 °C to 100 °C for several minutes to several tens of hours.

# Step F


[0072] Compound 8 is reacted with Compound 9 having a leaving group and a desired substituent in a suitable solvent in the presence or absence of a base at 0 °C to 100 °C for several minutes to several days to give Compound (I-B'). Examples of the leaving group are phenoxy, chloro and trichloromethyl. Examples of the base are triethylamine, pyridine, diisopropylethylamine, sodium hydroxide, potassium carbonate and sodium hydrogencarbonate. Examples of the solvent are tetrahydrofuran, dimethylformamide, diethyl ether, dichloromethane, toluene, benzene, xylene, cyclohexane, hexane, chloroform, ethyl acetate, butyl acetate, pentane, heptane, dioxane, acetone, acetonitrile, methanol, ethanol and the mixture thereof.

# Step D

[0073] Compound (I-B') is reacted in a similar manner to the above Step D to give Compound (I-A').

(Compound wherein  $Y=NR^7CO$ )

[0074]



wherein each of the symbols is the same as the above.

# Step G and Step B


[0075] Compound 10 is reacted with Compound 11 under the same reaction condition as that in Step B. Thus obtained Compound 12 is reacted in a similar manner to the above Step B to give Compound (I-C) wherein  $n=2$ .

# Step C and Step D

[0076] To synthesize Compound (I-D), Compound 12 obtained in Step G may be reacted in similar manners to the above Step C and Step D.

(Compound wherein  $Y=OCONR^7$ )

[0077]



wherein each of symbols is the same as the above.

Step H

[0078] Compound 13 is reacted with Isocyanate Compound 14 having a substituent Z in a suitable solvent in the presence or absence of a suitable catalyst at 0 °C to 100 °C for several minutes to several days to give Compound 15. Examples of the solvent are tetrahydrofuran, dimethylformamide, diethyl ether, dichloromethane, toluene, benzene, xylene, cyclohexane, hexane, chloroform, ethyl acetate, butyl acetate, pentane, heptane, dioxane, acetone, acetonitrile and the mixture thereof.

Step C and Step D

[0079] Thus obtained Compound 15 is reacted in similar manners to Step C and Step D to give Compound (I-E) of the present invention.

(Compound wherein  $Y=CSNR^7$  or  $NR^7CS$ )

[0080] Compound (I) wherein Y is  $CSNR^7$  or  $NR^7CS$  can be synthesized by reacting Compound (I) wherein Y is  $CONR^7$  or  $NR^7CO$  synthesized in any one of the above methods with the Lawesson's reagent or phosphorus pentasulfide in a suitable solvent at 30 °C to 100 °C for several minutes to several hours. Examples of the solvent are tetrahydrofuran, dimethylformamide, diethyl ether, dichloromethane, toluene, benzene, xylene, cyclohexane, hexane, chloroform, ethyl acetate, butyl acetate, pentane, heptane, dioxane, acetone, acetonitrile and the mixture thereof.

[0081] Amino groups may be protected with a suitable protecting group in the usual manner at a suitable step. For example, phthalimide, lower alkoxy carbonyl, lower alkenyloxy carbonyl, halogenoalkoxy carbonyl, aryl(lower)alkoxy carbonyl, trialkylsilyl, lower alkylsulfonyl, halogeno(lower)alkylsulfonyl, arylsulfonyl, lower alkylcarbonyl and arylcarbonyl can be used as the protecting group.

[0082] After protection of the amino group, the compound is subjected to the above-mentioned reactions and the obtained compound is deprotected by treatment of an acid or a base in a suitable solvent at a suitable stage. Examples of a solvent is tetrahydrofuran, dimethylformamide, diethyl ether, dichloromethane, toluene, benzene, xylene, cyclohexane, hexane, chloroform, ethyl acetate, butyl acetate, pentane, heptane, dioxane, acetone, acetonitrile and the mixture thereof. Examples of a base are hydrazine, pyridine, sodium hydroxide and potassium hydroxide and examples of an acid are hydrochloric acid, trifluoroacetic acid and hydrofluoric acid.

[0083] All of the compounds of the present invention have an NPY Y5 antagonistic activity and the following compounds are specifically preferable.

[0084] In the formula (I),

a compound wherein  $R^1$  is optionally substituted lower alkyl or optionally substituted cycloalkyl (hereinafter referred to as " $R^1$  is  $R^{1-1}$ "),

a compound wherein  $R^1$  is C3 to C10 alkyl or C5 to C6 cycloalkyl, each of which is optionally substituted with

halogen (hereinafter referred to as "R<sup>1</sup> is R1-2"),

a compound wherein R<sup>1</sup> is C3 to C10 alkyl optionally substituted with halogen (hereinafter referred to as "R<sup>1</sup> is R1-3"),

a compound wherein R<sup>1</sup> is isopropyl or t-butyl (hereinafter referred to as "R<sup>1</sup> is R1-4"),

a compound wherein R<sup>2</sup> is hydrogen or C1 to C3 alkyl (hereinafter referred to as "R<sup>2</sup> is R2-1"),

a compound wherein R<sup>2</sup> is hydrogen (hereinafter referred to as "R<sup>2</sup> is R2-2"),

a compound wherein X is optionally substituted lower alkylene, optionally substituted lower alkenylene or



wherein



is optionally substituted cycloalkylene, optionally substituted cycloalkenylene, optionally substituted bicycloalkylene, optionally substituted phenylene or optionally substituted heterocyclediyl (hereinafter referred to as "X is X-1"),

a compound wherein X is C2 to C6 alkylene, C3 to C6 alkenylene or



wherein



is optionally substituted cycloalkylene, optionally substituted cycloalkenylene, optionally substituted bicycloalkylene, optionally substituted phenylene, optionally substituted piperidinylene, optionally substituted thiophenediyl or optionally substituted furandiyl (hereinafter referred to as "X is X-2"),

a compound wherein X is C2 to C6 alkylene or



wherein is optionally substituted cycloalkylene, optionally substituted phenylene, optionally substituted piperidinylene, optionally substituted thiophenediyl or optionally substituted furandiyl (hereinafter referred to as "X is X-3"),

a compound wherein X is (i) C2 to C6 alkylene or (ii) cycloalkylene or phenylene, each of which is optionally substituted with halogen, hydroxy, lower alkyl or halogeno(lower)alkyl (hereinafter referred to as "X is X-4"),

a compound wherein X is C2 to C6 alkylene or to C5 to C6 cycloalkylene (hereinafter referred to as "X is X-5"),

a compound wherein X is C3 to C6 alkylene or 1,4-cyclohexylene (hereinafter referred to as "X is X-6"),

a compound wherein Y is CONR<sup>7</sup>, CSNR<sup>7</sup>, NR<sup>7</sup>CO or NR<sup>7</sup>CS and R<sup>7</sup> is hydrogen or C1 to C3 alkyl (hereinafter referred to as "Y is Y-1"),

a compound wherein Y is CONH, CSNH or NHCO (hereinafter referred to as "Y is Y-2"), a compound wherein Y is CONH (hereinafter referred to as "Y is Y-3"),

a compound wherein Z is optionally substituted lower alkyl, optionally substituted carbocyclyl or optionally substituted

tuted heterocyclyl (hereinafter referred to as "Z is Z-1"),

a compound wherein Z is  $-(CR^8 R^9)_r-W-(CR^{10} R^{11})_s-V$

wherein  $R^8$ ,  $R^9$ ,  $R^{10}$  and  $R^{11}$  are each independently hydrogen or lower alkyl and wherein Z has two or more of  $R^8$ , two or more of  $R^9$ , two or more of  $R^{10}$  and/or two or more of  $R^{11}$ , each of  $R^8$ ,  $R^9$ ,  $R^{10}$  and  $R^{11}$  may be different, W is single bond, O, S or  $NR^{12}$ ,  $R^{12}$  is hydrogen, lower alkyl or phenyl, V is hydrogen, optionally substituted cycloalkyl, optionally substituted bicycloalkyl, optionally substituted aryl or optionally substituted heterocyclyl, r is an integer of 1 to 4 and s is an integer of 0 to 4

(hereinafter referred to as "Z is Z-2"),

a compound wherein Z is  $-(CH_2)_r-W-(CH_2)_s-V$

wherein W is single bond, O, S or  $NR^{12}$ ,  $R^{12}$  is hydrogen or lower alkyl, V is optionally substituted aryl or optionally substituted heterocyclyl wherein the substituents is halogen, hydroxy, lower alkyl, halogeno(lower)alkyl, lower alkoxy, lower alkenyl, amino, lower alkylamino, acyl, carboxy, lower alkoxy carbonyl, phenyl or monocyclic heteroaryl, r is an integer of 1 to 4 and s is an integer of 0 to 4

(hereinafter referred to as "Z is Z-3"),

a compound wherein Z is  $-(CH_2)_r-W-(CH_2)_s-V$

wherein W is single bond, O, S, NH or NMe, V is optionally substituted phenyl or optionally substituted heteroaryl wherein the substituents is halogen, lower alkyl, halogeno(lower)alkyl, lower alkoxy, amino or lower alkylamino, r is an integer of 1 to 3 and s is an integer of 0 or 1

(hereinafter referred to as "Z is Z-4"),

a compound, wherein Z is optionally substituted carbocyclyl,

wherein the substituent is halogen; hydroxy;

optionally substituted lower alkyl wherein the substituents is halogen, hydroxy, carboxy, lower alkoxy carbonyl, cyano and/or phenyl;

lower alkenyl optionally substituted with lower alkoxy carbonyl;

optionally substituted lower alkoxy wherein the substituents is halogen, hydroxy, lower alkoxy, carboxy, lower alkoxy carbonyl, lower alkylamino, cycloalkyl, cyano and/or heterocyclyl; cycloalkyl; cycloalkyloxy; acyl; lower alkylthio; carbamoyl; lower alkyl carbamoyl; cycloalkyl carbamoyl; hydroxy imino;

optionally substituted amino wherein the substituents is lower alkyl, optionally protected hydroxy(lower)alkyl, lower alkoxy(lower)alkyl, acyl, lower alkylsulfonyl, arylsulfonyl and/or phenyl;

phenyl optionally substituted with halogen, cyano, phenyl and/or heterocyclyl;

lower alkylsulfinyl; lower alkylsulfamoyl; cycloalkylsulfamoyl;

nitro; cyano; alkylenedioxy; phenylazo optionally substituted with lower alkyl; phenoxy; oxo;

optionally substituted heterocyclyl wherein the substituents is optionally protected hydroxy, mercapto, halogen, lower alkyl, cycloalkyl, lower alkoxy carbonyl, acyl, amino, lower alkoxy carbonylamino, carbamoyl, oxo, phenyl, lower alkoxyphenyl, halogenophenyl, heterocyclyl and/or oxo;

heterocyclylsulfonyl optionally substituted with lower alkyl; heterocycliloxy; heterocyclyl carbonyl optionally substituted with lower alkyl

(hereinafter referred to as "Z is Z-5"),

a compound wherein Z is optionally substituted phenyl

wherein the substituents is halogen; hydroxy; lower alkyl optionally substituted with halogen, hydroxy, lower alkoxy carbonyl, cyano and/or phenyl; lower alkoxy carbonyl(lower)alkenyl; lower alkoxy optionally substituted with halogen, lower alkoxy, lower alkoxy carbonyl, cycloalkyl and/or heterocyclyl; cycloalkyl;

cycloalkyloxy; acyl; lower alkylthio; carbamoyl; lower alkyl carbamoyl; amino optionally substituted with lower alkyl, hydroxy(lower)alkyl, acyl, lower alkylsulfonyl and/or phenyl; phenyl optionally substituted with halogen, cyano, phenyl and/or heterocyclyl;

lower alkyl sulfamoyl; cycloalkylsulfamoyl; nitro; alkylenedioxy; phenylazo optionally substituted with lower alkyl; phenoxy; oxo;

heterocyclyl optionally substituted with hydroxy, halogen, lower alkyl, lower alkoxy carbonyl, amino, carbamoyl, phenyl, halogenophenyl, heterocyclyl and/or oxo;

heterocycliloxy; and/or heterocyclylsulfonyl optionally substituted with lower alkyl

(hereinafter referred to as "Z is Z-6"),

a compound wherein Z is optionally substituted phenyl

wherein the substituents is halogen; lower alkyl optionally substituted with halogen, hydroxy, lower alkoxy carbonyl and/or phenyl; lower alkoxy optionally substituted with halogen and/or cycloalkyl; cycloalkyl; cycloalkyloxy; acyl; lower alkylthio; lower alkyl carbamoyl; amino optionally substituted with lower alkyl, hydroxy(lower)alkyl, acyl and/or phenyl; phenyl optionally substituted with piperidyl; cycloalkylsulfamoyl;

alkylenedioxy; phenoxy;

morpholinyl or morpholino, each of which is optionally substituted with lower alkyl;  
 piperidyl optionally substituted with hydroxy, lower alkyl, lower alkoxy, carbonyl, phenyl, halogenophenyl and/or oxo;  
 pyrrolidinyl optionally substituted with hydroxy, carbamoyl and/or oxo;  
 piperazinyl optionally substituted with phenyl or pyrimidinyl; dihydropyridyl; pyrrolyl; pyrrolinyl; imidazolyl optionally substituted with halogen and/or lower alkyl;  
 pyrazolyl; thienyl; thiadiazolyl; furyl; oxazolyl; isoxazolyl; tetrazolyl optionally substituted with lower alkyl and/or phenyl; indolyl; indolyl; tetrahydroquinolyl; benzothiazolyl optionally substituted with lower alkyl; tetrahydroisothiazolyl optionally substituted with oxo; benzopyranyl optionally substituted with oxo;  
 tetrahydropyranyloxy; tetrahydrofuryloxy; morpholinylsulfonyl optionally substituted with lower alkyl; and/or piperidylsulfonyl optionally substituted with lower alkyl  
 (hereinafter referred to as "Z is Z-7"),  
 a compound wherein Z is optionally substituted phenyl  
 wherein the substituents is halogen, lower alkyl, halogeno(lower)alkyl, lower alkoxy, cycloalkyloxy, lower alkylcarbamoyl, phenyl, lower alkyl morpholino and/or tetrahydropyranyloxy  
 (hereinafter referred to as "Z is Z-8"),  
 a compound wherein Z is optionally substituted heterocyclyl  
 wherein the substituents is halogen, hydroxy, lower alkyl, halogeno(lower)alkyl, lower alkoxy, mercapto, lower alkylthio, acyl, carboxy, lower alkoxy, carbonyl, amino, lower alkylamino, phenyl, naphthyl, phenylthio optionally substituted with halogen, phenoxy optionally substituted with halogen, oxo, and/or heterocyclyl optionally substituted with lower alkyl  
 (hereinafter referred to as "Z is Z-9"),  
 a compound wherein Z is thienyl, pyrazolyl, thiazolyl, thiadiazolyl, pyridyl, pyrimidinyl, pyrazinyl, triazinyl, indolyl, isoindolyl, indolyl, isoindolyl, indazolyl, benzopyranyl, benzoxazolyl, benzothienyl, benzothiazolyl, benzothiazolyl, benzothiadiazolyl, quinolyl, isoquinolyl, dihydrobenzofuryl, carbazolyl, acridinyl or dibenzofuryl, each of which is optionally substituted with substituents selected from the group of lower alkyl; halogeno(lower)alkyl; lower alkoxy; lower alkoxy, carbonyl; acyl; lower alkoxy, carbonyl(lower)alkyl; mercapto; phenyl, naphthyl, phenylthio or phenoxy, each of which is optionally substituted with halogen; furyl; nitro; oxo; and morpholino optionally substituted with lower alkyl) (hereinafter referred to as "Z is Z-10"),  
 a compound wherein Z is thienyl, thiazolyl, thiadiazolyl, pyridyl, pyrazinyl, indolyl, isoindolyl, benzopyranyl, quinolyl, carbazolyl, dibenzofuryl, benzopyranyl, benzothienyl or benzothiazolyl, each of which is optionally substituted with one or more substituents selected from the group of lower alkyl, halogeno(lower)alkyl, lower alkoxy, lower alkoxy, carbonyl, acyl, phenyl, naphthyl, phenylthio, lower alkyl morpholino and oxo) (hereinafter referred to as "Z is Z-11"),  
 a compound wherein R<sup>1</sup> is R1-2, R<sup>2</sup> is R2-2, n is 2 and a combination of X, Y and Z, i.e., (X, Y, Z), is any one of the followings.  
 (X, Y, Z) = (X-3, Y-2, Z-1), (X-3, Y-2, Z-2), (X-3, Y-2, Z-3), (X-3, Y-2, Z-4), (X-3, Y-2, Z-5), (X-3, Y-2, Z-6), (X-3, Y-2, Z-7), (X-3, Y-2, Z-8), (X-3, Y-2, Z-9), (X-3, Y-2, Z-10), (X-3, Y-2, Z-11),  
 (X-3, Y-3, Z-1), (X-3, Y-3, Z-2), (X-3, Y-3, Z-3), (X-3, Y-3, Z-4), (X-3, Y-3, Z-5), (X-3, Y-3, Z-6), (X-3, Y-3, Z-7), (X-3, Y-3, Z-8), (X-3, Y-3, Z-9), (X-3, Y-3, Z-10), (X-3, Y-3, Z-11),  
 (X-4, Y-2, Z-1), (X-4, Y-2, Z-2), (X-4, Y-2, Z-3), (X-4, Y-2, Z-4), (X-4, Y-2, Z-5), (X-4, Y-2, Z-6), (X-4, Y-2, Z-7), (X-4, Y-2, Z-8), (X-4, Y-2, Z-9), (X-4, Y-2, Z-10), (X-4, Y-2, Z-11),  
 (X-4, Y-3, Z-1), (X-4, Y-3, Z-2), (X-4, Y-3, Z-3), (X-4, Y-3, Z-4), (X-4, Y-3, Z-5), (X-4, Y-3, Z-6), (X-4, Y-3, Z-7), (X-4, Y-3, Z-8), (X-4, Y-3, Z-9), (X-4, Y-3, Z-10), (X-4, Y-3, Z-11),  
 (X-5, Y-2, Z-1), (X-5, Y-2, Z-2), (X-5, Y-2, Z-3), (X-5, Y-2, Z-4), (X-5, Y-2, Z-5), (X-5, Y-2, Z-6), (X-5, Y-2, Z-7), (X-5, Y-2, Z-8), (X-5, Y-2, Z-9), (X-5, Y-2, Z-10), (X-5, Y-2, Z-11),  
 (X-5, Y-3, Z-1), (X-5, Y-3, Z-2), (X-5, Y-3, Z-3), (X-5, Y-3, Z-4), (X-5, Y-3, Z-5), (X-5, Y-3, Z-6); (X-5, Y-3, Z-7), (X-5, Y-3, Z-8), (X-5, Y-3, Z-9), (X-5, Y-3, Z-10) or (X-5, Y-3, Z-11),  
 the pharmaceutically acceptable salt, solvate or prodrug thereof.

**[0085]** The NPY Y5 receptor antagonist of the present invention is effective for all of the diseases in which NPY Y5 is involved and it is especially useful for preventing and/or treating obesity and suppressing food intake. Moreover, the antagonist is effective for preventing and/or treating the diseases in which obesity acts as a risk factor, for example, diabetes, hypertension, hyperlipemia, atherosclerosis and acute coronary syndrome.

**[0086]** In addition, the NPY Y5 receptor antagonist of the present invention has a low affinity for NPY Y1 and Y2 receptors, and has a high selectivity for NPY Y5 receptor. NPY causes a sustained vasoconstrictive action in the periphery and this action is mainly via Y1 receptor. Since Y5 receptor is not involved in this action at all, the NPY Y5 receptor antagonist has a low risk of inducing side effects based on the peripheral vasoconstriction, and is expected to be suitably used as a safe medicine.

[0087] The NPY Y5 receptor antagonist shows an anti-obesitic effect by suppressing food intake. Therefore, it is one of the features that this antagonist does not induce side effects, e.g., an indigestion caused by an anti-obesitic agent which inhibits digestion and absorption, and a central side effect such as anti-depression caused by a serotonin transporter inhibitor showing an anti-obesity effect.

[0088] A compound of the present invention can be administered orally or parenterally as an anti-obesitic agent or anorectic agent. In the case of oral administration, it may be in any usual form such as tablets, granules, powders, capsules, pills, solutions, syrups, buccal tablets and sublingual tablets. When the compound is parenterally administered, any usual form is preferable, for example, injections (e.g., intravenous, intramuscular), suppositories, endermic agents and vapors. Oral administration is particularly preferable because the compounds of the present invention show a high oral absorbability.

[0089] A pharmaceutical composition may be manufactured by mixing an effective amount of a compound of the present invention with various pharmaceutical additives suitable for the administration form, such as excipients, binders, moistening agents, disintegrators, lubricants and diluents. When the composition is of an injection, an active ingredient together with a suitable carrier can be sterilized to give a pharmaceutical composition.

[0090] Examples of the excipients include lactose, saccharose, glucose, starch, calcium carbonate and crystalline cellulose. Examples of the binders include methylcellulose, carboxymethylcellulose, hydroxypropylcellulose, gelatin and polyvinylpyrrolidone. Examples of the disintegrators include carboxymethylcellulose, sodium carboxymethylcellulose, starch, sodium alginate, agar and sodium lauryl sulfate. Examples of the lubricants include talc, magnesium stearate and macrogol. Cacao oil, macrogol, methylcellulose etc. may be used as base materials of suppositories. When the composition is manufactured as solutions, emulsified injections or suspended injections, dissolving accelerators, suspending agents, emulsifiers, stabilizers, preservatives, isotonic agents and the like may be added. For oral administration, sweetening agents, flavors and the like may be added.

[0091] Although the dosage of a compound of the present invention as an anti-obesitic agent or anorectic agent should be determined in consideration of the patient's age and body weight, the type and degree of diseases, the administration route etc., a usual oral dosage for an adult is 0.05 to 100 mg/kg/day and preferable is 0.1 to 10 mg/kg/day. For parenteral administration, although the dosage highly varies with administration routes, a usual dosage is 0.005 to 10 mg/kg/day, preferably, 0.01 to 1 mg/kg/day. The dosage may be administered in one to several divisions per day.


[0092] The present invention is further explained by the following Examples and Experiments, which are not intended to limit the scope of the present invention.

#### Examples

##### Example 1 Synthesis of Compound (I-7)

##### Step 1

[0093]




[0094] Sodium carbonate (995 mg, 9.38 mmol) was dissolved in 30 ml of water and starting material amino acid (1.0 g, 8.53 mmol) and N-carboethoxyphthalimide (2.49 g, 11.4 mmol) were added thereto. The mixture was stirred at room temperature overnight. The pH of the mixture was adjusted to 1 by adding conc. hydrochloric acid. Precipitated crystals were washed with water and dried to give the desired compound (1.72 g, 82 % yield).

$^1\text{H-NMR}$  ( $\text{CD}_3\text{OD}$ )  $\delta$  ppm: 1.59-1.77 (m, 4H), 2.34 (t, 2H,  $J = 6.3$  Hz), 3.69 (t, 2H,  $J = 6.6$  Hz), 7.78-7.87 (m, 4H).

## Step 2

[0095]




[0096] The compound obtained in Step 1 (1.0 g, 4.0 mmol) was dissolved in 5 ml of dichloromethane at room temperature. Oxalyl chloride (0.459 ml, 5.2 mmol) and trace amounts of DMF were added to the mixture under ice-cooling and the mixture was reacted under ice-cooling and at room temperature, each for 30 min. After the solvent was removed under reduced pressure, 5 ml of dichloromethane was added. Under ice-cooling, 4-butylaniline (664 mg, 4.4 mmol) and triethylamine (0.564 ml, 4.4 mmol) were added thereto and the mixture was reacted for 30 min. at room temperature. The reactant was poured into water and extracted with chloroform. The organic layer was washed with water and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure and the residue was purified by silica gel chromatography to give the desired compound (1.49 g, 97 % yield).

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.27-1.39 (m, 2H), 1.51-1.62 (m, 2H), 1.72-1.84 (m, 4H), 2.40-2.46 (m, 2H), 2.56 (t, 2H, J = 7.5 Hz), 3.76 (t, 1H, J = 5.7 Hz), 7.12 (d, 2H, J = 7.8 Hz), 7.33 (s, 1H), 7.42 (d, 2H, J = 8.1 Hz), 7.71-7.73 (m, 2H), 7.83-7.86 (m, 2H).

## Step 3

[0097]




[0098] After the compound obtained in Step 2 (1.49 g, 3.9 mmol) was dissolved in 30 ml of ethanol, hydrazine monohydrate (0.591 mg, 11.8 mmol) was added and the mixture was reacted at 50 °C for 3 hours. The solvent was removed, 1 mol/l aqueous NaOH was added and the solution was extracted with ethyl acetate. The organic layer was washed with water and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure to give the desired compound (808 mg, 83 % yield)

<sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 0.93 (t, 3H, J = 7.2 Hz), 1.28-1.40 (m, 2H), 1.50-1.62 (m, 4H), 1.67-1.77 (m, 2H), 2.37 (t, 2H, J = 7.5 Hz), 2.56 (t, 2H, J = 7.8 Hz), 2.68 (t, 2H, J = 7.2 Hz), 7.11 (d, 2H, J = 8.1 Hz), 7.42 (d, 2H, J = 8.4 Hz).

## Step 4

[0099]




[0100] The compound obtained in Step 3 (808 mg, 3.25 mmol) was suspended in 5 ml of dichloromethane under ice-cooling and isopropylsulfonyl chloride (696 mg, 4.9 mmol) and triethylamine (494 mg, 4.9 mmol) were added. After the mixture was reacted under ice-cooling for an hour, the reactant was poured into water and extracted with chloroform. The organic layer was washed with water and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure and the residue was purified by silica gel chromatography to give the desired compound quantitatively.

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.27-1.40 (m, 2H), 1.36 (d, 6H, J = 6.6 Hz), 1.51-1.69 (m, 4H), 1.77-1.86 (m, 2H), 2.38 (t, 2H, J = 7.2 Hz), 2.56 (t, 2H, J = 7.5 Hz), 3.12-3.21 (m, 3H), 4.38 (t, 1H, J = 5.7 Hz), 7.11 (d, 2H, J = 8.4 Hz), 7.36-7.41 (m, 3H).

#### Example 2 Synthesis of Compound (I-10)

[0101]




[0102] The desired compound was synthesized in a similar manner to Step 4 in Example 1 except that tert-butylsulfonyl chloride (689 mg, 4.9 mmol) and triethylamine (494 mg, 4.9 mmol) were added to the compound obtained in Step 3 in Example 1.

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.22 (s, 9H), 1.30-1.37 (m, 2H), 1.51-1.68 (m, 4H), 1.76-1.86 (m, 2H), 2.31-2.40 (m, 2H), 2.56 (t, 2H, J = 7.5 Hz), 3.15-3.26 (m, 3H), 7.11 (t, 2H, J = 8.7 Hz), 7.42 (d, 2H, J = 8.1 Hz), 7.54 (s, 1H).

#### Example 3 Synthesis of Compound (I-11)

[0103]



[0104] The compound obtained in Example 2 (352 mg, 1.0 mmol) was dissolved in 5 ml of dichloromethane under ice-cooling and mCPBA (259 mg, 1.5 mmol) was added to the solution. The solution was reacted at room temperature for an hour and the insoluble material was filtered off. The filtrate was washed with 1 mol/l NaOH, Na<sub>2</sub>S<sub>2</sub>O<sub>5</sub> and water, successively, and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure and the residue was purified by silica gel chromatography to give the desired compound (338 mg, 92 % yield).


<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.29-1.39 (m, 2H), 1.39 (s, 9H), 1.51-1.68 (m, 4H), 1.76-1.84 (m, 2H), 2.37 (t, 2H, J = 7.5 Hz), 2.56 (t, 2H, J = 7.8 Hz), 3.19-3.26 (m, 2H), 4.20 (t, 1H, J = 5.7 Hz), 7.11 (t, 2H, J = 8.1 Hz), 7.42 (d, 2H, J = 8.7 Hz), 7.46 (s, 1H).



## Example 4 Synthesis of Compound (I-72)

## Step 1

[0105]




[0106] Starting material amino acid (a mixture of cis isomer and trans isomer) (1.0 g, 8.53 mmol) was dissolved in 7.5 ml of methanol. Thionyl chloride (1.0 ml, 13.7 mmol) was added to the mixture under ice-cooling and the mixture was stirred at room temperature overnight. After the mixture was concentrated under reduced pressure, diethylether was added and precipitated crystals were obtained by filtration. The crystals were washed with diethylether and dried to give the desired compound (1.25 g, 93 % yield).

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.50-2.60 (m, 9H), 3.08-3.36 (m, 1H), 3.67 (s, 3H, CO<sub>2</sub>Me of cis isomer), 3.71 (s, 3H, CO<sub>2</sub>Me of trans isomer), 8.15-8.55 (m, 3H).

## Step 2

[0107]




[0108] The desired sulfonamide (a mixture of cis isomer and trans isomer) was synthesized from starting material methyl ester in similar manners to Step 3 in Example 1 and Example 2.

cis isomer

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.39 (s, 9H), 1.52-1.99 (m, 8H), 2.43-2.53 (m, 1H), 3.42-3.55 (m, 1H), 3.69 (s, 3H), 3.85 (d, 1H, J = 9.0 Hz).

## Step 3

[0109]




[0110] Starting material sulfonamide (19.4 g, 70.0 mmol, a mixture of cis isomer and trans isomer) was dissolved in 30 ml of methanol. To the mixture, 28 % sodium methoxide (284 ml, 140.0 mmol) was added and refluxed with stirring under ice-cooling. After the solvent was removed, the residue was diluted with chloroform, and 1 mol/l HCl was added

with stirring under ice-cooling until pH of an aqueous layer reached 3. The aqueous layer was extracted with chloroform and the organic layer was washed with water and dried over magnesium sulfate anhydride. The obtained crude crystals were recrystallized from hexane-ethyl acetate to give the desired sulfonamide (trans isomer, 7.75 g, 40 % yield).

<sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 1.16-1.32 (m, 2H), 1.39 (s, 9H), 1.44-1.52 (m, 2H), 1.98-2.09 (m, 2H), 2.14-2.29 (m, 3H), 3.18-3.37 (m, 1H), 3.63 (d, 1H, J = 9.0 Hz), 3.67 (s, 3H).

Step 4

[0111]




[0112] Starting material methyl ester (4.77 g, 17.2 mmol) was dissolved in 95 ml of methanol and 1 mol/l NaOH (43 ml, 43.0 mmol) was added with stirring under ice-cooling. The mixture was stirred at room temperature overnight and concentrated under reduced pressure. After 1 mol/l HCl was added with stirring until pH of the mixture reached 3 under ice-cooling, the precipitated crystals were collected by filtration, washed with water and dried. The obtained crude

crystals were recrystallized from hexane-ethylacetate to give the desired carboxylic acid (4.20 g, 93 % yield). <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.18-1.35 (m, 2H), 1.39 (s, 9H), 1.46-1.63 (m, 2H), 2.01-2.14 (m, 2H), 2.14-2.32 (m, 3H), 3.18-3.35 (m, 1H), 3.80 (d, 1H, J = 9.6 Hz).

Step 5

[0113]




[0114] A starting material carboxylic acid (5.86 g, 22.3 mmol) was dissolved in 88 ml of dichloromethane at room temperature. To the mixture, oxalyl chloride (2.34 ml, 26.7 mmol) and catalytic amount of DMF were added under ice-cooling and stirred at room temperature for an hour. After the solvent was removed under reduced pressure, dichloromethane (115 ml), substituted aniline (5.05 g, 24.5 mmol) and triethylamine (4.65 ml, 33.4 mmol) were added. The mixture was stirred at room temperature for 2.5 hours, the ice-cooling water was poured thereto, and the mixture was extracted with chloroform. An organic layer was washed with water and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure and ethyl acetate and hexane were added to the residue. The precipitated crystals were collected with filtration to give the desired amide (7.00 g, 70 % yield).

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25 (d, 6H, J = 6.3 Hz), 1.17-1.42 (m, 2H), 1.40 (s, 9H), 1.60-1.78 (m, 2H), 1.98-2.43 (m, 7H), 3.20-3.43 (m, 3H), 3.67 (d, 1H, J = 9.6 Hz), 3.74-3.86 (m, 2H), 6.86 (d, 2H, J = 9.0 Hz), 7.04 (s, 1H), 7.38 (d, 2H, J = 9.0 Hz).

## Example 5 Synthesis of Compound (I-2)

## Step 1

[0115]




[0116] After starting material diamine (461 mg, 2.5 mmol) was suspended in dichloromethane under ice-cooling, an acid chloride (500 mg, 2.5 mmol) and triethylamine (773 mg, 7.5 mmol) were added and the mixture was reacted for 30 min. Water and dichloromethane were added to the reactant and insoluble materials were filtered off. The organic layer was washed with water and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure to give the desired compound as a residue (100 mg, 15 % yield).

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93 (t, 3H, J = 7.2 Hz), 1.30-1.42 (m, 2H), 1.57-1.67 (m, 2H), 2.66 (t, 2H, J = 7.8 Hz), 3.50 (brs, 1H), 6.57 (s, 1H), 6.68 (d, 2H, J = 8.7 Hz), 7.26 (d, 2H, J = 8.4 Hz), 7.39 (d, 2H, J = 8.7 Hz), 7.68 (s, 1H), 7.75 (d, 2H, J = 8.1 Hz).

## Step 2

[0117]




[0118] The desired compound was synthesized in a similar manner to Step 4 in Example 1.

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.94 (t, 3H, J = 7.5 Hz), 1.34-1.44 (m, 2H), 1.40 (d, 6H, J = 6.6 Hz), 1.59-1.68 (m, 2H), 2.69 (t, 2H, J = 7.8 Hz), 3.24-3.35 (m, 1H), 6.49 (s, 1H), 7.28-7.32 (m, 4H), 7.6 (d, 2H, J = 8.7 Hz), 7.79 (d, 2H, J = 8.1 Hz), 7.85 (s, 1H).

## Example 6 Synthesis of Compound (I-31)

## Step 1

[0119]




[0120] A starting material diamine (8.37 g, 73.3 mmol) was dissolved in 30 ml of dioxane at room temperature and a solution of  $\text{Boc}_2\text{O}$  (2 g, 9.2 mmol) in dioxane (30 ml) was added. The mixture was reacted at room temperature for 3 days and the solvent was removed. Water was added to the residue and the mixture was extracted with chloroform. The organic layer was washed with water and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure to give the desired compound as a residue (1.8 g, 92 % yield based on  $\text{Boc}_2\text{O}$ )

$^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 1.07-1.26 (m, 6H), 1.44 (s, 9H), 1.84-2.00 (m, 4H), 2.58-2.67 (m, 1H), 3.37 (brs, 1H), 4.43 (brs, 1H).

## Step 2

## [0121]




[0122] The desired compound was synthesized in a similar manner to Step 1 in Example 5.

$^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.92 (t, 3H,  $J = 7.2$  Hz), 1.26-1.42 (m, 6H), 1.45 (s, 9H), 1.54-1.68 (m, 2H), 1.99-2.12 (m, 4H), 2.64 (t, 2H,  $J = 7.8$  Hz), 3.43 (brs, 1H), 3.90-4.00 (m, 1H), 4.48 (d, 1H,  $J = 5.7$  Hz), 5.95 (d, 1H,  $J = 8.4$  Hz), 7.21 (d, 2H,  $J = 8.4$  Hz), 7.65 (d, 2H,  $J = 8.4$  Hz).

## Step 3

## [0123]




[0124] A starting material Boc compound (2.08 g, 5.55 mmol) was dissolved in 20 ml of ethyl acetate under ice-cooling and 20 ml of 4mol/l  $\text{HCl}/\text{AcOEt}$  was added. The mixture was reacted at room temperature for an hour and the solvent was removed under reduced pressure to give the desired compound as a residue (1.7 g, 98 % yield).

$^1\text{H-NMR}$  ( $\text{CD}_3\text{OD}$ )  $\delta$  ppm: 0.93 (t, 3H,  $J = 7.2$  Hz), 1.29-1.41 (m, 2H), 1.50-1.66 (m, 6H), 2.02-2.18 (m, 4H), 2.66 (t, 2H,  $J = 7.8$  Hz), 3.13 (brs, 1H), 3.82-3.94 (m, 1H), 7.26 (d, 2H,  $J = 8.7$  Hz), 7.72 (d, 2H,  $J = 8.4$  Hz).

Step 4

[0125]




[0126] The desired compound was synthesized in a similar manner to Step 4 in Example 1.

$^1H$ -NMR ( $CDCl_3$ )  $\delta$  ppm: 0.92 (t, 3H,  $J = 7.5$  Hz), 1.21 (s, 9H), 1.28-1.62 (m, 8H), 2.07-2.14 (m, 4H), 2.64 (t, 2H,  $J = 7.8$  Hz), 3.11 (d, 1H,  $J = 5.1$  Hz), 3.20 (brs, 1H), 3.90-4.04 (m, 1H), 6.06-6.14 (m, 1H), 7.21 (t, 2H,  $J = 8.1$  Hz), 7.67 (t, 2H,  $J = 8.4$  Hz).

Example 7 Synthesis of Compound (I-32)

[0127]




[0128] The desired compound was synthesized from the compound obtained in Example 6 in a similar manner to Example 3.

$^1H$ -NMR ( $CDCl_3$ )  $\delta$  ppm: 0.92 (t, 3H,  $J = 7.2$  Hz), 1.27-1.65 (m, 8H), 1.40 (s, 9H), 2.10-2.23 (m, 4H), 2.65 (t, 2H,  $J = 7.5$  Hz), 3.23-3.35 (m, 1H), 3.49 (s, 1H), 3.88-4.02 (m, 1H), 5.84-5.92 (m, 1H), 7.13 (t, 2H,  $J = 8.4$  Hz), 7.65 (d, 2H,  $J = 8.1$  Hz).

Example 8 Synthesis of Compound (I-5)

Step 1

[0129]



[0130] The desired compound was synthesized in a similar manner to Step 2 in Example 1.


$^1H$ -NMR ( $CDCl_3$ )  $\delta$  ppm: 0.94 (t, 3H,  $J = 7.5$  Hz), 1.30-1.42 (m, 2H), 1.50-1.65 (m, 2H), 2.61 (t, 2H,  $J = 7.8$  Hz), 7.20 (d, 2H,  $J = 7.2$  Hz), 7.48-7.51 (m, 3H), 7.72 (s, 1H), 7.88-7.90 (m, 1H).

## Step 2

[0131]

5

10



[0132] To a mixture of a starting material nitro compound (593 mg, 1.95 mmol) and tin (358 mg, 3.0 mmol), 30 ml of 6 mol/l HCl and 6 ml of THF were added and reacted at, 50 °C for 3 hours. After cooling, the solvent was removed and the residue was neutralized 10 % with NaOH and extracted with chloroform. The organic layer was washed with water and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure and the residue was purified by silica gel chromatography to give the desired compound (110 mg, 21 % yield).

15

20


<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.26-1.39 (m, 2H), 1.49-1.59 (m, 2H), 2.50 (t, 2H, J = 7.8 Hz), 4.37 (s, 1H), 6.65 (d, 2H, J = 8.4 Hz), 6.97 (d, 2H, J = 8.4 Hz), 7.14 (d, 1H, J = 8.4 Hz), 7.43 (d, 1H, J = 8.7 Hz).

## Step 3

[0133]

25

30



[0134] The desired compound was synthesized in a similar manner to Step 4 in Example 1.

35

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.2 Hz), 1.28-1.41 (m, 2H), 1.46 (d, 6H, J = 6.9 Hz), 1.53-1.63 (m, 2H), 2.59 (t, 2H, J = 7.8 Hz), 3.35-3.44 (m, 1H), 7.15 (d, 2H, J = 8.7 Hz), 7.38 (s, 1H), 7.45 (d, 2H, J = 8.7 Hz), 7.57 (s, 1H).

## Example 9 Synthesis of Compound (I-4)


40

## Step 1

[0135]

45

50




55

[0136] The desired compound was synthesized in a similar manner to Step 4 in Example 1.

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.44 (d, 6H, J = 6.9 Hz), 3.33-3.43 (m, 1H), 3.88 (s, 9H), 6.24-6.26 (m, 1H), 7.11-7.14 (m, 2H).

Step 2

[0137]




[0138] The desired compound was synthesized in a similar manner to Step 4 in Example 4.

 $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 1.44 (d, 6H,  $J = 6.3$  Hz), 3.33-3.45 (m, 1H), 6.25-6.28 (m, 1H), 7.27-7.28 (m, 1H), 7.51 (s, 1H).

Step 3

[0139]




[0140] The desired compound was synthesized in a similar manner to Step 2 in Example 1.

 $^1\text{H-NMR}$  ( $\text{CD}_3\text{OD}$ )  $\delta$  ppm: 0.92 (t, 3H,  $J = 6.9$  Hz), 1.28-1.41 (m, 2H), 1.46 (d, 6H,  $J = 6.3$  Hz), 1.53-1.63 (m, 2H), 2.58 (t, 2H,  $J = 7.8$  Hz), 3.33-3.43 (m, 1H), 6.27-6.29 (m, 1H), 7.14-7.16 (m, 3H), 7.50 (d, 2H,  $J = 8.4$  Hz), 7.90 (s, 1H).

Example 10 Synthesis of Compound (I-28)


Step 1

[0141]



[0142] The desired compound was synthesized in a similar manner to Step 1 in Example 1.


 $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 1.137-1.52 (m, 3H), 1.74-1.79 (m, 2H), 2.07-2.13 (m, 2H), 2.28-2.42 (m, 2H), 3.72-3.81 (m, 1H), 4.09-4.20 (m, 1H), 7.68-7.73 (m, 2H), 7.81-7.85 (m, 2H). Step 2



10 [0143] 4-butylphenyl isocyanate (2.85 g, 16.3 mmol) was dissolved in 30 ml of THF, and a starting material alcohol (1.0 g, 4.08 mmol) and bis(tributyltin)oxide (972 mg, 1.63 mmol) were added. After the mixture was stirred overnight, the solvent was removed, water was added and the solution was extracted with chloroform. The organic layer was washed with water and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure and the residue was purified by silica gel chromatography to give the desired compound (332 mg, 19 % yield).  
 15  $^1H$ -NMR ( $CDCl_3$ )  $\delta$  ppm: 0.92 (t, 3H, J = 6.9 Hz), 1.30-1.40 (m, 2H), 1.48-1.62 (m, 4H), 1.79-1.83 (m, 2H), 2.21-2.25 (m, 2H), 2.37-2.50 (m, 2H), 2.57 (t, 2H, J = 7.8 Hz), 4.11-4.22 (m, 1H), 4.77-4.87 (m, 1H), 6.49 (s, 1H), 7.11 (d, 2H, J = 8.7 Hz), 7.28 (d, 2H, J = 8.7 Hz), 7.69-7.73 (m, 2H), 7.80-7.84 (m, 2H).

20 Step 3

[0144]




40 [0145] The desired compound was synthesized in similar manners to Step 3 in Example 1 and Example 2.

45  $^1H$ -NMR ( $CDCl_3$ )  $\delta$  ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.21 (s, 9H), 1.30-1.62 (m, 8H), 2.08 (d, 4H, J = 11.1 Hz), 2.56 (t, 2H, J = 7.8 Hz), 3.04 (d, 1H, J = 4.8 Hz), 3.20-3.30 (m, 1H), 4.65-4.76 (m, 1H), 6.57 (s, 1H), 7.10 (d, 2H, J = 8.7 Hz), 7.26 (d, 2H, J = 8.1 Hz).

Example 11 Synthesis of Compound (I-29)

[0146]






[0147] The desired compound was synthesized in a similar manner to Example 3.

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.23-1.62 (m, 8H), 1.40 (s, 9H), 2.12 (d 4H, J = 14.4 Hz), 2.56 (t, 2H, J = 7.8 Hz), 3.28-3.40 (m, 1H), 3.90 (s, 1H), 4.60-4.73 (m, 1H), 6.57 (s, 1H), 7.10 (d, 2H, J = 8.4 Hz), 7.25 (d, 2H, J = 8.4 Hz).

#### Example 12 Synthesis of Compound (I-114)

[0148]




[0149] Lawesson's reagent [2,4-bis(4-methoxyphenyl)-1,3-dithia-2,4-diphosphetane-2,4-disulfide] (132 mg) was added to a solution of 100 mg of Compound (I-110) synthesized in a similar manner to Example 1 in toluene (2.7 ml) and the mixture was stirred at 80 °C for 3 hours. The reactant was concentrated under reduced pressure and the residue was purified by silica gel chromatography (ethyl acetate: n-hexane=1:1) to give pale yellow crystals (82.3 mg, 79 %). The crystals were recrystallized from methylene chloride-diisopropyl ether to give the desired compound as colorless needles (50.5 mg, 48 %).

#### Example 13 Synthesis of Compound (I-120)

##### Step 1


[0150]



[0151] Ethyl 4-amino-1-piperidinecarboxylate (300 mg) and triethylamine (258 mg) were dissolved in 5 ml of dichloromethane. To the mixture, 2 ml of solution of t-butylsulfonyl chloride (222 mg) in dichloromethane was added and the mixture was stirred at room temperature for 4 hours. The solution was partitioned into an aqueous solution of potassium hydrogen sulfate and ethyl acetate. The organic layer was washed with brine and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure and the residue was purified by silica gel chromatography to give 378 mg of 4-t-butylsulfonyl amino-1-ethoxycarbonyl piperidine.

##### Step 2

[0152]



[0153] In a mixture of 5 ml of 2-propanol and 5 ml of water, 378 mg of 4-t-butylsulfonylamino-1-ethoxycarbonyl piperidine was suspended and 1.77 g of barium hydroxide was added. The mixture was refluxed with stirring and heating for 4 hours. The mixture was diluted with methanol and the insoluble material was filtered off. The solvent was removed under reduced pressure to give 4-t-butylsulfonylaminopiperidine. Without purification, the obtained material was dis-

solved in 5 ml of THF, and 984 mg of N-ph noxycarbonyl-4-butyl aniline and 236 mg of diisopropyl ethylamine were added, followed by stirring at room temp ratur overnight. An aqueous solution of potassium hydrogen sulfat was added to the mixtur and the mixture was extracted with ethyl acetate. The organic layer was washed with brine and dried over magnesium sulfate anhydrid . The solvent was removed under r duc d pressure and the residue was purified by silica gel chromatography to giv 291 mg of 4-t-butylsulfinylaminopip ridine-1-carboxylic acid(4-t-butylphe-  
 5 nyl)amide.

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.89(t, 3H, J= 7.3Hz), 1.19(s, 9H), 1.25-1.38(m, 4H), 1.40-1.60(m, 4H), 1.89-2.03(m, 3H), 2.52  
 (t, 2H, J=7.7Hz), 2.89-3.04(m, 2H), 3.14(d, 1H, J= 5.2 Hz), 3.37(m, 1H), 3.96(m, 2H), 6.67(s, 1H), 7.05(d, 2H, J =  
 8.5Hz), 7.22(d, 2H, J = 8.5Hz).










Step 3

[0154]




[0155] In a mixture of 2 ml of methanol and 2 ml of methylene chloride, 291 mg of 4-t-butylsulfinyl aminopiperidine-1-carboxylic acid(4-t-butylphenyl)amide was dissolved. To the mixture, 570 mg of 80%-MMPP (magnesium monoperoxyphthalate hexahydrate) was added and the mixture was stirred at room temperature for 2 hours. The solution was diluted with water and extracted with ethyl acetate. The organic layer was washed with brine and dried over magnesium sulfate anhydride. The solvent was removed under reduced pressure and the residue was purified by silica gel chromatography to give 130 mg of 4-t-butylsulfonylaminopiperidine-1-carboxylic acid(4-butylphenyl)amide (I-120).


[0156] Other Compounds (I) are synthesized by the similar methods. The structures and physical properties are shown below.




I-6




I-17




I-7




I-18




I-8




I-19




I-9




I-20




I-10




I-21




I-11




I-22




I-23




I-34




I-24




I-35




I-25




I-36

















I-26




I-37






5

I-45




10

I-46




15

I-47




20

I-48




25

I-49




30

I-50




35

I-51




40

I-52




45

I-53




50

I-54




55


I-55




I-56




I-57




I-58




I-59




I-60




I-61




I-62




I-63




I-64




I-65




I-66







I-91




I-103




I-92




I-104




I-93




I-105




I-94




I-106




I-95




I-107




I-96




I-108




I-97




I-109




I-98




I-110




I-99




I-111









I-120




I-132




I-121




I-133




I-122




I-134




I-123




I-135




I-124




I-136




I-125




I-137




I-126




I-138




I-139




I-151




I-140




I-152







































I-141





































I-153























I-219




I-230




I-220




I-231




I-221




I-232




I-222




I-233




I-223




I-234




I-224




I-235




I-225




I-236




I-226




I-237




I-238




I-249




I-239




I-240




I-241




I-242




I-243




I-244




I-245




I-246




I-247




I-248




I-260




I-250




I-251




I-252




I-253




I-254




I-25




I-256




I-257




I-258




I-259



I-271









5

I-282




I-293




10

I-283




I-294




15

I-284




I-295




20

I-285




I-296




25

I-286




I-297




30

I-287




I-298




35

I-288




I-299




40

I-289




I-300




45

I-290




I-301




50

I-291




I-302





55

I-292




I-303







I-310




I-321




I-311




I-322




I-312




I-323




I-313




I-324




I-314




I-325




I-326




I-337




I-327




I-338




I-38




I-339




I-329




I-340




I-330




I-341




I-331




I-342




I-332




I-343




I-333




I-344




I-334




I-345




I-335




I-346




I-336




I-347




I-348




I-357




I-349




I-358




I-350




I-359




I-351




I-360




I-352




I-361




I-353




I-362




I-354




I-363




I-355




I-364




I-356




I-365




I-366




I-377




I-367




I-378





















I-368




I-379







I-389




I-400




I-390




I-401




I-391




I-402




I-392




I-403




I-393




I-404




I-394




I-405




I-395




I-406




I-396




I-407



I-397




I-408







I-398




I-409




I-410




I-421




I-411




I-422




I-412




I-423




I-413




I-424




I-414




I-425




I-415




I-426











































I-416






































I-427



































5

10

15

20

25

30


35

40

45


50

55






5




10




15




20




25




30




35




40




45




50




55




I-554




I-555




I-556




I-557




I-558




I-559




I-560




I-561




I-562



I-563




I-564




5

I-565




10

I-566




15

I-567




20

I-568




25

I-569




30

I-570




35

I-571




40

I-572




45

I-573




50


I-574




I-575




I-576




I-577




I-578




I-579




I-580




I-581




I-582




I-583




I-584



I-585




I-586




55


5




10




15




20




25




30




35




40















45




























50




55









I-656




I-668




I-657




I-669




I-658




I-670




I-659




I-671




I-660




I-672




I-661




I-673




I-662




I-674




I-663




I-675




I-664




I-676




I-665




I-677




I-666




I-678



































I-667



















I-679












































































































































5

Ia-231




Ia-245




10


Ia-232




Ia-246



Ia-233




Ia-247




15


Ia-234




Ia-248



Ia-235




Ia-249




20

Ia-236




Ia-250




25

Ia-237




Ia-252




30


Ia-238




Ia-253



Ia-239




Ia-254




35


Ia-240




Ia-255



Ia-241




Ia-256




40

Ia-242




Ia-257




45


Ia-243




Ia-258



Ia-244






















Ia-259




50

55




5

Ib-23




10

Ib-24




15

Ib-25




20

Ib-26




25

Ib-27




30

Ib-28




35

Ib-29




40

Ib-30




45

Ib-31




50

Ib-32




55


Ib-33




Ib-35




Ib-36




Ib-37




Ib-38




Ib-39




Ib-40




Ib-41




Ib-42




Ib-43




Ib-44









5




10




15




20




25




30




35




40














45


























50













































55




















































































































































































































































Id-1




Id-13




Id-2




Id-14




Id-4




Id-16




Id-7




Id-17




Id-8




Id-18




Id-9




Id-19




Id-10




Id-20




Id-11




Id-21




Id-12




Id-22

























Id-23
















































Id-35





































































5




Id-212




10




Id-213




15





Id-214





20




Id-215




Id-216





Id-219




25




Id-220




Id-221




30





Id-222




35




Id-223




Id-224




40




Id-225



45




Id-226




50

55


Ie-1




Ie-2




Ie-4




Ie-7




Ie-8




Ie-9




Ie-10




Ie-11




Ie-12




Ie-13




Ie-14




Ie-16




Ie-17




Ie-18




Ie-19




Ie-20














































Ie-21




Ie-22









Ie-67




Ie-68




Ie-69




Ie-70




Ie-71




Ie-73




Ie-74




Ie-75




Ie-76




Ie-77




Ie-78




Ie-79




Ie-80




Ie-81




Ie-82




Ie-83




Ie-84




Ie-85



Ie-86

























Ie-87

























Ie-88











5

Ie-133




10

Ie-134




15

Ie-135




20

Ie-136




25

Ie-137




30

Ie-138




40

Ie-139




50

Ie-140




55


Ie-141




Ie-142




Ie-143




Ie-144




Ie-145




Ie-146




Ie-147




Ie-148




Ie-149




Ie-150




Ie-151




Ie-152






Ie-153




Ie-154









5




10




15




20




25




30




35




















40























45




50




55




5




10




15




20




25




30




35





40













45
























50





55













5

If-111




10

If-112




15

If-113




20

If-114




25

If-115




30

If-116




35

If-117




40

If-118




45

If-119




50

If-120




55


If-121




If-122




If-123




If-124




If-125




If-126




If-127




If-128




If-129




If-130















































If-131




If-132













5  
10  
15  
20  
25  
30  
35  
40  
45  
50  
55




Ig-1




Ig-13




Ig-2




Ig-14




Ig-3




Ig-16




Ig-4




Ig-17




Ig-7




Ig-18




Ig-8




Ig-19




Ig-9




Ig-20




Ig-10




Ig-21




Ig-11



Ig-22




Ig-12






5

Ig-23




Ig-35




10

Ig-24




Ig-36




15

Ig-25




Ig-37




20

Ig-26




Ig-38




25

Ig-27




Ig-39




30

Ig-28




Ig-40




35

Ig-29




Ig-41




40


Ig-30




Ig-42



Ig-31




Ig-43




45

Ig-32




Ig-44










































50





















Ig-33














































55
























Ih-1




Ih-13




Ih-2




Ih-14




Ih-4




Ih-16




Ih-7




Ih-17




Ih-8




Ih-18




Ih-9




Ih-19




Ih-10




Ih-20




Ih-11




Ih-21














































Ih-12
























Ih-22











5

Ih-89




10

Ih-90




15

Ih-91




20

Ih-92




25

Ih-93




30

Ih-94




35

Ih-95




40

Ih-96




45

Ih-97




50

Ih-98




55


Ih-99




Ih-100




Ih-101




Ih-102




Ih-103




Ih-104




Ih-105




Ih-106




Ih-107




Ih-108


























Ih-109




Ih-110

















I-2

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.94 (t, 3H, J = 7.5 Hz), 1.34-1.44 (m, 2H), 1.40 (d, 6H, J = 6.6 Hz), 1.59-1.68 (m, 2H),

# EP 1 249 233 A1

2.69 (t, 2H, J = 7.8 Hz), 3.24-3.35 (m, 1H), 6.49 (s, 1H), 7.23-7.32 (m, 4H), 7.6 (d, 2H, J = 8.7 Hz), 7.79 (d, 2H, J = 8.1 Hz), 7.85 (s, 1H).

I-3

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.2 Hz), 1.30-1.39 (m, 2H), 1.37 (d, 6H, J = 6.9 Hz), 1.57 (quint, 2H, J = 7.5 Hz), 1.96 (quint, 2H, J = 6.6 Hz), 2.49 (t, 2H, J = 6.6 Hz), 2.57 (t, 2H, J = 7.8 Hz), 3.16-3.26 (m, 3H), 4.62 (brs, 1H), 7.12 (d, 2H, J = 8.1 Hz), 7.43 (d, 2H, J = 8.4 Hz), 7.64 (s, 1H).

I-4

<sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 0.92 (t, 3H, J = 6.9 Hz), 1.28-1.41 (m, 2H), 1.46 (d, 6H, J = 6.3 Hz), 1.53-1.63 (m, 2H), 2.58 (t, 2H, J = 7.8 Hz), 3.33-3.43 (m, 1H), 6.27-6.29 (m, 1H), 7.14-7.16 (m, 3H), 7.50 (d, 2H, J = 8.4 Hz), 7.90 (s, 1H).

I-5

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.2 Hz), 1.28-1.41 (m, 2H), 1.46 (d, 6H, J = 6.9 Hz), 1.53-1.63 (m, 2H), 2.59 (t, 2H, J = 7.8 Hz), 3.35-3.44 (m, 1H), 7.15 (d, 2H, J = 8.7 Hz), 7.38 (s, 1H), 7.45 (d, 2H, J = 8.7 Hz), 7.57 (s, 1H).

I-6

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.29-1.39 (m, 2H), 1.37 (d, 6H, J = 6.9 Hz), 1.55 (quint, 2H, J = 7.5 Hz), 2.55 (t, 2H, J = 5.1 Hz), 3.18-3.27 (m, 1H), 3.92 (d, 2H, J = 6.0 Hz), 5.51 (t, 1H, J = 5.7 Hz), 7.10 (d, 2H, J = 8.4 Hz), 7.39 (d, 2H, J = 8.4 Hz), 8.23 (s, 1H).

I-7

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.28-1.38 (m, 2H), 1.37 (d, 6H, J = 6.9 Hz), 1.51-1.67 (m, 4H), 1.78-1.88 (m, 2H), 2.39 (t, 2H, J = 7.2 Hz), 2.57 (t, 2H, J = 7.5 Hz), 3.12-3.22 (m, 3H), 4.30-4.37 (m, 1H), 7.12 (d, 2H, J = 8.4 Hz), 7.36-7.42 (m, 3H).

I-8

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.21-1.47 (m, 4H), 1.35 (d, 6H, J = 6.6 Hz), 1.51-1.83 (m, 4H), 1.67-1.77 (m, 2H), 2.34 (t, 2H, J = 7.5 Hz), 2.55 (t, 2H, J = 7.8 Hz), 3.08-3.17 (m, 3H), 4.71 (t, 1H, J = 6.0 Hz), 7.09 (d, 2H, J = 8.1 Hz), 7.43 (d, 2H, J = 8.4 Hz), 7.74 (s, 1H).

I-9

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.29-1.39 (m, 2H), 1.35 (d, 6H, J = 6.9 Hz), 1.50-1.60 (m, 2H), 2.54 (t, 2H, J = 7.8 Hz), 2.64 (t, 2H, J = 5.7 Hz), 3.14-3.23 (m, 1H), 3.41-3.47 (m, 2H), 5.29 (t, 1H, J = 6.3 Hz), 7.10 (d, 2H, J = 8.4 Hz), 7.39 (d, 2H, J = 8.4 Hz), 7.91 (s, 1H).

I-10

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.22 (s, 9H), 1.30-1.37 (m, 2H), 1.51-1.68 (m, 4H), 1.78-1.86 (m, 2H), 2.31-2.40 (m, 2H), 2.56 (t, 2H, J = 7.5 Hz), 3.15-3.26 (m, 3H), 7.11 (t, 2H, J = 8.7 Hz), 7.42 (d, 2H, J = 8.1 Hz), 7.54 (s, 1H).

I-11

mp : 128-129 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.29-1.39 (m, 2H), 1.39 (s, 9H), 1.51-1.68 (m, 4H), 1.76-1.84 (m, 2H), 2.37 (t, 2H, J = 7.5 Hz), 2.56 (t, 2H, J = 7.8 Hz), 3.19-3.26 (m, 2H), 4.20 (t, 1H, J = 5.7 Hz), 7.11 (d, 2H, J = 8.1 Hz), 7.42 (d, 2H, J = 8.7 Hz), 7.46 (s, 1H).

I-12

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.28-1.37 (m, 2H), 1.47-1.68 (m, 6H), 2.23 (t, 2H, J = 7.2 Hz), 2.56 (t, 2H, J = 7.5 Hz), 2.90-2.97 (m, 2H), 5.10 (brs, 1H), 7.11 (d, 2H, J = 8.4 Hz), 7.36 (d, 2H, J = 8.1 Hz), 7.50-7.68 (m, 3H), 7.93 (d, 1H, J = 8.1 Hz), 8.06 (d, 1H, J = 8.4 Hz), 8.24 (d, 1H, J = 7.5 Hz), 8.66 (d, 1H, J = 8.7 Hz).

I-13

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.28-1.40 (m, 2H), 1.45-1.73 (m, 6H), 2.23 (t, 2H, J = 7.5 Hz), 2.56 (t, 2H, J = 7.8 Hz), 2.88 (s, 6H), 2.88-2.95 (m, 2H), 5.04 (brs, 1H), 7.10 (d, 2H, J = 8.1 Hz), 7.17 (d, 1H, J = 7.2 Hz), 7.37 (d, 2H, J = 8.4 Hz), 7.48-7.54 (m, 2H), 8.23 (d, 1H, J = 7.2 Hz), 8.30 (d, 1H, J = 8.7 Hz), 8.53 (d, 1H, J = 8.4 Hz).

I-14

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.30-1.43 (m, 6H), 1.36 (d, 6H, J = 6.6 Hz), 1.51-1.62 (m, 4H), 1.61-1.78 (m, 2H), 2.34 (t, 2H, J = 7.5 Hz), 2.56 (t, 2H, J = 7.8 Hz), 3.09-3.20 (m, 3H), 4.34 (brs, 1H), 7.10 (d, 2H, J = 8.4 Hz), 7.41-7.44 (m, 3H).

I-15

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.23 (s, 9H), 1.27-1.80 (m, 12H), 2.30-2.38 (m, 2H), 2.56 (t, 2H, J = 7.5 Hz), 3.15 (brs, 2H), 7.11 (d, 2H, J = 7.8 Hz), 7.43 (d, 2H, J = 7.8 Hz), 7.59 (s, 1H).

I-16

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.29-1.44 (m, 6H), 1.39 (s, 9H), 1.51-1.61 (m, 4H), 1.68-1.78 (m, 2H), 2.35 (t, 2H, J = 7.5 Hz), 2.56 (t, 2H, J = 8.1 Hz), 3.15-3.21 (m, 2H), 4.14-4.23 (m, 1H), 7.11 (d, 2H, J = 7.8 Hz), 7.36-7.44 (m, 3H).

I-19

# EP 1 249 233 A1

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.5 Hz), 1.21 (s, 9H), 1.30-1.40 (m, 2H), 1.55-1.72 (m, 6H), 2.64 (t, 2H, J = 7.8 Hz), 3.08-3.33 (m, 3H), 3.42-3.50 (m, 2H), 6.39 (s, 1H), 7.22 (d, 2H, J = 8.4 Hz), 7.69 (d, 2H, J = 8.1 Hz).  
I-20

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.2 Hz), 1.31-1.39 (m, 2H), 1.39 (s, 9H), 1.55-1.72 (m, 6H), 2.64 (t, 2H, J = 7.8 Hz), 3.24 (quart, 2H, J = 6.6 Hz), 3.48 (quart, 2H, J = 6.6 Hz), 4.21 (t, 1H, J = 6.3 Hz), 6.29 (s, 1H), 7.22 (d, 2H, J = 7.8 Hz), 7.67 (d, 2H, J = 8.1 Hz).  
I-21

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.23 (s, 9H), 1.30-1.42 (m, 2H), 1.50-2.02 (m, 10H), 2.30-2.42 (m, 1H), 2.57 (t, 2H, J = 8.1 Hz), 3.10 (brs, 1H), 3.57 (brs, 1H), 7.12 (d, 2H, J = 8.4 Hz), 7.41 (d, 2H, J = 7.8 Hz).  
I-22

mp : 78-79 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.30-1.40 (m, 2H), 1.40 (s, 9H), 1.50-1.65 (m, 4H), 1.70-1.98 (m, 8H), 2.30-2.40 (m, 1H), 2.57 (t, 2H, J = 7.5 Hz), 3.58-3.70 (m, 1H), 4.16 (d, 1H, J = 9.3 Hz), 7.11-7.15 (m, 3H), 7.40 (d, 2H, J = 8.1 Hz).  
I-23

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.21 (s, 9H), 1.21-1.41 (m, 4H), 1.51-1.64 (m, 4H), 1.86-2.01 (m, 4H), 2.12-2.25 (m, 1H), 2.56 (t, 2H, J = 7.5 Hz), 2.87-2.96 (m, 1H), 3.00-3.12 (m, 1H), 3.23-3.34 (m, 1H), 3.67-3.75 (m, 1H), 7.11 (d, 2H, J = 8.1 Hz), 7.40 (d, 2H, J = 8.4 Hz).  
I-24

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.25-1.37 (m, 2H), 1.40 (s, 9H), 1.48-1.65 (m, 6H), 1.90 (d, 2H, J = 11.7 Hz), 2.02 (d, 2H, J = 11.7 Hz), 2.12-2.24 (m, 1H), 2.56 (t, 2H, J = 7.5 Hz), 3.04 (t, 2H, J = 6.3 Hz), 4.31 (t, 1H, J = 5.7 Hz), 7.11 (d, 2H, J = 8.1 Hz), 7.42 (d, 2H, J = 8.4 Hz).  
I-25

mp : 232-233 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.23-1.40 (m, 4H), 1.40 (s, 9H), 1.51-1.76 (m, 4H), 2.01-2.26 (m, 5H), 2.56 (t, 2H, J = 7.5 Hz), 3.22-3.38 (m, 1H), 3.79 (d, 1H, J = 9.3 Hz), 7.11 (d, 2H, J = 8.7 Hz), 7.17 (s, 1H), 7.40 (d, 2H, J = 8.4 Hz).  
I-26

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.22 (s, 9H), 1.28-1.40 (m, 2H), 1.52-1.62 (m, 2H), 1.85-1.96 (m, 1H), 2.00-2.14 (m, 1H), 2.38-2.53 (m, 2H), 2.56 (t, 2H, J = 7.5 Hz), 3.22-3.37 (m, 3H), 7.11 (d, 2H, J = 8.4 Hz), 7.45 (d, 2H, J = 8.4 Hz), 8.19 (s, 1H).  
I-27

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.30-1.40 (m, 2H), 1.40 (s, 9H), 1.52-1.61 (m, 2H), 1.95 (quint, 2H, J = 6.3 Hz), 2.50 (t, 2H, J = 6.9 Hz), 2.56 (t, 2H, J = 7.8 Hz), 3.31 (quart, 2H, J = 6.0 Hz), 4.30-4.36 (m, 1H), 7.12 (d, 2H, J = 8.4 Hz), 7.43 (d, 2H, J = 8.4 Hz), 7.65 (s, 1H).  
I-28

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.21 (s, 9H), 1.30-1.62 (m, 8H), 2.08 (d, 4H, J = 11.1 Hz), 2.56 (t, 2H, J = 7.8 Hz), 3.04 (d, 1H, J = 4.8 Hz), 3.20-3.30 (m, 1H), 4.65-4.76 (m, 1H), 6.57 (s, 1H), 7.10 (d, 2H, J = 8.7 Hz), 7.26 (d, 2H, J = 8.1 Hz).  
I-29

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.2 Hz), 1.23-1.62 (m, 8H), 1.40 (s, 9H), 2.12 (d, 4H, J = 14.4 Hz), 2.56 (t, 2H, J = 7.8 Hz), 3.28-3.40 (m, 1H), 3.90 (s, 1H), 4.60-4.73 (m, 1H), 6.57 (s, 1H), 7.10 (d, 2H, J = 8.4 Hz), 7.25 (d, 2H, J = 8.4 Hz).  
I-30

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91 (t, 3H, J = 7.5 Hz), 1.26-1.39 (m, 2H), 1.51-1.64 (m, 4H), 1.72-1.81 (m, 2H), 2.34 (t, 2H, J = 6.9 Hz), 2.56 (t, 2H, J = 7.8 Hz), 2.95-3.01 (m, 2H), 4.84 (t, 1H, J = 5.7 Hz), 6.99-7.12 (m, 6H), 7.19-7.24 (m, 1H), 7.30 (s, 1H), 7.38-7.43 (m, 4H), 7.79 (d, 2H, J = 8.7 Hz).  
I-31

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.5 Hz), 1.21 (s, 9H), 1.28-1.62 (m, 8H), 2.07-2.14 (m, 4H), 2.64 (t, 2H, J = 7.8 Hz), 3.11 (d, 1H, J = 5.1 Hz), 3.20 (brs, 1H), 3.90-4.04 (m, 1H), 6.06-6.14 (m, 1H), 7.21 (t, 2H, J = 8.1 Hz), 7.67 (t, 2H, J = 8.4 Hz).  
I-32

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.2 Hz), 1.27-1.65 (m, 8H), 1.40 (s, 9H), 2.10-2.23 (m, 4H), 2.65 (t, 2H, J = 7.5 Hz), 3.23-3.35 (m, 1H), 3.49 (s, 1H), 3.88-4.02 (m, 1H), 5.84-5.92 (m, 1H), 7.13 (t, 2H, J = 8.4 Hz), 7.65 (d, 2H, J = 8.1 Hz).  
I-33

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.94 (t, 3H, J = 7.2 Hz), 1.30-1.42 (m, 2H), 1.32 (s, 9H), 1.57-1.66 (m, 2H), 2.67 (t, 2H, J = 7.8 Hz), 5.61 (s, 1H), 6.93 (d, 2H, J = 8.7 Hz), 7.25 (d, 2H, J = 8.4 Hz), 7.49 (d, 2H, J = 9.0 Hz), 7.80 (d, 2H,

# EP 1 249 233 A1

J = 8.1 Hz), 8.22 (s, 1H).

I-34

<sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 0.95 (t, 3H, J = 7.5 Hz), 1.35 (s, 9H), 1.35-1.44 (m, 2H), 1.57-1.69 (m, 2H), 2.69 (t, 2H, J = 7.5 Hz), 7.28-7.33 (m, 4H), 7.56 (d, 2H, J = 9.0 Hz), 7.83 (d, 2H, J = 8.4 Hz).

5

I-36

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.5 Hz), 1.31-1.70 (m, 11H), 1.39 (s, 9H), 1.75-1.85 (m, 1H), 2.65 (t, 2H, J = 8.1 Hz), 3.13 (t, 2H, J = 6.6 Hz), 3.40 (t, 2H, J = 7.2 Hz), 4.10 (t, 1H, J = 5.7 Hz), 6.21 (t, 1H, J = 5.7 Hz), 7.23 (d, 2H, J = 8.1 Hz), 7.67 (d, 2H, J = 8.4 Hz).

I-37

10

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92 (t, 3H, J = 7.5 Hz), 0.95-1.10 (m, 2H), 1.31-1.40 (m, 2H), 1.39 (s, 9H), 1.55-1.63 (m, 4H), 1.80-1.92 (m, 4H), 2.65 (t, 2H, J = 7.8 Hz), 3.03 (t, 2H, J = 6.6 Hz), 3.31 (t, 2H, J = 6.6 Hz), 4.06 (t, 1H, J = 6.0 Hz), 6.22 (t, 1H, J = 6.0 Hz), 7.23 (d, 2H, J = 8.4 Hz), 7.67 (d, 2H, J = 8.1 Hz).

I-39

15

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.13 (t, 3H, J = 7.2 Hz), 1.39 (s, 9H), 1.69-1.97 (m, 8H), 2.27-2.38 (m, 1H), 3.29-3.35 (m, 4H), 3.60-3.70 (m, 1H), 4.52 (d, 1H, J = 9.3 Hz), 6.64 (d, 2H, J = 8.4 Hz), 7.22 (s, 1H), 7.31 (d, 2H, J = 9.0 Hz).

I-40

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.38 (s, 9H), 1.68-1.96 (m, 8H), 2.30-2.40 (m, 1H), 3.11 (t, 4H, J = 4.8 Hz), 3.60-3.72 (m, 1H), 3.86 (t, 4H, J = 4.8 Hz), 4.51 (brs, 1H), 6.89 (d, 2H, J = 9.0 Hz), 7.42 (d, 2H, J = 8.7 Hz).

I-41

20

mp : >278 °C (dec.)

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.18-1.40 (m, 2H), 1.40 (s, 9H), 1.62-1.75 (m, 2H), 2.01-2.27 (m, 5H), 3.10-3.13 (m, 4H), 3.22-3.38 (m, 1H), 3.72 (d, 1H, J = 9.3 Hz), 3.85-3.88 (m, 4H), 6.87 (d, 2H, J = 9.0 Hz), 7.10 (s, 1H), 7.40 (d, 2H, J = 9.0 Hz).

I-42

25

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.40 (s, 9H), 1.61-1.97 (m, 8H), 2.16 (s, 3H), 2.33-2.43 (m, 1H), 3.60-3.70 (m, 1H), 4.66 (brs, 1H), 7.12 (d, 1H, J = 8.7 Hz), 7.46-7.50 (m, 1H), 7.62 (s, H), 7.75-7.78 (m, 1H), 7.86-7.91 (m, 2H).

I-43

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.40 (s, 9H), 1.62-2.00 (m, 8H), 1.87 (s, 3H), 2.36-2.47 (m, 1H), 3.24 (s, 3H), 3.64-3.74 (m, 1H), 4.87 (brs, 1H), 7.13 (d, 2H, J = 9.0 Hz), 7.64 (d, 2H, J = 8.4 Hz), 7.81 (s, H).

30

I-44

mp : 235-236 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.13 (t, 6H, J = 6.9 Hz), 1.18-1.33 (m, 2H), 1.40 (s, 9H), 1.60-1.77 (m, 2H), 2.00-2.26 (m, 5H), 3.28-3.35 (m, 4H), 3.73 (d, 1H, J = 9.3 Hz), 6.60-6.70 (m, 2H), 7.03 (brs, 1H), 7.31 (d, 2H, J = 7.8 Hz).

I-45

35

mp : >268 °C (dec.)

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.34 (m, 2H), 1.40 (s, 9H), 1.56-1.76 (m, 8H), 2.00-2.26 (m, 5H), 3.06-3.14 (m, 4H), 3.24-3.36 (m, 1H), 3.72 (d, 1H, J = 9.3 Hz), 6.90 (d, 2H, J = 8.7 Hz), 7.09 (s, 1H), 7.36 (d, 2H, J = 8.7 Hz).

I-46

mp : >272 °C (dec.)

40

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.28 (s, 9H), 1.31-1.59 (m, 7H), 1.87-2.00 (m, 4H), 2.23-2.34 (m, 1H), 3.00-3.18 (m, 1H), 4.35-4.45 (m, 2H), 6.81 (d, 1H, J = 9.0 Hz), 7.16 (t, 1H, J = 7.2 Hz), 7.43 (t, 1H, J = 8.4 Hz), 7.52-7.58 (m, 3H), 8.04 (d, 1H, J = 7.8 Hz), 8.43 (s, 1H).

I-47

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.36 (m, 2H), 1.40 (s, 9H), 1.62-1.77 (m, 2H), 1.98-2.32 (m, 5H), 3.31-3.40 (m, 1H), 3.62 (d, 1H, J = 9.0 Hz), 7.08 (s, 1H), 7.29 (d, 2H, J = 9.0 Hz), 7.61 (d, 2H, J = 9.0 Hz).

45

I-48

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.36 (m, 2H), 1.40 (s, 9H), 1.62-1.77 (m, 2H), 2.00-2.31 (m, 5H), 3.24-3.40 (m, 1H), 3.62 (d, 1H, J = 10.2 Hz), 7.01 (t, 2H, J = 8.7 Hz), 7.09 (s, 1H), 7.42-7.50 (m, 2H).

I-49

50

mp : 270 °C (dec.)

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.36 (m, 2H), 1.40 (s, 9H), 1.61-1.77 (m, 2H), 1.95-2.30 (m, 9H), 3.17-3.38 (m, 5H), 3.67 (d, 1H, J = 9.3 Hz), 6.50 (d, 2H, J = 9.0 Hz), 6.97 (s, 1H), 7.30 (d, 2H, J = 9.0 Hz).

I-50

mp : 252-253 °C

55

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.21-1.37 (m, 2H), 1.40 (s, 9H), 1.62-1.78 (m, 2H), 1.98-2.32 (m, 5H), 3.26-3.40 (m, 1H), 3.68 (d, 1H, J = 9.6 Hz), 6.94-7.02 (m, 4H), 7.08 (t, 1H, J = 7.5 Hz), 7.13 (s, 1H), 7.31 (t, 2H, J = 7.5 Hz), 7.46 (d, 2H, J = 9.0 Hz).

I-51

mp : 278-279 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.02 (d, 6H, J = 6.9 Hz), 1.35 (s, 9H), 1.39-1.71 (m, 6H), 1.90-2.09 (m, 2H), 3.16-3.30 (m, 1H), 3.46 (d, 1H, J = 9.0 Hz), 4.92-5.01 (m, 1H), 6.91-6.95 (m, 2H), 7.00-7.07 (m, 3H), 7.13-7.16 (m, 2H), 7.30-7.36 (m, 2H).

I-52

mp : 276-277 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.36 (m, 2H), 1.40 (s, 9H), 1.60-1.78 (m, 2H), 1.98-2.30 (m, 5H), 2.36 (s, 3H), 2.58 (t, 4H, J = 4.5 Hz), 3.17 (t, 4H, J = 4.5 Hz), 3.21-3.40 (m, 1H), 3.64 (d, 1H, J = 9.0 Hz), 6.88 (d, 2H, J = 9.0 Hz), 7.01 (s, 1H), 7.37 (d, 2H, J = 9.0 Hz).

I-53

mp : >300 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.20-1.54 (m, 4H), 1.27 (s, 9H), 1.73-1.88 (m, 2H), 1.89-2.01 (m, 2H), 2.13-2.25 (m, 1H), 2.98-3.12 (m, 1H), 3.15-3.31 (m, 8H), 6.76-6.84 (m, 2H), 6.93 (d, 2H, J = 9.0 Hz), 6.99 (d, 2H, J = 8.1 Hz), 7.24 (d, 2H, J = 8.1 Hz), 7.46 (d, 2H, J = 9.0 Hz), 9.60 (s, 1H).

I-54

mp : >215 °C (dec.)

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.27-2.00 (m, 18H), 2.14-2.26 (m, 1H), 2.53-2.84 (m, 4H), 2.86-3.30 (m, 2H), 3.46-3.54 (m, 1H), 3.62-3.74 (m, 2H), 6.78 (d, 1H, J = 8.7 Hz), 6.87 (d, 2H, J = 7.8 Hz), 7.42 (d, 2H, J = 8.7 Hz), 9.58 (s, 1H).

I-55

mp : >290 °C (dec.)

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.23-1.40 (m, 2H), 1.40 (s, 9H), 1.60-1.76 (m, 2H), 2.02-2.27 (m, 5H), 3.20 (t, 4H, J = 5.4 Hz), 3.21-3.32 (m, 1H), 3.67 (d, 1H, J = 9.3 Hz), 3.98 (t, 4H, J = 4.8 Hz), 6.52 (t, 1H, J = 4.8 Hz), 6.93 (d, 2H, J = 8.4 Hz), 7.06 (s, 1H), 7.41 (d, 2H, J = 8.7 Hz), 8.33 (d, 2H, J = 4.8 Hz).

I-56

mp : >232 °C (dec.)

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.27-1.48 (m, 4H), 1.80-1.99 (m, 4H), 2.14-2.25 (m, 1H), 3.04-3.24 (m, 8H), 3.68 (s, 3H), 3.76 (s, 3H), 6.44-6.47 (m, 1H), 6.66 (s, 1H), 6.76-6.84 (m, 2H), 6.92 (d, 2H, J = 8.4 Hz), 7.46 (d, 2H, J = 8.4 Hz), 9.61 (s, 1H).

I-57

mp : 284-285 °C (dec.)

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.27 (t, 3H, J = 7.2 Hz), 1.40 (s, 9H), 1.61-2.24 (m, 9H), 2.35-2.49 (m, 1H), 2.76 (t, 2H, J = 10.2 Hz), 3.04-3.15 (m, 2H), 3.20-3.36 (m, 1H), 3.55-3.59 (m, 2H), 3.87 (d, 1H, J = 9.6 Hz), 4.12-4.19 (m, 2H), 6.90 (d, 2H, J = 8.7 Hz), 2.79 (s, 1H), 7.40 (d, 2H, J = 8.7 Hz).

I-58

mp : >299 °C (dec.)

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.26-1.33 (m, 2H), 1.40 (s, 9H), 1.56-2.42 (m, 19H), 2.73-2.81 (m, 4H), 3.16-3.26 (m, 4H), 3.64 (d, 1H, J = 9.6 Hz), 6.87 (d, 2H, J = 8.7 Hz), 7.04 (s, 1H), 7.37 (d, 2H, J = 9.0 Hz).

I-59

mp : >270 °C (dec.)

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.26-1.47 (m, 2H), 1.47 (s, 9H), 1.60-1.80 (m, 4H), 2.01-2.32 (m, 5H), 3.28-3.40 (m, 3H), 3.62-3.74 (m, 3H), 5.74-5.96 (m, 2H), 6.92 (d, 2H, J = 8.7 Hz), 7.13 (s, 1H), 7.39 (d, 2H, J = 9.0 Hz).

I-60

mp : 247.250 °C (dec.)

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.37 (m, 2H), 1.40 (s, 9H), 1.60-1.78 (m, 2H), 1.98-2.33 (m, 5H), 2.93-3.03 (m, 2H), 3.22-3.40 (m, 1H), 3.52 (t, 2H, J = 6.0 Hz), 3.62 (d, 1H, J = 8.4 Hz), 4.36 (s, 2H), 6.93 (d, 2H, J = 8.7 Hz), 7.00 (s, 1H), 7.11-7.22 (m, 4H), 7.39 (d, 2H, J = 8.7 Hz).

I-61

mp : 280-281 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.21-1.38 (m, 2H), 1.41 (s, 9H), 1.64-1.80 (m, 2H), 2.02-2.33 (m, 5H), 3.24-3.40 (m, 1H), 3.61 (d, 1H, J = 9.0 Hz), 6.33 (t, 2H, J = 2.1 Hz), 7.04 (t, 2H, J = 2.1 Hz), 7.14 (s, 1H), 7.34 (d, 2H, J = 9.0 Hz), 7.56 (d, 2H, J = 9.0 Hz).

I-62

mp : 260-262 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.39 (m, 2H), 1.41 (s, 9H), 1.84-1.82 (m, 2H), 2.02-2.35 (m, 5H), 3.24-3.40 (m, 1H), 3.62 (d, 1H, J = 9.6 Hz), 7.31 (d, 2H, J = 9.0 Hz), 7.51 (s, 1H), 7.69 (d, 2H, J = 9.0 Hz).

I-63

mp : 248 °C

# EP 1 249 233 A1

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.38 (m, 2H), 1.40 (s, 9H), 1.61-1.78 (m, 2H), 1.98-2.32 (m, 5H), 3.22-3.45 (m, 1H), 3.64 (d, 1H, J = 9.3 Hz), 7.11 (s, 1H), 7.37-7.46 (m, 4H).

I-64

mp : 272-275 °C (dec.)

5 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.20-1.53 (m, 4H), 1.27 (s, 9H), 1.75-1.88 (m, 2H), 1.88-2.00 (m, 2H), 2.11-2.24 (m, 1H), 2.96-3.12 (m, 1H), 5.96 (s, 2H), 6.77 (d, 1H, J = 8.7 Hz), 6.82 (d, 1H, J = 8.4 Hz), 6.95 (dd, 1H, J = 1.8, 8.4 Hz), 7.29 (d, 1H, J = 1.8 Hz), 9.70 (s, 1H).

I-65

mp : 293-296 °C (dec.)

10 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.20-1.70 (m, 10H), 1.27 (s, 9H), 1.79-2.038 (m, 4H), 2.18-2.33 (m, 1H), 2.98-3.30 (m, 5H), 6.79 (d, 1H, J = 9.0 Hz), 6.97 (d, 2H, J = 8.1 Hz), 7.43-7.57 (m, 4H), 7.62 (d, 2H, J = 8.1 Hz), 9.82 (s, 1H).

I-66

mp : >300°C

15 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.27-1.53 (m, 4H), 1.86-1.99 (m, 4H), 2.22-2.34 (m, 1H), 2.39 (s, 3H), 3.00-3.14 (m, 1H), 6.25 (s, 1H), 6.79 (d, 1H, J = 9.0 Hz), 7.47-7.50 (m, 1H), 7.69-7.76 (m, 1H), 10.27 (s, 1H).

I-67

mp : 248-249 °C

20 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.20-1.54 (m, 4H), 1.27 (s, 9H), 1.77-1.90 (m, 2H), 1.90-2.02 (m, 2H), 2.02 (s, 3H), 2.17-2.32 (m, 1H), 2.96-3.13 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 7.12-7.30 (m, 3H), 7.89 (s, 1H), 9.79 (s, 1H), 9.88 (s, 1H).

I-68

mp : >300 °C

25 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.20-1.54 (m, 4H), 1.27 (s, 9H), 1.77-1.89 (m, 2H), 1.89-2.03 (m, 2H), 2.00 (s, 3H), 2.14-2.28 (m, 1H), 2.95-3.13 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 7.40-7.54 (m, 4H), 9.72 (s, 1H), 9.83 (s, 1H).

I-69

mp : 199-201 °C

30 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.21-1.53 (m, 4H), 1.27 (s, 9H), 1.76-1.89 (m, 2H), 1.89-2.02 (m, 2H), 2.13-2.30 (m, 1H), 2.85 (s, 6H), 2.94-3.14 (m, 1H), 6.40 (dd, 1H, J = 2.4, 8.4 Hz), 6.78 (d, 1H, J = 8.7 Hz), 6.90 (d, 1H, J = 8.4 Hz), 7.05 (t, 2H, J = 8.4 Hz), 9.60 (s, 1H).

I-70

mp : 227-230 °C

35 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.22-1.52 (m, 4H), 1.27 (s, 9H), 1.72-1.87 (m, 2H), 1.87-2.01 (m, 2H), 2.12-2.29 (m, 1H), 2.96-3.12 (m, 1H), 5.00 (s, 2H), 6.22 (d, 1H, J = 7.5 Hz), 6.66 (d, 1H, J = 7.5 Hz), 6.78 (d, 1H, J = 9.0 Hz), 6.86 (d, 1H, J = 7.5 Hz), 6.89-6.95 (m, 1H), 9.46 (s, 1H).

I-71

mp : 270-272 °C

40 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.22-1.52 (m, 4H), 1.26 (s, 9H), 1.73-1.86 (m, 2H), 1.88-2.00 (m, 2H), 2.08-2.22 (m, 1H), 2.95-3.11 (m, 1H), 4.80 (s, 2H), 6.47 (d, 2H, J = 8.4 Hz), 6.77 (d, 1H, J = 8.4 Hz), 7.20 (d, 2H, J = 8.4 Hz), 9.35 (s, 1H).

I-72

mp : 262-263 °C

45 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25 (d, 6H, J = 6.3 Hz), 1.17-1.42 (m, 2H), 1.40 (s, 9H), 1.60-1.78 (m, 2H), 1.98-2.43 (m, 7H), 3.20-3.43 (m, 3H), 3.67 (d, 1H, J = 9.6 Hz), 3.74-3.86 (m, 2H), 6.86 (d, 2H, J = 9.0 Hz), 7.04 (s, 1H), 7.38 (d, 2H, J = 9.0 Hz).

I-73

mp : 218-219 °C

50 <sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 1.36 (s, 9H), 1.36-1.69 (m, 4H), 1.45 (s, 9H), 1.88-2.02 (m, 3H), 2.06-2.30 (m, 4H), 3.05-3.44 (m, 3H), 3.46-3.56 (m, 1H), 4.16-4.26 (m, 1H), 6.51 (d, 2H, J = 9.0 Hz), 7.30 (d, 2H, J = 8.7 Hz).

I-74

mp : 295-296 °C (dec.)

55 <sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 1.36 (s, 9H), 1.36-1.67 (m, 4H), 1.92-2.13 (m, 4H), 2.26-2.40 (m, 2H), 2.62-2.75 (m, 1H), 3.16-3.25 (m, 1H), 3.58-3.98 (m, 4H), 4.16-4.25 (m, 1H), 7.20-7.30 (m, 2H), 7.62 (d, 2H, J = 9.0 Hz).

I-75

mp : 250-251 °C

55 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.23-1.55 (m, 4H), 1.27 (s, 9H), 1.78-1.90 (m, 2H), 1.90-2.02 (m, 2H), 2.15-2.28 (m, 1H), 2.98-3.14 (m, 1H), 3.06 (t, 2H, J = 8.4 Hz), 3.87 (t, 2H, J = 8.4 Hz), 6.67 (dd, 1H, J = 1.5, 7.2 Hz), 6.80 (d, 1H, J = 8.4 Hz), 6.94-7.05 (m, 2H), 7.12-7.19 (m, 1H), 7.16 (d, 2H, J = 9.3 Hz), 7.57 (d, 2H, J = 9.3 Hz), 9.73 (s, 1H).

I-76



# EP 1 249 233 A1

mp : 265-266 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.23-1.58 (m, 4H), 1.28 (s, 9H), 1.83-2.04 (m, 4H), 2.20-2.36 (m, 1H), 2.97-3.16 (m, 1H), 6.67 (d, 1H, J = 3.0 Hz), 6.82 (d, 1H, J = 8.4 Hz), 7.07-7.22 (m, 2H), 7.47-7.53 (m, 1H), 7.50 (d, 2H, J = 9.0 Hz), 7.58 (d, 1H, J = 3.0 Hz), 7.64 (d, 1H, J = 7.5 Hz), 7.79 (d, 2H, J = 9.0 Hz), 10.02 (s, 1H).

5 I-77

mp: 281 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.21-1.56 (m, 4H), 1.27 (s, 9H), 1.80-2.03 (m, 4H), 2.18-2.31 (m, 1H), 2.97-3.14 (m, 1H), 6.51 (dd, 1H, J = 2.1, 2.7 Hz), 6.81 (d, 1H, J = 9.0 Hz), 7.67-7.78 (m, 5H), 8.41 (d, 1H, J = 2.1 Hz), 9.96 (s, 1H).

I-78

10 mp : >300 °C (dec.)

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.27-1.52 (m, 4H), 1.74-2.04 (m, 7H), 2.10-2.25 (m, 2H), 2.96-3.20 (m, 2H), 3.48-3.58 (m, 1H), 3.75-3.84 (m, 1H), 6.39 (d, 2H, J = 8.4 Hz), 6.79 (d, 1H, J = 8.4 Hz), 7.02 (s, 1H), 7.30 (s, 1H), 7.36 (d, 2H, J = 8.1 Hz), 9.48 (s, 1H).

I-79

15 mp: 248-250 °C (dec.)

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.27-1.54 (m, 4H), 1.85-1.99 (m, 4H), 2.24-2.33 (m, 1H), 3.00-3.14 (m, 1H), 6.82 (d, 1H, J = 8.7 Hz), 7.77 (d, 2H, J = 8.4 Hz), 8.07 (d, 2H, J = 8.4 Hz).

I-80

mp : >300 °C

20 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.22-1.58 (m, 4H), 1.27 (s, 9H), 1.80-2.03 (m, 4H), 2.18-2.32 (m, 1H), 2.98-3.14 (m, 1H), 6.80 (d, 1H, J = 8.7 Hz), 7.35-7.50 (m, 2H), 7.99 (s, 1H), 8.11 (s, 1H), 9.79 (s, 1H), 12.94 (s, 1H).

I-81

mp : 261-262 °C

25 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.21-1.57 (m, 4H), 1.27 (s, 9H), 1.78-2.02 (m, 4H), 2.17-2.30 (m, 1H), 2.96-3.16 (m, 1H), 6.34 (s, 1H), 6.80 (d, 1H, J = 8.7 Hz), 7.14-7.32 (m, 3H), 7.85 (s, 1H), 9.58 (s, 1H), 10.95 (s, 1H).

I-82

30 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.86 (s, 18H), 1.24-1.37 (m, 2H), 1.37 (s, 9H), 1.56-1.74 (m, 2H), 1.95-2.19 (m, 5H), 3.18-3.32 (m, 1H), 3.44 (t, 4H, J = 6.3 Hz), 3.70 (t, 4H, J = 6.3 Hz), 4.39 (d, 1H, J = 9.0 Hz), 6.59 (d, 2H, J = 9.0 Hz), 7.31 (d, 2H, J = 8.7 Hz), 7.43 (s, 1H).

I-83

mp : 264-265 °C

35 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.27-1.52 (m, 4H), 1.78-1.88 (m, 2H), 1.90-2.00 (m, 2H), 2.14-2.26 (m, 1H), 2.96-3.14 (m, 1H), 6.72-6.82 (m, 2H), 6.99 (t, 4H, J = 7.8 Hz), 7.18 (t, 2H, J = 7.5 Hz), 7.46 (d, 2H, J = 9.0 Hz), 8.00 (s, 1H), 9.65 (s, 1H).

I-84

mp : 257 °C (dec.)

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.23-1.57 (m, 4H), 1.27 (s, 9H), 1.83-2.03 (m, 4H), 2.23-2.35 (m, 1H), 2.98-3.15 (m, 1H), 6.80 (d, 1H, J = 8.1 Hz), 7.87 (d, 2H, J = 9.0 Hz), 8.34 (d, 2H, J = 9.0 Hz), 9.21 (s, 1H), 10.20 (s, 1H).

I-85

40 mp: 256-258 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.22-1.53 (m, 4H), 1.26 (s, 9H), 1.79-2.01 (m, 4H), 2.25 (s, 3H), 2.28-2.42 (m, 1H), 2.97-3.02 (m, 1H), 6.71 (d, 1H, J = 0.9 Hz), 6.80 (d, 1H, J = 8.1 Hz), 11.91 (s, 1H).

I-86

mp: 228-230 °C

45 <sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 1.36 (s, 9H), 1.36-1.48 (m, 2H), 1.55-1.70 (m, 2H), 1.87-1.98 (m, 2H), 2.08-2.17 (m, 2H), 2.20-2.32 (m, 1H), 3.15-3.27 (m, 1H), 3.50 (t, 4H, J = 5.7 Hz), 3.69 (t, 4H, J = 5.7 Hz), 6.72 (d, 2H, J = 9.0 Hz), 7.29-7.33 (m, 2H).

I-87

mp : 183-184 °C

50 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.27-1.48 (m, 4H), 1.73-1.89 (m, 4H), 1.90-2.00 (m, 2H), 2.16-2.28 (m, 1H), 2.28 (t, 2H, J = 7.5 Hz), 2.51-2.54 (m, 2H), 2.97-3.13 (m, 1H), 3.58 (s, 3H), 6.79 (d, 1H, J = 8.7 Hz), 7.08 (d, 2H, J = 8.7 Hz), 7.49 (d, 2H, J = 8.4 Hz), 9.73 (s, 1H).

I-88

mp : 217-218 °C

55 <sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 1.36 (s, 9H), 1.36-1.46 (m, 2H), 1.55-1.69 (m, 2H), 1.83-2.00 (m, 4H), 2.07-2.18 (m, 2H), 2.26-2.36 (m, 3H), 2.61 (t, 2H, J = 7.5 Hz), 3.14-3.26 (m, 1H), 7.13 (d, 2H, J = 8.1 Hz), 7.44 (d, 2H, J = 8.1 Hz).

I-89

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.08 (d, 6H, J = 3.3 Hz), 0.88 (s, 9H), 1.21-1.36 (m, 2H), 1.39 (s, 9H), 1.61-1.74 (m, 2H),

# EP 1 249 233 A1

1.88-2.23 (m, 6H), 3.06-3.11 (m, 1H), 3.24-3.74 (m, 4H), 3.92 (d, 1H, J = 9.6 Hz), 4.48-4.56 (m, 1H), 6.47 (d, 2H, J = 9.0 Hz), 7.17 (s, 1H), 7.32 (d, 2H, J = 9.0 Hz).

I-90

mp : amorphous

5 <sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: -1.36 (s, 9H), 1.36-1.47 (m, 2H), 1.56-1.70 (m, 3H), 1.88-2.30 (m, 6H), 3.05-3.49 (m, 5H), 4.50 (brs, 1H), 6.50 (d, 2H, J = 9.0 Hz), 7.29 (d, 2H, J = 9.0 Hz).

I-91

mp : 105-106 °C

10 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.92(t, 3H, J = 7.3 Hz), 1.25-1.27(m, 2H), 1.36(d, 6H, J = 6.9 Hz), 1.51-1.59(m, 2H), 2.56 (t, 2H, J = 7.8 Hz), 3.27(sept, 1H, J = 6.9 Hz), 7.12(d, 2H, J = 8.6 Hz), 7.32(t, 1H, J = 7.8 Hz), 7.45(brd, 1H, J = 7.8 Hz), 7.53(d, 2H, J = 8.6 Hz), 7.58(d, 1H, J = 7.8 Hz), 7.71-7.72(m, 2H), 8.27(s, 1H).

I-92

mp : 163-164 °C

15 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3 Hz), 1.32-1.39(m, 2H), 1.55-1.65(m, 2H), 1.87(s, 3H), 1.95(s, 3H), 2.60(t, 2H, J = 7.6 Hz), 7.07(d, 2H, J = 8.4 Hz), 7.18(d, 2H, J = 8.5 Hz), 7.54(d, 2H, J = 8.5 Hz), 7.91(brs, 1H), 8.18(d, 2H, J = 8.4 Hz), 8.77(s, 1H).

I-93

mp : 173 °C

20 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3 Hz), 1.32-1.40(m, 2H), 1.39(d, 6H, J = 6.9 Hz), 1.55-1.62(m, 2H), 2.60 (t, 2H, J = 7.8 Hz), 3.13(sept, 1H, J = 6.9 Hz), 4.39(d, 2H, J = 6.3 Hz), 4.45(t, 1H, J = 6.3 Hz), 7.18(d, 2H, J = 8.7 Hz), 7.46(d, 2H, J = 8.7 Hz), 7.54 (d, 2H, J = 8.7 Hz), 7.80(s, 1H), 7.85(d, 2H, J = 8.7 Hz).

I-94

mp : 159-160 °C

25 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3 Hz), 1.32-1.39(m, 2H), 1.54-1.80(m, 2H), 1.79(s, 3H), 1.80(s, 3H), 2.60(t, 2H, J = 7.7 Hz), 3.18(s, 3H), 7.18(d, 2H, J = 8.5 Hz), 7.30(d, 2H, J = 8.8 Hz), 7.52(d, 2H, J = 8.5 Hz), 7.70 (brs, 1H), 7.84(d, 2H, J = 8.8 Hz), 8.77(s, 1H).

I-95

mp : 177-178 °C

30 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.94(t, 3H, J = 7.2Hz), 1.31-1.48(m, 8H), 1.54-1.66(m, 2H), 2.55(s, 3H), 2.62(t, 2H, J = 7.6Hz), 3.92(sept, 1H, J = 6.6Hz), 7.20(d, 2H, J = 8.45Hz), 7.74(d, 2H, J = 8.5Hz), 9.01(brs, 1H), 9.17(s, 1H).

I-96

mp : 220-223 °C

35 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.28-1.42(m, 2H), 1.50(d, 6H, J = 6.8Hz), 1.54-1.65(m, 2H), 2.62 (t, 2H, J = 7.6Hz), 4.08(sept, 1H, J = 7.1Hz), 7.20(d, 2H, J = 8.5Hz), 7.48(d, 2H, J = 8.5Hz), 7.71(brs, 1H), 8.51 (brs, 1H), 8.95(s, 1H).

I-97

mp : 195-197 °C

40 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91(t, 3H, J = 7.6Hz), 0.94(t, 3H, J = 7.3Hz), 1.32-1.44(m, 6H), 1.54-1.64(m, 2H), 1.66-1.78(m, 2H), 2.62(t, 2H, J = 7.7Hz), 2.86(brs, 2H), 3.98(sept, 1H, J = 7.1Hz) 7.19(d, 2H, J = 8.5Hz), 7.63(d, 2H, J = 8.4Hz), 8.72(brs, 1H), 8.81(brs, 1H).

I-98

mp : 216-218 °C

45 <sup>1</sup>H-NMR (CDCl<sub>3</sub>+CD<sub>3</sub>OD) δ ppm: 0.93(t, 3H, J = 7.4Hz), 1.29-1.40(m, 2H), 1.43(d, 2H, J = 6.9Hz), 1.51-1.63(m, 2H), 2.60(t, 2H, J = 7.8Hz), 3.65(sept, 1H, J = 6.9Hz), 7.18(d, 2H, J = 8.5Hz), 7.22(d, 1H, J = 8.8Hz), 7.55(d, 2H, J = 8.5Hz), 8.18(dd, 1H, J = 8.8, 2.4Hz), 8.63(d, 1H, J = 2.4Hz).

I-99

mp: 201-202 °C

50 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.22-1.40(m, 2H), 1.49(d, 2H, J = 7.1Hz), 1.51-1.63(m, 2H), 2.59 (t, 2H, J = 7.7Hz), 4.22(sept, 1H, J = 7.1Hz), 7.16(d, 2H, J = 8.4Hz), 7.41(brs, 1H), 7.52(d, 2H, J = 8.4Hz), 8.10 (brs, 1H), 8.13(d, 1H, J = 2.2Hz), 8.61(brs, 1H).

I-100

mp : 160-162 °C

55 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.22-1.42(m, 2H), 1.45(d, 2H, J = 6.9Hz), 1.51-1.83(m, 2H), 2.61 (t, 2H, J = 7.8Hz), 3.37(sept, 1H, J = 6.9Hz), 6.89(brs, 1H), 7.19(d, 2H, J = 8.4Hz), 7.65(d, 2H, J = 8.4Hz), 7.80 (dd, 1H, J = 8.4, 2.4Hz), 8.27(d, 1H, J = 8.4Hz), 8.45(d, 1H, J = 2.4Hz), 9.75(brs, 1H).

I-101, I-214

mp : 192-194 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.27-1.41(m, 2H), 1.35(s, 9H), 1.50-1.66(m, 2H), 2.60(t, 2H, J =

# EP 1 249 233 A1

7.6Hz), 5.58(bris, 1H), 7.07(d, 2H, J = 8.5Hz), 7.17(d, 2H, J = 8.5Hz), 7.52(d, 2H, J = 8.5Hz), 7.71(bris, 1H), 7.79(d, 2H, J = 8.5Hz).

I-102

mp : 216-217 °C

5 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.26-1.42(m, 2H), 1.45(s, 9H), 1.70-1.83(m, 2H), 2.60(t, 2H, J = 7.7Hz), 6.42(bris, 1H), 7.18(d, 2H, J = 8.5Hz), 7.35(d, 2H, J = 8.5Hz), 7.51(d, 2H, J = 8.5Hz), 7.68(bris, 1H), 7.82(d, 2H, J = 8.5Hz).

I-103

10 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91(t, 3H, J = 7.3 Hz), 1.28-1.36(m, 2H), 1.32(d, 6H, J = 6.9 Hz), 1.49-1.59(m, 2H), 2.54(t, 2H, J = 7.7 Hz), 3.23(sept, 1H, J = 6.9 Hz), 3.46(s, 3H), 6.76(bris, 1H), 6.91(d, 2H, J = 8.2 Hz), 6.99(d, 2H, J = 8.8 Hz), 7.03(d, 2H, J = 8.2 Hz), 7.25(d, 2H, J = 8.8 Hz).

I-104

mp : 182-183 °C

15 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.28-1.40(m, 2H), 1.51-1.63(m, 2H), 1.64-1.88(m, 4H), 1.90-2.23(m, 4H), 2.60(t, 2H, J = 7.6Hz), 3.39(m, 1H), 6.16(bris, 1H), 7.07(d, 2H, J = 8.5Hz), 7.16(d, 2H, J = 8.5Hz), 7.52(d, 2H, J = 8.5Hz), 7.74(bris, 1H), 7.77(d, 2H, J = 8.5Hz).

I-105

mp : 190-191 °C

20 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.28-1.41(m, 2H), 1.52-1.69(m, 4H), 1.75-1.90(m, 2H), 1.92-2.07(m, 4H), 2.58(t, 2H, J = 7.6Hz), 3.59(m, 1H), 6.53(bris, 1H), 7.18(d, 2H, J = 8.5Hz), 7.31(d, 2H, J = 8.5Hz), 7.52(d, 2H, J = 8.5Hz), 7.67(bris, 1H), 7.84(d, 2H, J = 8.5Hz).

I-106

mp : 194-197 °C

25 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.22-1.41(m, 2H), 1.53-1.65(m, 2H), 1.90(s, 6H), 2.60(t, 2H, J = 7.8Hz), 6.86(bris, 1H), 7.18(d, 2H, J = 8.5Hz), 7.43(d, 2H, J = 8.5Hz), 7.51(d, 2H, J = 8.5Hz), 7.71(bris, 1H), 7.84(d, 2H, J = 8.5Hz).

I-107

mp : 211-212 °C

30 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3Hz), 1.24-1.40(m, 2H), 1.50-1.62(m, 2H), 2.60(t, 2H, J = 7.6Hz), 6.19(bris, 1H), 7.17(d, 2H, J = 8.5Hz), 7.18(d, 2H, J = 8.5Hz), 7.51(d, 2H, J = 8.5Hz), 7.66(bris, 1H), 7.86(d, 2H, J = 8.5Hz).

I-108

mp : 298-300 °C

35 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 0.90(t, 3H, J = 7.3Hz), 1.22-1.39(m, 2H), 1.48-1.60(m, 2H), 2.54(t, 2H, J = 7.3Hz), 7.04(d, 2H, J = 8.8Hz), 7.12(d, 2H, J = 8.5Hz), 7.64(d, 2H, J = 8.5Hz), 7.69(d, 2H, J = 8.8Hz), 9.80(s, 1H).

I-109

mp : 122-123 °C

40 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.90(t, 3H, J = 7.4Hz), 0.97(t, 3H, J = 7.7Hz), 1.26-1.38(m, 2H), 1.30(s, 6H), 1.50-1.66(m, 4H), 1.72-1.83(m, 4H), 2.34(t, 2H, J = 7.1Hz), 2.55(t, 2H, J = 7.6Hz), 3.19(q, 1H, J = 6.0Hz), 4.60(bris, 1H), 7.08(d, 2H, J = 8.5Hz), 7.42(d, 2H, J = 8.5Hz), 7.85(s, 1H).

I-110

mp: 109-110 °C

45 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91(t, 3H, J = 7.4Hz), 1.10(d, 6H, J = 6.7Hz), 1.29-1.38(m, 2H), 1.55(s, 9H), 1.60-1.70(m, 2H), 1.78-1.89(m, 2H), 2.26(m, 1H), 2.39(t, 2H, J = 7.0Hz), 2.57(t, 2H, J = 7.7Hz), 2.90(d, 2H, J = 6.6Hz), 3.16(bris, 1H), 4.24(bris, 1H), 7.12(d, 2H, J = 8.5Hz), 7.40(d, 2H, J = 8.5Hz).

I-111

mp : 64-65 °C

50 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.91(t, 3H, J = 7.3Hz), 1.02(t, 3H, J = 7.5Hz), 1.35(d, 3H, J = 6.7Hz), 1.26-1.38(m, 2H), 1.48-1.69(m, 5H), 1.76-1.87(m, 2H), 2.04(m, 1H), 2.38(t, 2H, J = 7.3Hz), 2.56(t, 2H, J = 7.6Hz), 2.91(m, 1H), 3.16(bris, 2H), 4.42(bris, 1H), 7.11(d, 2H, J = 8.5Hz), 7.42(d, 2H, J = 8.5Hz), 7.47(bris, 1H).

I-112

mp : 79-80 °C

55 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.36(s, 9H), 1.52-1.62(m, 2H), 1.67-1.76(m, 2H), 2.22(t, 2H, J = 7.4Hz), 3.16(q, 2H, J = 6.3Hz), 3.78(s, 3H), 4.33(d, 2H, J = 5.4Hz), 4.62(bris, 1H), 6.20(bris, 1H), 6.85(d, 2H, J = 8.8Hz), 7.19(d, 2H, J = 8.8Hz).

I-113

mp : 125-126 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.38(s, 9H), 1.62-1.70(m, 2H), 1.76-1.88(m, 2H), 2.46(t, 2H, J = 7.4Hz), 3.22(q, 2H, J = 6.1Hz), 4.22(t, 1H, J = 6.1Hz), 7.24(dd, 1H, J = 8.9, 2.3Hz), 7.36(d, 1H, J = 2.3Hz), 7.65(bris, 1H), 8.29(d, 1H, J =

8.9Hz).

I-114

mp : 89-91 °C

5  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.92 (t, 3H, J = 7.0Hz), 1.06 (d, 6H, J = 7.0Hz), 1.36 (m, 1H), 1.50-1.72 (m, 5H), 1.94-2.06 (m, 2H), 2.26 (m, 1H), 2.60 (t, 2H, J = 7.7Hz), 2.84 (t, 2H, J = 7.7Hz), 2.93 (d, 2H, J = 6.3Hz), 3.20 (t, 2H, J = 6.6Hz), 4.30 (brs, 1H), 7.19 (d, 2H, J = 8.5Hz), 7.63 (d, 2H, J = 8.5Hz), 9.15 (brs, 1H).

I-115

mp : 94-95 °C

10  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.92 (t, 3H, J = 7.5Hz), 1.03 (t, 3H, J = 7.5Hz), 1.23-1.40 (m, 5H), 1.42-1.65 (m, 6H), 1.75 (m, 1H), 2.02 (m, 1H), 2.24 (t, 2H, J = 7.0Hz), 2.59 (t, 2H, J = 8.0Hz), 2.90 (m, 1H), 3.14 (q, 2H, J = 6.6Hz), 4.20 (m, 1H), 4.40 (d, 2H, J = 5.4Hz), 5.70 (brs, 1H), 7.14 (d, 2H, J = 8.1Hz), 7.18 (d, 2H, J = 8.1Hz).

I-116

mp : 89-91 °C

15  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.97 (t, 3H, J = 7.3Hz), 1.02 (t, 3H, J = 7.5Hz), 1.35 (d, 3H, J = 7.0Hz), 1.40-1.90 (m, 9H), 2.04 (m, 1H), 2.37 (t, 2H, J = 7.0Hz), 2.90 (m, 1H), 3.17 (q, 2H, J = 6.6Hz), 3.93 (t, 2H, J = 6.6Hz), 4.32 (m, 1H), 6.84 (d, 2H, J = 9.0Hz), 7.31 (brs, 1H), 7.40 (d, 2H, J = 9.0Hz).

I-117

mp : 110-111 °C

20  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 1.02 (t, 3H, J = 7.5Hz), 1.34 (d, 3H, J = 6.6Hz), 1.45-1.70 (m, 3H), 1.75-1.85 (m, 2H), 2.05 (m, 1H), 2.36 (t, 2H, J = 7.5Hz), 2.90 (m, 1H), 3.16 (q, 2H, J = 6.6Hz), 3.78 (s, 3H), 4.50 (m, 1H), 6.84 (d, 2H, J = 6.8Hz), 7.42 (d, 2H, J = 6.8Hz), 7.48 (brs, 1H).

I-118

mp : 113-115 °C

25  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.92 (t, 3H, J = 7.0Hz), 1.20-1.34 (m, 1H), 1.37 (d, 6H, J = 7.0Hz), 1.48-1.70 (m, 3H), 2.43 (q, 2H, J = 6.6Hz), 2.58 (t, 2H, J = 7.7Hz), 3.10-3.31 (m, 3H), 4.75 (m, 1H), 6.04 (d, 1H, J = 15.0Hz), 6.77 (dt, 1H, J = 7.7, 15.0Hz), 7.14 (d, 2H, J = 8.4Hz), 7.55 (d, 2H, J = 8.4Hz), 7.85 (brs, 1H).

I-119

mp : 139-140 °C

30  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 1.19 (s, 9H), 1.47 (m, 2H), 1.61 (m, 2H), 2.18 (t, 2H, J = 7.6Hz), 3.03 (q, 2H, J = 6.3Hz), 4.09 (t, 1H, J = 5.9Hz), 6.85 (brd, 1H, J = 8.0Hz), 7.00 (t, 1H, J = 8.0Hz), 7.16 (brd, 1H, J = 8.0), 7.48 (brs, 1H), 7.57 (brs, 1H).

I-120

mp : 183 °C

35  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.91 (t, 3H, J = 7.3Hz), 1.20-1.58 (m, 6H), 1.40 (s, 9H), 2.07 (dd, 1H, J = 12.9, 3.1Hz), 2.52 (t, 2H, J = 7.7Hz), 2.95 (dd, 2H, J = 11.5, 2.5Hz), 3.46 (m, 1H), 3.88-4.07 (m, 3H), 6.47 (s, 1H), 7.08 (d, 2H, J = 8.5Hz), 7.22 (d, 2H, J = 8.5Hz).

I-121

mp : 163-166 °C

40  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.91 (t, 3H, J = 7.3Hz), 1.32-1.62 (m, 6H), 1.45 (s, 9H), 1.95-2.07 (m, 3H), 2.20 (m, 1H), 2.46 (td, 1H, J = 10.4, 3.7Hz), 2.37 (t, 2H, J = 7.6Hz), 3.43 (brd, 2H, J = 10.4Hz), 4.80 (s, 1H), 7.12 (d, 2H, J = 8.4Hz), 7.14 (s, 1H), 7.39 (d, 2H, J = 8.4Hz).

I-122

mp : 188-189 °C

45  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.91 (t, 3H, J = 7.5Hz), 1.25-1.41 (m, 2H), 1.42 (s, 9H), 1.50-1.62 (m, 2H), 1.78-1.95 (m, 4H), 2.00-2.20 (m, 6H), 2.57 (t, 2H, J = 7.5Hz), 3.99 (brs, 1H), 7.10 (brs, 1H), 7.12 (d, 2H, J = 6.5Hz), 7.41 (d, 2H, J = 6.5Hz).

I-123

mp : 197-198 °C

50  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 0.91 (t, 3H, J = 7.5Hz), 1.24-1.40 (m, 2H), 1.39 (s, 9H), 1.50-1.70 (m, 2H), 1.99 (brs, 12H), 2.56 (t, 2H, J = 7.5Hz), 3.47 (brs, 1H), 7.10 (s, 1H), 7.11 (d, 2H, J = 8.5Hz), 7.38 (d, 2H, J = 8.5Hz).

I-124

mp : 258-260 °C

55  $^1\text{H-NMR}$  ( $\text{CDCl}_3$ )  $\delta$  ppm: 1.20-1.40 (m, 2H), 1.41 (s, 9H), 1.62-1.81 (m, 2H), 2.03-2.35 (m, 5H), 2.37 (s, 3H), 2.71 (s, 3H), 3.32 (m, 1H), 3.84 (d, 1H, J = 8.4Hz), 7.08 (brs, 1H), 7.24 (m, 1H), 7.33 (m, 2H), 7.60 (d, 1H, J = 8.1Hz), 7.77 (s, 1H), 7.80 (d, 1H, J = 8.4Hz), 8.14 (m, 1H).

I-125

mp : 297-299 °C

$^1\text{H-NMR}$  ( $\text{DMSO}-d_6$ )  $\delta$  ppm: 1.27 (s, 9H), 1.28-1.56 (m, 4H), 1.80-2.01 (m, 4H), 2.47 (m, 1H), 2.76 (brs, 1H), 3.05 (m, 2H), 6.78 (d, 1H, J = 9.0Hz), 7.23 (d, 1H, J = 9.0Hz), 7.46 (dd, 1H, J = 2.0, 9.0Hz), 8.03 (d, 1H, J = 2.0Hz).

- I-126  
mp: 198-199 °C  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.18-1.39 (m, 2H), 1.40 (s, 9H), 1.60-1.79 (m, 2H), 1.98-2.35 (m, 5H), 3.30 (m, 1H), 3.67 (d, 1H, J = 9.6Hz), 5.89 (tt, 1H, J = 3.0, 50.0Hz), 6.97 (d, 1H, J = 7.8Hz), 7.21 (s, 1H), 7.30-7.40 (m, 2H), 7.55 (s, 1H)
- 5 I-127  
mp : 262-264 °C  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.39 (m, 2H), 1.41 (s, 9H), 1.60-1.80 (m, 2H), 2.00-2.36 (m, 5H), 2.57 (s, 3H), 3.33 (m, 1H), 3.62 (d, 1H, J = 8.7Hz), 7.28 (brs, 1H), 7.62 (d, 2H, J = 8.7Hz), 7.94 (d, 2H, J = 8.7Hz).
- 10 I-128  
mp : 252-254 °C  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.18-1.39 (m, 2H), 1.40 (s, 9H), 1.58-1.79 (m, 2H), 1.99-2.30 (m, 5H), 2.46 (s, 3H), 3.32 (m, 1H), 3.64 (m, 1H), 7.11 (brs, 1H), 7.23 (d, 2H, J = 9.0Hz), 7.44 (d, 2H, J = 9.0Hz).
- I-129  
mp : >300 °C  
15 <sup>1</sup>H-NMR (CDCl<sub>3</sub>+CD<sub>3</sub>OD) δ ppm: 1.30-1.45 (m, 2H), 1.42 (s, 9H), 1.70-1.88 (m, 2H), 2.10-2.37 (m, 4H), 2.52 (m, 1H), 3.34 (m, 1H), 7.43-7.54 (m, 3H), 7.82 (d, 1H, J = 6.7Hz), 7.88 (d, 1H, J = 8.5Hz), 7.98-8.07 (m, 2H), 8.44 (s, 1H), 8.46 (s, 1H).
- I-130  
mp : 123-124 °C  
20 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.18-1.34 (m, 2H), 1.40 (s, 9H), 1.62-1.75 (m, 2H), 2.00-2.28 (m, 5H), 3.31 (m, 1H), 3.61 (d, 1H, J = 9.5Hz), 5.59 (s, 1H), 7.17 (s, 1H), 7.30-7.37 (m, 6H), 7.41 (d, 1H, J = 8.5Hz), 7.84 (d, 1H, J = 2.1Hz).
- I-131  
mp : 202-204 °C  
25 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.27-1.38 (m, 2H), 1.38 (s, 9H), 1.62-1.75 (m, 2H), 1.97-2.04 (m, 2H), 2.18-2.27 (m, 3H), 3.26 (m, 1H), 3.81 (s, 3H), 4.62 (d, 1H, J = 7.9Hz), 7.12 (d, 1H, J = 7.8Hz), 7.40 (t, 1H, J = 7.8Hz), 7.51 (s, 3H), 7.61 (d, 1H, J = 7.8Hz), 7.71 (s, 1H), 8.21 (brs, 1H).
- I-132  
mp : 236-237 °C  
30 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.23-1.43 (m, 2H), 1.41 (s, 9H), 1.66-1.80 (m, 2H), 2.08-2.12 (m, 2H), 2.23-2.31 (m, 3H), 3.34 (m, 1H), 3.87 (d, 1H, J = 9.5Hz), 4.02 (s, 3H), 7.30 (td, 1H, J = 7.3, 1.1Hz), 7.36 (s, 1H), 7.39 (td, 1H, J = 7.3, 1.5Hz), 7.53 (brd, 1H, J = 7.3Hz), 7.84 (brd, 1H, J = 7.3Hz), 8.05 (s, 1H), 8.73 (s, 1H).
- I-133  
mp : 198-200 °C  
35 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93 (t, 3H, J = 7.3Hz), 0.97 (t, 3H, J = 6.7Hz), 1.18-1.81 (m, 7H), 1.39 (s, 9H), 1.98-2.05 (m, 2H), 2.21-2.24 (m, 3H), 3.29 (m, 1H), 4.00 (dd, 1H, J = 10.7, 6.7Hz), 4.09 (dd, 1H, J = 10.7, 6.1Hz), 4.27 (d, 1H, J = 9.8Hz), 6.37 (d, 1H, J = 15.9Hz), 7.47 (d, 2H, J = 8.5Hz), 7.59 (d, 2H, J = 8.5Hz), 7.62 (d, 1H, J = 15.9Hz), 7.83 (brs, 1H).
- I-134  
mp : 212-213 °C  
40 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.21-1.32 (m, 2H), 1.39 (s, 9H), 1.59-1.73 (m, 2H), 1.99-2.04 (m, 2H), 2.10-2.26 (m, 3H), 3.26 (m, 1H), 3.72 (d, 1H, J = 9.6Hz), 6.74 (m, 1H), 7.02 (d, 2H, J = 7.4Hz), 7.11 (t, 1H, J = 7.4Hz), 7.13-7.19 (m, 2H), 7.22-7.26 (m, 2H), 7.34 (t, 2H, J = 7.4Hz).
- I-135  
mp : 294-296 °C  
45 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.28-1.55 (m, 4H), 1.81-2.05 (m, 4H), 2.26 (m, 1H), 2.98-3.20 (m, 2H), 6.78 (d, 1H, J = 9.0Hz), 7.31 (t, 1H, J = 7.5Hz), 7.54-7.72 (m, 5H), 7.94 (brs, 1H).
- I-136  
mp : >300 °C  
50 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.28 (s, 9H), 1.29-1.59 (m, 4H), 1.81-2.02 (m, 4H), 2.27 (m, 1H), 3.06 (m, 1H), 6.81 (d, 1H, J = 8.7Hz), 7.38 (t, 1H, J = 7.2Hz), 7.48 (t, 2H, J = 7.2Hz), 7.62-7.81 (m, 10H), 9.93 (brs, 1H).
- I-137  
mp : 291-292 °C  
55 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25-1.39 (m, 2H), 1.41 (s, 9H), 1.61-1.80 (m, 2H), 2.01-2.36 (m, 5H), 3.32 (m, 1H), 3.63 (d, 1H, J = 9.3Hz), 7.20 (brs, 1H), 7.53-7.74 (m, 8H).
- I-138  
mp : 259-262 °C  
<sup>1</sup>H-NMR (CD<sub>3</sub>OD) δ ppm: 1.40 (s, 9H), 1.40-1.80 (m, 4H), 2.00-2.30 (m, 4H), 2.45 (m, 1H), 3.00 (s, 3H), 3.15-3.30 (m, 2H), 7.90 (d, 1H, J = 8.4Hz), 8.12 (d, 1H, J = 9.0Hz), 8.39 (d, 1H, J = 9.0Hz), 8.72 (s, 1H), 8.92 (d, 1H, J =

# EP 1 249 233 A1

8.4Hz), 10.4 (s, 1H).

I-139

mp : 265-268 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25-1.40 (m, 2H), 1.40 (s, 9H), 1.68-1.81 (m, 2H), 2.05-2.10 (m, 2H), 2.23-2.37 (m, 3H), 3.32 (m, 1H), 4.27 (d, 1H, J = 9.1Hz), 7.53 (t, 1H, J = 7.9Hz), 7.63 (td, 1H, J = 7.9, 1.4Hz), 7.77 (d, 1H, J = 7.9Hz), 8.03 (d, 1H, J = 7.9Hz), 8.37 (brs, 1H), 8.85-8.86 (m, 2H).

I-140

mp : 258-260 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.40 (m, 2H), 1.41 (s, 9H), 1.52-1.85 (m, 2H), 2.03-2.35 (m, 5H), 3.34 (m, 1H), 3.75 (m, 1H), 7.35-7.66 (m, 3H), 8.05 (d, 1H, J = 9.0Hz), 8.11 (d, 1H, J = 9.0Hz), 8.40 (brs, 1H), 8.83 (s, 1H).

I-141

mp : 205-206 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.37 (m, 2H), 1.40 (s, 9H), 1.43-1.62 (m, 2H), 1.90-2.01 (m, 2H), 2.02-2.23 (m, 3H), 3.27 (m, 1H), 3.63 (d, 1H, J = 9.6Hz), 3.70 (s, 3H), 6.64 (d, 1H, J = 8.8Hz), 7.28-7.41 (m, 5H), 7.45 (brs, 1H), 8.26 (d, 1H, J = 8.8Hz).

I-142

mp : 277-280 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.23-0.34 (m, 2H), 1.34 (s, 9H), 1.34-1.55 (m, 5H), 1.76-1.80 (m, 2H), 2.97 (m, 1H), 3.31 (d, 1H, J = 9.6Hz), 7.18 (s, 1H), 7.50-7.59 (m, 4H), 7.77 (dd, 1H, J = 7.4, 1.0Hz), 7.91-7.98 (m, 2H), 8.39 (dd, 1H, J = 7.4, 1.9Hz).

I-143

mp : 202-203 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.23-1.40 (m, 2H), 1.40 (s, 9H), 1.57-1.71 (m, 2H), 2.05-2.10 (m, 2H), 2.18-2.28 (m, 3H), 3.31 (m, 1H), 3.91 (s, 3H), 3.93 (s, 3H), 4.05 (d, 1H, J = 9.5Hz), 8.15 (s, 1H), 9.56 (s, 1H).

I-144

mp : 177-178 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.27-1.39 (m, 2H), 1.40 (s, 9H), 1.65-1.79 (m, 2H), 2.04-2.07 (m, 2H), 2.12-2.34 (m, 3H), 3.22 (m, 1H), 3.93 (d, 1H, J = 9.1Hz), 6.90-7.03 (m, 3H), 7.25 (m, 1H), 7.77 (dd, 1H, J = 4.9, 1.7Hz), 7.81 (brs, 1H), 8.72 (dd, 1H, J = 7.8, 1.5Hz).

I-145

mp : >300 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.30 (s, 9H), 1.44-1.70 (m, 4H), 2.05-2.19 (m, 4H), 2.73 (m, 1H), 3.18 (m, 1H), 6.86 (d, 1H, J = 8.8Hz), 7.62 (t, 2H, J = 8.5Hz), 7.86 (t, 2H, J = 8.5Hz), 7.89 (d, 2H, J = 8.5Hz), 8.16 (d, 2H, J = 8.5Hz).

I-146

mp : 240-242 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.26-1.53 (m, 4H), 1.27 (s, 9H), 1.74-1.83 (m, 2H), 1.90-1.97 (m, 2H), 2.26 (m, 1H), 3.04 (m, 1H), 6.59 (brs, 1H), 6.74-6.79 (m, 3H), 7.74 (s, 1H), 10.32 (s, 1H), 12.80 (s, 1H).

I-147

mp : 167-169 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.05-1.28 (m, 2H), 1.38 (s, 9H), 1.47-1.70 (m, 2H), 1.80-2.00 (m, 3H), 2.13-2.25 (m, 2H), 2.75 (t, 2H, J = 6.9Hz), 3.24 (m, 1H), 3.49 (dt, 2H, J = 6.3, 6.9Hz), 3.58 (d, 1H, J = 8.7Hz), 3.87 (s, 6H), 5.40 (brs, 1H), 6.71 (m, 2H), 6.82 (d, 1H, J = 8.7Hz).

I-148

mp : 171-172 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.16-1.38 (m, 2H), 1.39 (s, 9H), 1.50-1.79 (m, 4H), 1.85-2.02 (m, 3H), 2.15-2.30 (m, 2H), 2.35-2.56 (m, 6H), 3.25 (m, 1H), 3.33 (q, 2H, J = 6.0Hz), 3.63 (d, 1H, J = 9.0Hz), 3.72 (t, 4H, J = 4.6Hz), 6.77 (brs, 1H).

I-149

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.36 (m, 2H), 1.28 (t, 3H, J = 7.2Hz), 1.39 (s, 9H), 1.45-1.70 (m, 2H), 1.85-2.30 (m, 7H), 2.43 (s, 3H), 3.05-3.42 (m, 3H), 3.46-3.80 (m, 3H), 7.31 (d, 1H, J = 7.2Hz), 7.40-7.52 (m, 3H), 8.18 (brs, 1H).

I-150

mp : 203-204 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.15-1.37 (m, 2H), 1.39 (s, 9H), 1.42-1.70 (m, 2H), 1.85-2.29 (m, 5H), 2.76 (t, 2H, J = 6.0Hz), 3.26 (m, 1H), 3.49 (q, 2H, J = 6.0Hz), 3.61 (m, 1H), 4.03 (s, 2H), 5.88 (brs, 1H), 7.15 (dd, 1H, J = 7.0, 8.8Hz), 7.30-7.35 (m, 2H).

I-151

mp : 181-183 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.15-1.30 (m, 2H), 1.39 (s, 9H), 1.45-1.64 (m, 2H), 1.88-2.05 (m, 3H), 2.15-2.25 (m, 2H), 2.69 (t, 2H, J = 6.0Hz), 3.28 (m, 1H), 3.47 (q, 2H, J = 6.0Hz), 3.58 (d, 1H, J = 9.9Hz), 3.87 (s, 2H), 5.83 (brs, 1H),

# EP 1 249 233 A1

7.00 (m, 1H), 7.20 (m, 2H).

I-152

mp : 222-224 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.16-1.37 (m, 2H), 1.39 (s, 9H), 1.49-1.70 (m, 2H), 1.90-2.25 (m, 5H), 3.26 (m, 1H), 3.36 (t, 2H, J = 6.4Hz), 3.66 (dt, 3H, J = 6.0, 6.4Hz), 5.87 (t, 1H, J = 6.0Hz), 7.58 (s, 1H), 7.68 (dd, 1H, J = 7.0, 8.5Hz), 7.83 (dd, 1H, J = 7.0, 8.5Hz), 8.19 (t, 2H, J = 8.5Hz).

I-153

mp : 207-209 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.05-1.25 (m, 2H), 1.38 (s, 9H), 1.40-2.03 (m, 10H), 2.05-2.25 (m, 2H), 2.58 (s, 3H), 2.76 (m, 1H), 3.05-3.35 (m, 2H), 3.97 (d, 1H, J = 9.5Hz), 4.94 (t, 1H, J = 4.0Hz), 8.42 (d, 1H, J = 5.5Hz), 8.97 (d, 1H, J = 5.5Hz).

I-154

mp : 184-185 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.05-1.25 (m, 2H), 1.37 (s, 9H), 1.50-1.69 (m, 2H), 1.85-2.05 (m, 3H), 2.10-2.21 (m, 2H), 3.24 (m, 1H), 3.64 (m, 1H), 4.87 (s, 1H), 4.88 (s, 1H), 5.67 (brs, 1H), 7.42 (d, 2H, J = 5.5Hz), 7.52 (m, 2H), 7.78 (m, 1H), 7.82 (m, 1H), 7.95 (d, 1H, J = 7.0Hz).

I-155

mp : 208-210 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.26 (s, 9H), 1.27-1.50 (m, 4H), 1.75-2.00 (m, 4H), 2.16 (m, 1H), 2.81 (s, 3H), 3.02 (m, 1H), 6.79 (d, 1H, J = 8.5Hz), 10.00 (s, 1H), 10.66 (s, 1H).

I-156

mp : 256-257 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.39 (m, 2H), 1.41 (s, 9H), 1.60-1.81 (m, 2H), 2.01-2.35 (m, 5H), 2.69 (t, 2H, J = 6.0Hz), 3.11 (t, 2H, J = 6.0Hz), 3.30 (m, 1H), 3.61 (d, 1H, J = 9.3Hz), 7.21 (d, 1H, J = 8.0Hz), 7.31 (s, 1H), 7.70 (d, 1H, J = 8.0Hz), 7.99 (s, 1H).

I-157

mp : 269-271 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.45 (m, 2H), 1.41 (s, 9H), 1.70-1.90 (m, 2H), 2.10-2.45 (m, 5H), 3.37 (m, 1H), 3.68 (m, 1H), 7.45 (dd, 1H, J = 4.0, 8.0Hz), 7.53 (brs, 1H), 7.72 (t, 1H, J = 8.0Hz), 7.83 (d, 1H, J = 8.0Hz), 8.02 (d, 1H, J = 8.0Hz), 8.18 (d, 1H, J = 8.0Hz), 8.93 (d, 1H, J = 4.0Hz).

I-158

mp : 253-256 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.40 (m, 2H), 1.42 (s, 9H), 1.60-1.90 (m, 2H), 2.06-2.50 (m, 5H), 2.72 (s, 3H), 3.33 (m, 1H), 3.78 (d, 1H, J = 9.2Hz), 7.52 (t, 1H, J = 7.0Hz), 7.62-7.80 (m, 2H), 7.94 (brs, 1H), 8.05 (d, 1H, J = 8.5Hz), 8.20 (s, 1H).

I-159

mp : 253-255 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.39 (m, 2H), 1.40 (s, 9H), 1.60-1.80 (m, 2H), 1.98-2.30 (m, 5H), 2.71 (s, 3H), 3.31 (m, 1H), 3.68 (d, 1H, J = 9.0Hz), 7.41 (brs, 1H), 7.61 (d, 2H, J = 9.0Hz), 7.70 (d, 2H, J = 9.0Hz).

I-160

mp : 211-212 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.32 (m, 2H), 1.39 (t, 3H, J = 7.0Hz), 1.40 (s, 9H), 1.55-1.79 (m, 2H), 1.98-2.35 (m, 5H), 3.31 (m, 1H), 3.65 (d, 1H, J = 9.5Hz), 4.03 (q, 2H, J = 7.0Hz), 6.64 (d, 1H, J = 8.0Hz), 6.92 (d, 1H, J = 8.0Hz), 7.10 (s, 1H), 7.19 (t, 1H, J = 8.0Hz), 7.30 (brs, 1H).

I-161

mp : 202-203 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.96 (t, 1H, J = 7.3Hz), 1.29-1.39 (m, 2H), 1.40 (s, 9H), 1.41-1.58 (m, 2H), 1.60-1.80 (m, 4H), 1.98-2.31 (m, 5H), 3.31 (m, 1H), 3.66 (d, 1H, J = 8.5Hz), 3.96 (t, 2H, J = 6.4Hz), 6.64 (d, 1H, J = 8.0Hz), 6.90 (d, 1H, J = 8.0Hz), 7.11 (s, 1H), 7.19 (t, 1H, J = 8.0Hz), 7.31 (brs, 1H).

I-162

mp : 177-180 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.18-1.38 (m, 2H), 1.39 (s, 9H), 1.59-1.78 (m, 2H), 1.95-2.05 (m, 2H), 2.07-2.25 (m, 3H), 3.26 (m, 1H), 3.46 (s, 3H), 4.17 (d, 1H, J = 9.5Hz), 5.15 (s, 2H), 6.77 (d, 1H, J = 8.0Hz), 7.10-7.23 (m, 2H), 7.34 (s, 1H), 7.58 (s, 1H).

I-163

mp : 175.178 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.28-1.50 (m, 4H), 1.78-2.00 (m, 4H), 2.22 (m, 1H), 2.96-3.15 (m, 2H), 6.67 (m, 1H), 6.79 (d, 1H, J = 8.5Hz), 7.18 (m, 2H), 7.38 (s, 1H), 9.81 (s, 1H).

I-164

mp : 232-233 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.97(t, 3H, J = 7.3Hz), 1.22-1.30(m, 2H), 1.40(s, 9H), 1.44-1.51(m, 2H), 1.67-1.77(m, 4H), 2.02-2.24(m, 5H), 3.22(m, 1H), 3.62(d, 1H, J = 9.6Hz), 4.25(t, 2H, J = 6.8Hz), 6.71(d, 1H, J = 8.4Hz), 7.01(bris, 1H), 7.91(dd, 1H, J = 8.4, 3.3Hz), 8.08(d, 1H, J = 3.3Hz).

I-165

mp : 199-200 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.96(t, 3H, J = 7.4Hz), 1.24-1.50(m, 4H), 1.40(s, 9H), 1.67-1.76(m, 3H), 2.03-2.08(m, 2H), 2.24-2.35(m, 3H), 3.29(m, 1H), 3.76(d, 1H, J = 9.1Hz), 3.91(t, 2H, J = 6.6Hz), 6.41(dd, 1H, J = 8.8, 2.5Hz), 6.55(d, 1H, J = 2.5Hz), 6.82(d, 1H, J = 8.8Hz), 7.43(s, 1H), 8.95(s, 1H).

I-166

mp : 215-218 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>+CD<sub>3</sub>OD) δ ppm: 0.97(t, 3H, J = 7.4Hz), 1.24-1.40(m, 4H), 1.39(s, 9H), 1.42-1.50(m, 2H), 1.54-1.72(m, 2H), 1.76-1.82(m, 2H), 1.91-2.00(m, 2H), 2.06-2.22(m, 3H), 3.24(m, 1H), 4.00(t, 2H, J = 6.6Hz), 6.78(d, 1H, J = 8.8Hz), 6.98(dd, 1H, J = 8.8, 2.5Hz), 7.09(d, 1H, J = 8.8Hz).

I-167

mp : 212-213 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.96(t, 3H, J = 7.5Hz), 1.26-1.34(m, 2H), 1.40(s, 9H), 1.45-1.50(m, 2H), 1.68-1.77(m, 4H), 2.03-2.08(m, 2H), 2.17(m, 1H), 2.26-2.29(m, 2H), 3.29(m, 1H), 3.60(d, 1H, J = 9.0Hz), 4.25(t, 2H, J = 6.8Hz), 6.71(d, 1H, J = 8.4Hz), 7.01(bris, 1H), 7.91(dd, 1H, J = 8.4, 3.3Hz), 8.08(d, 1H, J = 3.3Hz).

I-168

mp : 230-232 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.35(m, 2H), 1.40(s, 9H), 1.63-1.77(m, 2H), 2.03-2.08(m, 2H), 2.15-2.29(m, 3H), 3.31(m, 1H), 3.63(d, 1H, J = 9.3Hz), 6.89(d, 1H, J = 9.4Hz), 7.10(brd, 2H, J = 7.4Hz), 7.12(bris, 1H), 7.18(t, 1H, J = 7.4Hz), 7.36(brt, 2H, J = 7.4Hz), 8.09-8.15(m, 2H).

I-169

mp : 159-160 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.97(t, 3H, J = 7.3), 1.20-1.35(m, 2H), 1.40(s, 9H), 1.37-1.49(m, 2H), 1.61-1.78(m, 4H), 2.05-2.08(m, 2H), 2.23-2.26(m, 2H), 2.36(s, 3H), 2.97(bris, 1H), 3.32(m, 1H), 3.86(bris, 1H), 4.30(t, 2H, J = 6.5Hz), 6.25(s, 1H), 7.92(bris, 1H).

I-170

mp : 180-181 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.88-0.89(m, 2H), 1.39(s, 9H), 1.42-1.60(m, 2H), 1.86-1.90(m, 2H), 2.04-2.09(m, 2H), 2.42(6, 3H), 2.91(m, 1H), 3.20(m, 1H), 3.63(d, 1H, J = 9.2Hz), 6.38(s, 1H), 7.15(m, 2H), 7.28(m, 1H), 7.45(m, 2H), 7.84(bris, 1H).

I-171

mp : 173-174 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.98(t, 3H, J = 7.5Hz), 1.29-1.40(m, 2H), 1.40(s, 9H), 1.55(m, 2H), 1.62-1.83(m, 4H), 2.09-2.12(m, 2H), 2.24-2.32(m, 3H), 3.32(m, 1H), 3.63(d, 1H, J = 9.5Hz), 3.99(t, 2H, J = 6.4Hz), 7.22(dd, 1H, J = 9.4, 2.7Hz), 7.66(d, 1H, J = 2.7Hz), 8.63(d, 1H, J = 9.4Hz), 10.17(s, 1H).

I-172

mp: 238-242 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.96(t, 3H, J = 7.3Hz), 1.23-1.52(m, 4H), 1.40(s, 9H), 1.61-1.78(m, 4H), 2.05-2.28(m, 5H), 3.30(m, 1H), 3.66(d, 1H, J = 9.4Hz), 3.84(bris, 2H), 3.90(t, 2H, J = 6.4Hz), 6.32-6.35(m, 2H), 6.96(bris, 1H), 6.97(d, 1H, J = 9.4Hz).

I-173

mp : 165-166 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.23-1.26(m, 2H), 1.40(s, 9H), 1.67-1.72(m, 2H), 2.01-2.06(m, 2H), 2.11-2.28(m, 3H), 3.31(m, 1H), 3.60(s, 2H), 3.69(s, 3H), 4.02(bris, 1H), 7.01(d, 1H, J = 8.0Hz), 7.25(t, 1H, J = 8.0Hz), 7.43(d, 1H, J = 8.0Hz), 7.49(bris, 1H), 7.51(bris, 1H).

I-174

mp : 264-265 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>+CD<sub>3</sub>OD) δ ppm: 1.26-1.29(m, 2H), 1.39(s, 9H), 1.62-1.69(m, 2H), 1.96-2.00(m, 2H), 2.18-2.21(m, 3H), 3.25(m, 1H), 3.58(s, 2H), 7.01(d, 1H, J = 7.5Hz), 7.26(t, 1H, J = 7.5Hz), 7.42(bris, 1H), 7.50(d, 1H, J = 7.5Hz).

I-175

mp : 90-94 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.16-1.23(m, 2H), 1.37(s, 9H), 1.44-1.56(m, 2H), 1.73-1.85(m, 3H), 2.11-2.15(m, 2H),



# EP 1 249 233 A1

3.57(t, 2H, J = 6.4Hz), 3.21(m, 1H), 3.58(m, 2H), 3.84(d, 1H, J = 9.3Hz), 5.56(brs, 1H), 7.01(s, 1H), 7.11(t, 1H, J = 7.5Hz), 7.21(t, 1H, J = 7.5Hz), 7.38(d, 1H, J = 7.5Hz), 7.59(d, 1H, J = 7.5Hz), 8.24(brs, 1H).

I-176

mp: 116-118 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.18-1.38 (m, 2H), 1.40 (s, 9H), 1.60-1.79 (m, 2H), 1.95-2.30 (m, 5H), 3.30 (m, 1H), 3.69 (m, 1H), 3.80 (s, 3H), 4.64 (s, 2H), 6.67 (d, 1H, J = 8.0Hz), 7.00 (d, 1H, J = 8.5Hz), 7.15-7.24 (m, 2H), 7.32 (brs, 1H).

I-177

mp : 219-220 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.28-1.50 (m, 4H), 1.75-2.01 (m, 4H), 2.18-2.30 (m, 1H), 2.95-3.15 (m, 2H), 4.61 (s, 2H), 6.56 (m, 1H), 6.80 (d, 1H, J = 8.5Hz), 7.16 (m, 2H), 7.28 (brs, 1H), 9.87 (brs, 1H).

I-178

mp : 170-173 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.18-1.39 (m, 2H), 1.40 (s, 9H), 1.50-1.80 (m, 2H), 1.90-2.33 (m, 5H), 2.36 (s, 6H), 2.75 (t, 2H, J = 5.5 Hz), 3.30 (m, 1H), 3.70 (m, 1H), 4.08 (t, 2H, J = 5.5Hz), 6.68 (d, 1H, J = 8.0Hz), 6.94 (d, 1H, J = 7.5Hz), 7.15-7.23 (m, 2H), 7.33 (brs, 1H).

I-179

mp : 191-193 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.39 (m, 2H), 1.40 (s, 9H), 1.58-1.80 (m, 2H), 1.98-2.32 (m, 5H), 3.30 (m, 1H), 3.70 (d, 1H, J = 9.5 Hz), 4.77 (s, 2H), 6.73 (d, 1H, J = 8.0Hz), 7.04 (d, 1H, J = 8.0Hz), 7.20-7.31 (m, 2H), 7.48 (brs, 1H).

I-180

mp : 174-176 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.10-1.30 (m, 2H), 1.40 (s, 9H), 1.45-1.65 (m, 2H), 1.81-2.02 (m, 3H), 2.15-2.30 (m, 2H), 2.58 (t, 2H, J = 6.5Hz), 3.25 (m, 1H), 3.37 (dt, 2H, J = 5.5, 6.5Hz), 3.60 (d, 1H, J = 9.5Hz), 3.71 (s, 2H), 5.73 (brs, 1H), 7.20-7.40 (m, 5H).

I-181

mp : 176-178 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.15-1.30 (m, 2H), 1.39 (s, 9H), 1.45-1.70 (m, 6H), 1.85-2.01 (m, 3H), 2.15-2.28 (m, 2H), 2.63 (t, 2H, J = 7.0Hz), 3.25 (dt, 2H, J = 6.0, 7.0Hz), 3.27 (m, 1H), 3.63 (m, 1H), 5.35 (brs, 1H), 7.17 (m, 3H), 7.29 (m, 2H).

I-182

mp : 152-154 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.15-1.30 (m, 2H), 1.39 (s, 9H), 1.45-1.65 (m, 2H), 1.85-2.05 (m, 3H), 2.09-2.25 (m, 2H), 3.25 (m, 1H), 3.45 (dt, 2H, J = 5.0, 5.0Hz), 3.55 (t, 2H, J = 5.0Hz), 3.60 (m, 1H), 4.51 (s, 2H), 5.81 (brs, 1H), 7.29-7.40 (m, 5H).

I-183

mp : 208-211 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.31 (m, 2H), 1.39 (s, 9H), 1.62-1.68 (m, 2H), 1.98-2.25 (m, 5H), 3.30 (m, 1H), 3.57 (d, 1H, J = 9.2Hz), 4.59 (d, 2H, J = 5.8Hz), 5.76 (brs, 1H), 7.37 (dd, 1H, J = 8.4, 2.0Hz), 7.46-7.52 (m, 2H), 7.69 (brs, 1H), 7.78-7.83 (m, 3H).

I-184

mp : 180-182 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.37 (m, 2H), 1.40 (s, 9H), 1.60-1.69 (m, 2H), 2.05-2.09 (m, 2H), 2.21-2.27 (m, 3H), 3.45 (m, 1H), 3.64 (d, 1H, J = 9.6Hz), 4.77 (d, 2H, J = 4.9Hz), 7.43 (d, 1H, J = 8.6Hz), 7.46 (brs, 1H), 7.61 (t, 1H, J = 7.7Hz), 7.73 (t, 1H, J = 7.7Hz), 7.87 (t, 1H, J = 7.7Hz), 8.20 (t, 1H, J = 7.7Hz), 8.24 (d, 1H, J = 8.6Hz).

I-185

mp : 260-261 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.32 (m, 2H), 1.39 (s, 9H), 1.60-1.70 (m, 2H), 1.97-2.01 (m, 2H), 2.11 (m, 1H), 2.21-2.24 (m, 2H), 3.30 (m, 1H), 3.61 (d, 1H, J = 9.3Hz), 4.95 (d, 2H, J = 6.0Hz), 5.85 (brs, 1H), 7.33 (d, 1H, J = 4.8Hz), 7.62 (dd, 1H, J = 8.4, 6.9Hz), 7.75 (dd, 1H, J = 8.1, 6.9Hz), 8.00 (d, 1H, J = 8.1Hz), 8.20 (d, 1H, J = 8.4Hz), 8.42 (d, 1H, J = 4.8Hz).

I-186

mp : 231-233 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.23-1.40 (m, 2H), 1.40 (s, 9H), 1.62-1.76 (m, 2H), 2.04-2.10 (m, 2H), 2.22-2.32 (m, 3H), 3.30 (m, 1H), 3.95 (d, 1H, J = 9.3Hz), 5.04 (d, 2H, J = 4.1Hz), 7.61 (d, 1H, J = 5.8Hz), 7.63 (brs, 1H), 7.65 (dd, 1H, J = 8.2, 6.9Hz), 7.73 (dd, 1H, J = 8.5, 6.9Hz), 7.86 (d, 1H, J = 8.2Hz), 8.10 (d, 1H, J = 8.5Hz), 8.42 (d, 1H, J = 5.8Hz).

I-187

mp : 184-187 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.97 (t, 3H, J = 7.3 Hz), 1.18-1.30 (m, 2H), 1.39 (s, 9H), 1.42-1.65 (m, 4H), 1.70-1.80 (m,

# EP 1 249 233 A1

2H), 1.94-2.08(m, 3H), 2.18-2.26(m, 2H), 3.29(m, 1H), 3.61(d, 1H, J = 9.5Hz), 3.93(t, 2H, J = 6.4Hz), 4.39(d, 2H, J = 5.5Hz), 5.67(bris, 1H), 6.79-6.83(m, 3H), 7.23(t, 1H, J = 7.6Hz).

I-188

mp : 224-226 °C

5 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.16-1.31(m, 2H), 1.38(s, 9H), 1.55-1.70(m, 2H), 1.92-2.07(m, 3H), 2.17-2.23(m, 2H), 3.21(m, 1H), 3.81(s, 3H), 3.83(s, 6H), 4.05(d, 1H, J = 9.8Hz), 4.34(d, 2H, J = 5.8Hz), 5.96(bris, 1H), 6.47(s, 2H).

I-189

mp : 217-218 °C

10 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.15-1.30(m, 2H), 1.37(s, 9H), 1.52-1.66(m, 2H), 1.90-2.06(m, 3H), 2.13-2.20(m, 2H), 2.93(s, 6H), 3.24(m, 1H), 3.94(d, 1H, J = 9.5Hz), 4.30(d, 2H, J = 5.5Hz), 5.73(bris, 1H), 6.69(d, 2H, J = 8.9Hz), 7.12(d, 2H, J = 8.9Hz).

I-190

mp : amorphous solid

15 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.17-1.32(m, 2H), 1.39(s, 9H), 1.54-1.72(m, 2H), 1.96-2.13(m, 3H), 2.18-2.27(m, 2H), 3.30(m, 1H), 3.63(d, 1H, J = 9.2Hz), 4.51(d, 2H, J = 5.8Hz), 5.82(bris, 1H), 7.40(d, 2H, J = 8.5Hz), 8.02(d, 2H, J = 8.5Hz), 8.64(s, 1H).

I-191

mp : 126-128 °C

20 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.97(t, 3H, J = 7.4 Hz), 1.10-1.28(m, 2H), 1.36(s, 9H), 1.42-1.86(m, 9H), 2.06-2.18(m, 2H), 3.22(m, 1H), 3.95(t, 2H, J = 4.5Hz), 4.16(bris, 1H), 4.85(s, 2H), 6.82-6.95(m, 3H), 7.26(t, 1H, J = 7.8Hz), 8.54(bris, 1H).

I-192

mp : 178-181 °C

25 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.96(t, 3H, J = 7.3 Hz), 1.18-1.52(m, 4H), 1.39(s, 9H), 1.58-1.76(m, 4H), 1.92-2.00(m, 2H), 2.02-2.29(m, 3H), 3.28(m, 1H), 3.78(d, 1H, J = 9.5Hz), 3.89(t, 2H, J = 6.6Hz), 6.00(bris, 1H), 6.78(s, 4H), 7.35(bris, 1H).

I-193

mp : 187-188 °C

30 <sup>1</sup>H-NMR (CDCl<sub>3</sub>+CD<sub>3</sub>OD) δ ppm: 1.21-1.40(m, 2H), 1.38(s, 9H), 1.52-1.69(m, 2H), 1.90-2.00(m, 2H), 2.02-2.20(m, 3H), 3.22(m, 1H), 3.75(s, 3H), 6.79(s, 4H).

I-194

mp : 251-253 °C

35 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27(s, 9H), 1.24-1.50(m, 4H), 1.72-1.83(m, 2H), 1.91-1.99(m, 2H), 2.16(m, 1H), 3.02(m, 1H), 3.82(s, 3H), 6.79(d, 1H, J = 8.2Hz), 7.01(d, 2H, J = 8.8Hz), 7.85(d, 2H, J = 8.8Hz), 9.72(bris, 1H), 8.64(bris, 1H).

I-195

mp : 183-185 °C

40 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.37(m, 2H), 1.40(s, 9H), 1.58-1.75(m, 2H), 2.05-2.10(m, 2H), 2.20-2.30(m, 3H), 3.32(m, 1H), 3.70(s, 2H), 3.73(s, 3H), 6.79(s, 1H), 8.83(bris, 1H).

I-196

mp : 185-187 °C

45 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.39 (m, 2H), 1.40 (s, 9H), 1.44 (t, 6H, J = 7.0 Hz), 1.60-1.80 (m, 2H), 1.95-2.35 (m, 5H), 3.30 (m, 1H), 3.62 (d, 1H, J = 8.9 Hz), 4.06 (q, 2H, J = 7.0 Hz), 4.09 (q, 2H, J = 7.0 Hz), 6.08 (s, 1H), 7.02 (s, 1H), 7.36 (s, 1H).

I-197

mp : 211-213 °C

50 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.40 (m, 2H), 1.41 (s, 9H), 1.60-1.80 (m, 2H), 2.00-2.36 (m, 5H), 2.61 (s, 3H), 3.32 (m, 1H), 3.64 (d, 1H, J = 9.2 Hz), 7.28 (s, 1H), 7.43 (t, 1H, J = 7.5 Hz), 7.69 (d, 1H, J = 7.5 Hz), 7.85 (d, 1H, J = 7.5 Hz), 8.02 (s, 1H).

I-198

mp : 268-269 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.39 (m, 2H), 1.40 (s, 9H), 1.42-2.32 (m, 7H), 2.90-3.10 (m, 4H), 3.30 (m, 1H), 3.68 (d, 1H, J = 8.8 Hz), 6.59 (s, 1H), 7.18 (d, 1H, J = 8.7 Hz), 7.59 (d, 1H, J = 8.7 Hz), 7.77 (bris, 1H).

I-199 mp : 221-224 °C

55 I-200 mp : 237-240 °C

I-201 mp : 87-90 °C

I-202 mp : 222-223 °C

I-203 mp : 256-257 °C

- l-204 mp : 234-236 °C  
 l-205 mp : 208-210 °C  
 l-206 mp : 217-218 °C  
 l-207 mp : 275-279 °C  
 5 l-208 mp : 248-250 °C  
 l-209 mp : 256-258 °C  
 l-210 mp : 270-271 °C  
 l-211 mp : 219-220 °C  
 l-212 mp : 260-261 °C  
 10 l-213 mp : >300 °C  
 l-214 mp : 206-207 °C  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.4 Hz), 1.30-1.42(m, 2H), 1.49(d, 6H, J = 6.9 Hz), 1.53-1.65(m, 2H), 2.61(t, 2H, J = 7.7 Hz), 4.15(sept, 1H, J = 6.9 Hz), 7.04(d, 1H, J = 8.2 Hz), 7.20(d, 2H, J = 8.2 Hz), 7.51(d, 2H, J = 8.2 Hz), 7.89(d, 1H, J = 8.8 Hz), 8.18(s, 1H), 10.55(s, 1H).  
 15 l-215  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93(t, 3H, J = 7.3 Hz), 1.30-1.41(m, 2H), 1.52-1.63(m, 2H), 1.95(s, 6H), 2.61(t, 2H, J = 7.8 Hz), 6.99(brs, 1H), 7.20(d, 2H, J = 8.5 Hz), 7.65(d, 2H, J = 8.5 Hz), 7.93(dd, 1H, J = 8.5, 2.5 Hz), 8.28(d, 1H, J = 8.5 Hz), 8.55(d, 1H, J = 2.5 Hz), 9.76(brs, 1H).  
 la-1  
 20 mp 221-224 °C  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.19-1.38 (m, 2H), 1.40 (s, 9H), 1.62-1.77 (m, 2H), 2.00-2.31 (m, 5H), 3.18 (t, 4H, J = 4.8 Hz), 3.21-3.38 (m, 1H), 3.85 (t, 4H, J = 4.8 Hz), 6.64-6.32 (m, 2H), 7.11 (s, 1H), 7.20 (t, 1H, J = 7.8 Hz), 7.45 (s, 1H).  
 la-3  
 mp 87-90 °C  
 25 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25 (d, 6H, J = 6.3 Hz), 1.37 (d, 6H, J = 6.9 Hz), 1.59-1.70 (m, 2H), 1.76-1.88 (m, 2H), 2.32-2.42 (m, 4H), 3.11-3.23 (m, 3H), 3.39 (d, 2H, J = 10.8 Hz), 3.74-3.86 (m, 2H), 4.34 (t, 1H, J = 9.0 Hz), 6.86 (d, 2H, J = 9.0 Hz), 7.30 (s, 1H), 7.40 (d, 2H, J = 9.0 Hz).  
 la-4  
 mp 233-234 °C  
 30 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25 (d, 6H, J = 6.3 Hz), 1.40 (s, 9H), 1.26-1.37 (m, 2H), 1.62-1.78 (m, 2H), 2.00-2.22 (m, 5H), 2.42 (t, 2H, J = 11.7 Hz), 3.20-3.40 (m, 1H), 3.46 (d, 2H, J = 10.5 Hz), 3.67 (d, 1H, J = 9.3 Hz), 3.72-3.84 (m, 2H), 6.62-6.76 (m, 2H), 7.10 (s, 1H), 7.18 (t, 1H, J = 7.8 Hz), 7.42 (s, 1H).  
 la-5  
 mp 125-126 °C  
 35 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25 (d, 6H, J = 6.3 Hz); 1.40 (s, 9H), 1.59-1.70 (m, 2H), 1.77-1.84 (m, 2H), 2.30-2.46 (m, 4H), 3.24 (q, 2H, J = 6.6 Hz), 3.38 (d, 2H, J = 11.7 Hz), 3.74-3.88 (m, 2H), 4.08 (t, 1H, J = 5.7 Hz), 6.87 (d, 2H, J = 8.7 Hz), 7.30 (s, 1H), 7.41 (d, 2H, J = 8.7 Hz).  
 la-6  
 mp 229-230 °C  
 40 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25 (d, 6H, J = 6.3 Hz), 1.26-1.34 (m, 2H), 1.39 (d, 6H, J = 6.9 Hz), 1.61-1.77 (m, 2H), 1.98-1.26 (m, 5H), 2.32-2.46 (m, 2H), 3.15 (quintet, 1H, J = 6.6 Hz), 3.22-3.35 (m, 1H), 3.39 (d, 2H, J = 11.4 Hz), 3.74-3.92 (m, 2H), 3.88 (d, 1H, J = 8.4 Hz), 6.96-6.71 (m, 2H), 7.05 (brs, 1H), 7.39 (d, 2H, J = 9.3 Hz).  
 la-7  
 mp 253-254 °C  
 45 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.24-1.60 (m, 4H), 1.27 (s, 9H), 1.77-2.07 (m, 4H), 2.16-2.34 (m, 1H), 2.97-3.15 (m, 1H), 6.78 (d, 1H, J = 7.2 Hz), 7.01 (t, 1H, J = 6.0 Hz), 7.27 (t, 2H, J = 6.6 Hz), 7.58 (d, 2H, J = 7.5 Hz), 9.78 (s, 1H).  
 la-8  
 mp 257-258 °C  
 50 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.54 (m, 4H), 1.27 (s, 9H), 1.77-1.88 (m, 2H), 1.88-2.00 (m, 2H), 2.16-2.34 (m, 1H), 2.23 (s, 3H), 2.92-3.14 (m, 1H), 6.77 (d, 1H, J = 8.4 Hz), 7.07 (d, 2H, J = 8.4 Hz), 7.46 (d, 2H, J = 8.1 Hz), 9.68 (s, 1H).  
 la-9  
 mp 231-232 °C  
 55 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.21 (t, 3H, J = 7.5 Hz), 1.22-1.38 (m, 2H), 1.40 (s, 9H), 1.62-1.78 (m, 2H), 1.98-2.31 (m, 5H), 2.61 (q, 2H, J = 7.5 Hz), 3.24-3.38 (m, 1H), 3.70 (d, 1H, J = 9.9 Hz), 7.11 (s, 1H), 7.14 (d, 2H, J = 8.7 Hz), 7.40 (d, 2H, J = 8.7 Hz).  
 la-10  
 mp 233-234 °C  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.96 (t, 3H, J = 7.2 Hz), 1.20-1.37 (m, 2H), 1.40 (s, 9H), 1.56-1.78 (m, 4H), 1.98-2.32 (m,

# EP 1 249 233 A1

5H), 2.54 (t, 2H, J = 7.2 Hz), 3.23-3.39 (m, 1H), 3.66 (d, 1H, J = 9.6 Hz), 7.08 (s, 1H), 7.12 (d, 2H, J = 8.4 Hz), 7.39 (d, 2H, J = 8.4 Hz).

la-11

mp 243-244 °C

5 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22 (d, 6H, J = 6.9), 1.22-1.77 (m, 4H), 1.40 (s, 9H), 2.01-2.30 (m, 5H), 2.83-2.92 (m, 1H), 3.24-3.40 (m, 1H), 3.66-3.69 (m, 1H), 7.09 (s, 1H), 7.17 (d, 2H, J = 8.4 Hz), 7.41 (d, 2H, J = 8.1 Hz).

la-12

mp 246-247 °C

10 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.80 (t, 3H, J = 7.5), 1.20 (d, 3H, J = 7.2), 1.26-1.77 (m, 6H), 1.40 (s, 9H), 2.01-2.27 (m, 5H), 2.51-2.60 (m, 1H), 3.20-3.38 (m, 1H), 3.64-3.69 (m, 1H), 7.08 (s, 1H), 7.12 (d, 2H, J = 8.4 Hz), 7.41 (d, 2H, J = 8.4 Hz).

la-13

mp 278-279 °C

15 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.52 (m, 4H), 1.29 (s, 9H), 1.40 (s, 9H), 1.61-1.77 (m, 2H), 2.02-2.30 (m, 5H), 3.20-3.38 (m, 1H), 3.66-3.69 (m, 1H), 7.10 (s, 1H), 7.33 (d, 2H, J = 9.0 Hz), 7.42 (d, 2H, J = 8.7 Hz).

la-14

mp 263-264 °C

20 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.24-1.51 (m, 4H), 1.27 (s, 9H), 1.82-1.99 (m, 4H), 2.19-2.28 (m, 1H), 2.98-3.12 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 7.33 (d, 2H, J = 8.7 Hz), 7.61 (d, 2H, J = 9.0 Hz), 9.94 (s, 1H).

la-15

mp 209-210 °C

25 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.25 (d, 6H, J = 6.3 Hz), 1.40 (s, 9H), 1.70-1.98 (m, 8H), 2.19-2.38 (m, 3H), 3.39 (d, 2H, J = 11.7 Hz), 3.58-3.92 (m, 3H), 4.12-4.26 (m, 1H), 6.82-6.96 (m, 2H), 7.10 (br, 1H), 7.41 (d, 2H, J = 8.1 Hz).

la-16

mp 238-240 °C

30 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.52 (m, 4H), 1.27 (s, 9H), 1.81-1.84 (m, 2H), 1.93-1.97 (m, 2H), 2.16-2.23 (m, 1H), 2.95-3.12 (m, 1H), 3.70 (s, 3H), 6.77 (d, 1H, J = 8.4 Hz), 6.85 (d, 2H, J = 9.0 Hz), 7.48 (d, 2H, J = 9.3 Hz), 9.64 (s, 1H).

la-17

mp 245-246 °C

35 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.52 (m, 4H), 1.27 (s, 9H), 1.83-1.87 (m, 2H), 1.94-1.99 (m, 2H), 2.20-2.28 (m, 1H), 2.98-3.12 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 7.28 (d, 2H, J = 8.7 Hz), 7.69 (d, 2H, J = 9.0 Hz), 9.64 (s, 1H).

la-18

mp 240-241 °C

40 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.78 (m, 4H), 1.40 (s, 9H), 2.05-2.33 (m, 5H), 3.22-3.44 (m, 1H), 3.64-3.67 (m, 1H), 6.61 (s, 1H), 6.89-6.77 (m, 2H).

la-19

mp 240-241 °C

45 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.24-1.77 (m, 4H), 1.40 (s, 9H), 2.05-2.30 (m, 5H), 3.22-3.38 (m, 1H), 3.70-3.74 (m, 1H), 7.00-7.15 (m, 3H), 7.36 (s, 1H), 8.29-8.34 (m, 1H).

la-20

mp 239-240 °C

50 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.24-1.78 (m, 4H), 1.40 (s, 9H), 2.02-2.30 (m, 5H), 3.22-3.40 (m, 1H), 3.63-3.66 (m, 1H), 6.89-6.84 (m, 1H), 7.10-7.17 (m, 2H), 7.22-7.34 (m, 1H), 7.48-7.51 (m, 1H).

la-21

mp 259-260 °C

55 <sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.21 (d, 6H, J = 6.0 Hz), 1.22-1.44 (m, 2H), 1.40 (s, 9H), 1.60-1.78 (m, 2H), 1.87-2.03 (m, 2H), 2.08-2.29 (m, 3H), 2.39 (t, 2H, J = 10.2 Hz), 3.14-3.32 (m, 1H), 3.19 (d, 2H, J = 11.4 Hz), 3.77-3.93 (m, 2H), 5.33 (d, 1H, J = 9.0 Hz), 6.84 (dd, 1H, JFH, HH = 8.1, 8.1 Hz), 7.20 (d, 1H, J = 7.8 Hz), 7.49 (d, 1H, JFH = 14.7 Hz), 8.86 (s, 1H).

la-22

mp 234-235 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20 (d, 6H, J = 5.7 Hz), 1.22-1.44 (m, 2H), 1.38 (s, 9H), 1.54-1.76 (m, 2H), 1.94-2.32 (m, 5H), 2.27 (s, 3H), 2.39 (t, 2H, J = 10.8 Hz), 2.87 (d, 2H, J = 11.4 Hz), 3.20-3.40 (m, 1H), 3.76-3.92 (m, 2H), 3.91 (d, 1H, J = 9.3 Hz), 6.93 (d, 1H, J = 8.1 Hz), 7.21 (brs, 1H), 7.27 (brs, 1H), 7.36 (brs, 1H).

la-23

mp 195-196 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.44 (m, 4H), 1.41 (s, 9H), 1.59-1.76 (m, 2H), 2.03-2.14 (m, 2H), 2.15-2.33 (m, 3H), 3.20-3.40 (m, 1H), 3.64 (s, 1H, J = 9.0 Hz), 7.19-7.24 (m, 1H), 7.44 (brs, 1H), 7.52-7.63 (m, 2H), 8.17 (d, 1H, J =

8.7 Hz).

la-24

mp 209-210 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.39 (m, 2H), 1.56 (s, 9H), 1.61-1.78 (m, 2H), 2.00-2.12 (m, 2H), 2.17-2.33 (m, 3H), 3.24-3.39 (m, 1H), 3.67 (d, 1H, J = 9.6 Hz), 6.90-7.01 (m, 1H), 7.21 (s, 1H), 7.95-8.06 (m, 1H).

la-25

mp 278-281 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.10 (d, 6H, J = 6.3 Hz), 1.27 (s, 9H), 1.28-1.55 (m, 4H), 1.78-2.00 (m, 4H), 2.11-2.26 (m, 1H), 2.31 (t, 2H, J = 11.1 Hz), 3.00-3.10 (m, 1H), 3.08 (d, 1H, J = 10.8 Hz), 3.67-3.80 (m, 2H), 6.78 (d, 1H, J = 8.7 Hz), 7.08 (d, 1H, J = 9.0 Hz), 7.41 (dd, 1H, J = 2.4, 8.7 Hz), 7.78 (d, 1H, J = 8.7 Hz), 9.85 (s, 1H).

la-26

mp 253-255 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.13 (d, 6H, J = 6.0 Hz), 1.27 (s, 9H), 1.28-1.52 (m, 4H), 1.78-2.00 (m, 4H), 2.21 (t, 2H, J = 11.1 Hz), 2.26-2.36 (m, 1H), 2.96-3.10 (m, 1H), 3.56 (d, 1H, J = 12.3 Hz), 3.60-3.72 (m, 2H), 6.66-6.84 (m, 4H), 7.47 (t, 1H, J = 9.3 Hz), 9.28 (s, 1H).

la-27

mp 223-226 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.09 (d, 6H, J = 6.3 Hz), 1.27 (s, 9H), 1.28-1.54 (m, 4H), 1.77-2.01 (m, 4H), 2.32 (t, 2H, J = 11.1 Hz), 2.32-2.42 (m, 1H), 2.90 (d, 1H, J = 11.4 Hz), 2.96-3.12 (m, 1H), 3.76-3.92 (m, 2H), 6.78-6.98 (m, 3H), 7.68 (dd, 1H, J = 3.3, 8.7 Hz), 8.84 (s, 1H).

la-28

mp 237-238 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.44 (m, 2H), 1.25 (d, 6H, J = 6.3 Hz), 1.40 (s, 9H), 1.61-1.79 (m, 2H), 2.05-2.32 (m, 5H), 2.21 (s, 3H), 2.38 (t, 2H, J = 10.2 Hz), 3.22-3.42 (m, 1H), 3.40 (d, 2H, J = 11.1 Hz), 3.65 (d, 1H, J = 9.3 Hz), 3.72-3.90 (m, 2H), 6.70-6.78 (m, 2H), 6.81 (brs, 1H), 7.50 (d, 1H, J = 9.6 Hz).

la-29

mp 208-209 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22 (d, 6H, J = 6.0 Hz), 1.23-1.40 (m, 2H), 1.40 (s, 9H), 1.60-1.78 (m, 2H), 2.00-2.16 (m, 2H), 2.14-2.33 (m, 3H), 2.45 (t, 2H, J = 11.1 Hz), 3.21 (d, 2H, J = 10.8 Hz), 3.24-3.38 (m, 1H), 3.63 (d, 1H, J = 9.3 Hz), 3.80-3.94 (m, 2H), 5.33 (d, 1H, J = 9.0 Hz), 6.66 (dd, 1H, JFH, HH = 6.6, 6.6 Hz), 7.16 (brs, 1H), 7.89 (dd, 1H, JFH, HH = 9.0, 9.0 Hz).

la-30

mp 284-287 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.08 (d, 6H, J = 6.0 Hz), 1.26 (s, 9H), 1.28-1.53 (m, 4H), 1.82-2.22 (m, 4H), 2.25-2.39 (m, 1H), 2.78 (t, 2H, J = 10.5 Hz), 2.97-3.14 (m, 1H), 3.18 (d, 2H, J = 11.4 Hz), 3.65-3.76 (m, 2H), 6.79 (d, 1H, J = 8.7 Hz), 9.75 (s, 1H).

la-31

mp 200-201 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.40 (m, 2H), 1.40 (s, 9H), 1.62-1.76 (m, 2H), 2.04-2.32 (m, 5H), 3.22-3.40 (m, 1H), 3.62-3.66 (m, 1H), 7.22-7.24 (m, 1H), 7.38-7.38 (m, 1H), 7.60 (s, 1H), 8.33-8.36 (m, 1H).

la-32

mp 260-261 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.25-1.42 (m, 2H), 1.38 (s, 9H), 1.64 (q, 2H, J = 13.5 Hz), 1.95 (d, 2H, J = 12.3 Hz), 2.16 (d, 2H, J = 10.5 Hz), 2.18-2.32 (m, 1H), 3.14-3.30 (m, 1H), 5.53 (d, 1H, J = 9.0 Hz), 7.31 (d, 1H, J = 8.7 Hz), 7.46 (dd, 1H, J = 2.4, 8.7 Hz), 7.90 (d, 1H, J = 2.1 Hz), 9.35 (s, 1H).

la-33

mp 227 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.30-1.56 (m, 4H), 1.78-2.01 (m, 2H), 2.12-2.36 (m, 2H), 2.96-3.13 (m, 1H), 3.70 (s, 3H), 3.71 (s, 3H), 6.77 (d, 1H, J = 8.7 Hz), 6.85 (d, 1H, J = 8.7 Hz), 7.06 (dd, 1H, J = 2.4, 8.7 Hz), 7.33 (d, 1H, J = 2.4 Hz), 9.65 (s, 1H).

la-35

mp 214-216 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.23-1.38 (m, 2H), 1.40 (s, 9H), 1.60-1.76 (m, 2H), 2.00-2.12 (m, 2H), 2.20-2.32 (m, 3H), 3.24-3.39 (m, 1H), 3.68 (d, 1H, J = 9.0 Hz), 6.77 (d, 1H, J = 8.7 Hz), 7.00 (dd, 1H, J = 2.4, 8.7 Hz), 7.77 (s, 1H), 8.45 (d, 1H, J = 2.4 Hz).

la-36

mp 241-242 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.25-1.42 (m, 2H), 1.37 (s, 9H), 1.62 (q, 2H, J = 11.7 Hz), 1.93 (d, 2H, J = 12.0

# EP 1 249 233 A1

Hz), 2.12 (d, 2H, J = 10.8 Hz), 2.16-2.30 (m, 1H), 3.12-3.28 (m, 1H), 3.84 (s, 3H), 6.07 (d, 1H, J = 8.4 Hz), 6.89 (dd, 1H, JFH, HH = 9.3, 9.3 Hz), 7.24 (d, 1H, J = 8.7 Hz), 7.55 (d, 1H, JFH = 13.5 Hz), 9.32 (s, 1H).

la-37

mp 248-249 °C

5 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.60-0.73 (m, 1H), 0.91 (d, 6H, J = 6.6), 1.12-1.40 (m, 2H), 1.40 (s, 9H), 1.54-1.88 (m, 5H), 1.98-2.29 (m, 7H), 3.22-3.37 (m, 1H), 3.51-3.54 (m, 2H), 3.72 (d, 1H, J = 9.6), 6.88 (d, 1H, J = 8.7), 7.06 (s, 1H), 7.35 (d, 1H, J = 9.0).

la-38

mp 237-238 °C

10 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.01 (d, 6H, J = 6.6), 1.20-1.40 (m, 2H), 1.40 (s, 9H), 1.60-1.74 (m, 4H), 1.99-2.28 (m, 7H), 2.69-2.82 (m, 2H), 3.02-3.14 (m, 2H), 3.20-3.38 (m, 1H), 3.80-3.90 (m, 1H), 6.83-6.86 (m, 2H), 7.14 (s, 1H), 7.34 (d, 1H, J = 8.4).

la-39

mp 234-235 °C

15 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.36 (m, 2H), 1.40 (s, 9H), 1.60-1.77 (m, 2H), 1.90-2.32 (m, 5H), 3.21-3.39 (m, 1H), 3.65 (d, 1H, J = 9.6 Hz), 6.87 (d, 1H, J = 8.7 Hz), 7.04 (s, 1H), 7.37 (dd, 1H, J = 2.7, 8.7 Hz), 7.56 (d, 1H, J = 2.7 Hz).

la-40

mp 257-258 °C

20 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.14 (d, 6H, J = 6.0 Hz), 1.27 (s, 9H), 1.28-1.53 (m, 4H), 1.78-2.00 (m, 4H), 2.13-2.256 (m, 1H), 2.30 (t, 2H, J = 11.7 Hz), 2.97-3.12 (m, 1H), 3.53-3.67 (m, 2H), 4.01 (d, 1H, J = 12.3 Hz), 6.80 (dd, 1H, J = 3.0, 9.0 Hz), 7.79 (d, 1H, J = 9.0 Hz), 8.27 (s, 1H), 9.66 (s, 1H).

la-41

mp 245-246 °C

25 <sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.25-1.42 (m, 2H), 1.37 (s, 9H), 1.62 (q, 2H, J = 12.6 Hz), 1.94 (d, 2H, J = 11.1 Hz), 2.13 (d, 2H, J = 11.1 Hz), 2.18-2.35 (m, 1H), 3.11-3.29 (m, 1H), 6.07 (d, 1H, J = 8.1 Hz), 6.95-7.06 (m, 1H), 7.14-7.27 (m, 1H), 7.44 (d, 1H, J = 7.2 Hz), 7.79 (s, 1H), 9.48 (s, 1H).

la-43

mp 294-295 °C

30 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.26 (s, 9H), 1.28-1.53 (m, 4H), 1.76-1.87 (m, 2H), 1.89-2.00 (m, 2H), 2.13-2.25 (m, 1H), 2.96-3.10 (m, 5H), 3.52-3.60 (m, 4H), 6.78 (d, 1H, J = 9.0 Hz), 6.88 (d, 2H, J = 9.0 Hz), 7.44 (d, 2H, J = 9.0 Hz), 9.59 (s, 1H).

la-44

mp 250-252 °C

35 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.13 (d, 6H, J = 6.3 Hz), 1.21-1.38 (m, 2H), 1.41 (s, 9H), 1.63-1.80 (m, 2H), 1.93 (t, 2H, J = 10.8 Hz), 2.00-2.10 (m, 2H), 2.16-2.32 (m, 3H), 3.24-3.39 (m, 1H), 3.54 (d, 2H, J = 10.2 Hz), 3.64-3.78 (m, 3H), 7.47 (s, 1H), 7.69 (d, 2H, J = 9.0 Hz), 7.73 (d, 2H, J = 9.0 Hz).

la-45

mp 193 °C

40 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.10 (t, 6H, J = 7.2 Hz), 1.26 (s, 9H), 1.28-1.52 (m, 4H), 1.75-1.86 (m, 2H), 1.89-2.01 (m, 2H), 2.10-2.22 (m, 1H), 2.96-3.10 (m, 1H), 3.30-3.52 (m, 12H), 6.60 (d, 2H, J = 9.0 Hz), 6.80 (d, 1H, J = 9.0 Hz), 7.33 (d, 2H, J = 9.0 Hz), 9.46 (s, 1H).

la-46

mp >300 °C

45 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.28 (s, 9H), 1.28-1.58 (m, 4H), 1.83-2.04 (m, 4H), 2.23-2.36 (m, 1H), 2.46 (s, 3H), 3.00-3.14 (m, 1H), 6.79 (d, 1H, J = 8.7 Hz), 7.34 (d, 1H, J = 8.7 Hz), 7.78 (d, 2H, J = 8.7 Hz), 7.89 (d, 1H, J = 8.4 Hz), 7.91 (s, 1H), 8.00 (d, 2H, J = 8.7 Hz), 10.13 (s, 1H).

la-47

mp 236-237 °C

50 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.97 (d, 6H, J = 6.6 Hz), 1.01 (d, 6H, J = 6.6 Hz), 1.20-1.37 (m, 2H), 1.40 (s, 9H), 1.60-1.84 (m, 3H), 1.97-2.31 (m, 5H), 2.50 (t, 1H, J = 10.8 Hz), 2.78 (dt, 1H, J = 3.3, 11.4 Hz), 3.25-3.38 (m, 1H), 3.45 (d, 1H, J = 11.4 Hz), 3.75 (dt, 1H, J = 2.4, 11.4 Hz), 4.02 (dt, 1H, J = 2.4, 11.4 Hz), 6.88 (d, 2H, J = 9.0 Hz), 7.05 (s, 1H), 7.39 (d, 2H, J = 9.0 Hz).

la-48

mp 228-229 °C

55 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.88 (t, 6H, J = 7.2 Hz), 1.19-1.45 (m, 4H), 1.40 (s, 9H), 1.45-1.76 (m, 4H), 1.76-1.92 (m, 1H), 1.96-2.30 (m, 5H), 2.66-3.20 (m, 3H), 3.20-3.40 (m, 1H), 3.78 (d, 1H, J = 9.3 Hz), 3.82 (s, 1H), 6.62-6.98 (m, 2H), 7.09 (brs, 1H), 7.37 (d, 2H, J = 7.8 Hz).

la-49

# EP 1 249 233 A1

mp 262-263°C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.21 (d, 6H, J = 5.7 Hz), 1.26-1.34 (m, 2H), 1.37 (d, 6H, J = 5.4 Hz), 1.52-1.76 (m, 2H), 1.85-2.03 (m, 2H), 2.03-2.30 (m, 3H), 2.30-2.53 (m, 2H), 3.02-3.33 (m, 4H), 3.75-3.98 (m, 2H), 5.70 (brs, 1H), 6.73-6.98 (m, 1H), 7.14-7.25 (m, 1H), 7.52 (d, 1H, JFH = 13.5 Hz), 8.86 (brs, 1H).

5 la-50

mp 232-233 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.21 (d, 6H, J = 6.3 Hz), 1.22-1.37 (m, 2H), 1.38 (d, 6H, J = 6.9 Hz), 1.68 (q, 2H, J = 12.6 Hz), 1.98-2.26 (m, 5H), 2.29 (s, 3H), 2.41 (t, 2H, J = 10.2 Hz), 2.88 (d, 2H, J = 11.1 Hz), 3.15 (septet, 1H, J = 6.6 Hz), 3.21-3.37 (m, 1H), 3.77-3.92 (m, 2H), 3.87 (d, 1H, J = 7.8 Hz), 6.88-7.06 (m, 3H), 7.35 (s, 1H).

10 la-51

mp 211-212 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.20-1.42 (m, 2H), 1.26 (d, 6H, J = 6.3 Hz), 1.38 (d, 6H, J = 6.9 Hz), 1.62-1.78 (m, 2H), 1.99-2.28 (m, 5H), 2.49 (dd, 2H, J = 10.5, 10.5 Hz), 3.17 (quint, 1H, J = 6.9 Hz), 3.20-3.38 (m, 1H), 3.66-3.99 (m, 2H), 3.90-4.01 (m, 3H), 6.62 (d, 1H, J = 9.0 Hz), 7.06 (s, 1H), 7.90 (dd, 1H, J = 2.4, 9.0 Hz), 8.09 (d, 1H, J = 2.4 Hz).

15 la-52

mp 247-249 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.21-1.36 (m, 2H), 1.40 (s, 9H), 1.62-1.78 (m, 2H), 1.98-2.32 (m, 5H), 2.55 (t, 4H, J = 6.0 Hz), 3.23-3.38 (m, 1H), 3.55 (t, 4H, J = 6.0 Hz), 3.72 (d, 1H, J = 9.6 Hz), 6.94 (d, 2H, J = 9.0 Hz), 7.10 (s, 1H), 7.42 (d, 1H, J = 9.0 Hz).

20 la-53

mp 234-235 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.38 (m, 2H), 1.41 (s, 9H), 1.64-1.80 (m, 2H), 2.00-2.32 (m, 5H), 3.25-3.40 (m, 1H), 3.73 (d, 1H, J = 9.3 Hz), 7.43 (s, 1H), 7.48 (t, 2H, J = 7.5 Hz), 7.55-7.66 (m, 3H), 7.68-7.89 (m, 4H).

la-54

mp 235-236 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.24-1.39 (m, 2H), 1.25 (d, 6H, J = 6.3 Hz), 1.39 (d, 6H, J = 6.9 Hz), 1.60-1.80 (m, 2H), 2.00-2.28 (m, 5H), 2.21 (s, 3H), 2.38 (t, 2H, J = 10.8 Hz), 3.15 (septet, 1H, J = 6.3 Hz), 3.23-3.38 (m, 1H), 3.40 (d, 2H, J = 11.7 Hz), 3.72-3.88 (m, 2H), 3.87 (d, 1H, J = 9.3 Hz), 6.78-6.86 (m, 3H), 7.50 (d, 1H, J = 9.6 Hz).

la-55

mp 185-186 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.14 (d, 6H, J = 6.3 Hz), 1.22-1.38 (m, 2H), 1.41 (s, 9H), 1.62-1.78 (m, 2H), 2.02 (t, 2H, J = 10.5 Hz), 2.02-2.10 (m, 2H), 2.16-2.31 (m, 3H), 3.24-3.39 (m, 1H), 3.56 (d, 2H, J = 9.3 Hz), 3.63-3.80 (m, 3H), 7.46 (dd, 1H, J = 1.5, 8.1 Hz), 7.51 (t, 1H, J = 8.1 Hz), 7.63 (s, 1H), 7.81 (t, 1H, J = 1.8 Hz), 7.98 (dt, 1H, J = 1.8, 8.1 Hz).

35 la-56

mp 229-230 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.28-1.54 (m, 4H), 1.38 (s, 6H), 1.78-1.84 (m, 2H), 1.90-2.00 (m, 2H), 2.15-2.30 (m, 1H), 2.97-3.13 (m, 1H), 4.90 (s, 1H), 6.79 (d, 1H, J = 9.0 Hz), 7.34 (d, 2H, J = 8.7 Hz), 7.48 (d, 2H, J = 8.4 Hz), 9.72 (s, 1H).

40 la-57

mp 211-212 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.24-1.40 (m, 2H), 1.38 (s, 9H), 1.57-1.74 (m, 2H), 1.91 (s, 3H), 1.92-2.01 (m, 2H), 2.12-2.24 (m, 2H), 2.51 (brs, 1H), 3.18-3.33 (m, 1H), 4.96 (d, 1H, J = 9.3 Hz), 7.16-7.53 (m, 9H), 7.41 (s, 1H).

la-58

mp 298-299 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.24 (s, 9H), 1.27 (s, 9H), 1.28-1.54 (m, 4H), 1.75-2.02 (m, 4H), 2.14-2.28 (m, 1H), 2.97-3.11 (m, 1H), 6.78 (d, 1H, J = 8.4 Hz), 7.18 (d, 2H, J = 9.0 Hz), 7.48 (d, 2H, J = 9.0 Hz), 9.46 (s, 1H), 9.76 (s, 1H).

la-59

mp 253-254 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.40 (m, 2H), 1.41 (s, 9H), 1.65-1.81 (m, 2H), 2.04-2.16 (m, 2H), 2.22-2.36 (m, 2H), 3.24-3.41 (m, 1H), 3.74 (d, 1H, J = 9.6 Hz), 7.40-7.54 (m, 3H), 7.88-8.01 (m, 3H), 8.66 (d, 1H, J = 1.5 Hz), 9.57 (d, 1H, J = 1.2 Hz).

la-60

mp 213-214 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.32-1.50 (m, 2H), 1.35 (s, 9H), 1.52-1.70 (m, 2H), 1.88-2.00 (m, 2H), 2.04-2.16 (m, 2H), 2.22-2.38 (m, 1H), 2.65 (s, 3H), 2.99-3.15 (m, 1H), 6.46 (d, 1H, J = 9.3 Hz), 7.28 (d, 1H, J = 9.0 Hz), 7.81 (s, 1H), 8.20 (s, 1H), 8.47 (s, 1H), 9.89 (s, 1H).

la-61

mp 274-275 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 1H), 1.28-1.58 (m, 4H), 1.84-2.08 (m, 4H), 2.22-2.40 (m, 1H), 2.99-3.15 (m, 1H), 3.01 (s, 3H), 6.81 (d, 1H, J = 8.1 Hz), 7.78 (d, 2H, J = 7.8 Hz), 7.84 (d, 2H, J = 8.4 Hz), 8.18 (s, 1H), 10.43 (s, 1H).

la-62

5 mp 235-236 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22-1.39 (m, 2H), 1.41 (s, 3H), 1.66-1.80 (m, 2H), 2.01-2.12 (m, 2H), 2.14-2.22 (m, 1H), 2.23-2.34 (m, 2H), 3.24-3.42 (m, 1H), 3.69 (d, 1H, J = 9.5 Hz), 6.44 (d, 1H, J = 9.3 Hz), 7.27 (brs, 1H), 7.28 (d, 1H, J = 9.3 Hz), 7.37 (dd, 1H, J = 2.4, 9.0 Hz), 7.68 (d, 1H, J = 9.6 Hz), 8.04 (d, 1H, J = 2.4 Hz).

la-63

10 mp 277-279 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.28-1.54 (m, 4H), 1.77-2.02 (m, 4H), 2.15-2.29 (m, 1H), 2.90 (s, 3H), 2.96-3.13 (m, 1H), 6.79 (d, 1H, J = 8.7 Hz), 7.12 (d, 2H, J = 9.0 Hz), 7.54 (d, 2H, J = 9.0 Hz), 9.50 (s, 1H), 9.81 (s, 1H).

la-64

mp 259-260 °C

15 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.26 (s, 9H), 1.26-1.50 (m, 4H), 1.74-1.99 (m, 4H), 2.10-2.25 (m, 1H), 2.95-3.10 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 6.97 (d, 2H, J = 9.0 Hz), 7.42 (d, 2H, J = 9.0 Hz), 7.50-7.71 (m, 5H), 9.73 (s, 1H), 10.05 (s, 1H).

la-65

mp 292-293 °C

20 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.28-1.54 (m, 4H), 1.62-1.72 (m, 2H), 1.77-1.87 (m, 2H), 1.91-2.10 (m, 4H), 2.13-2.25 (m, 1H), 2.98-3.12 (m, 1H), 3.41-3.52 (m, 2H), 5.09 (s, 1H), 6.79 (d, 1H, J = 9.0 Hz), 6.91 (d, 2H, J = 9.0 Hz), 7.37 (d, 2H, J = 9.0 Hz), 7.42 (d, 2H, J = 9.0 Hz), 7.51 (d, 2H, J = 9.0 Hz), 9.56 (s, 1H).

la-66

mp &gt;300 °C

25 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.28-1.58 (m, 4H), 1.85-2.02 (m, 4H), 2.40-2.52 (m, 1H), 3.00-3.16 (m, 1H), 6.81 (d, 1H, J = 9.0 Hz), 7.50-7.58 (m, 3H), 7.90-7.97 (m, 2H), 12.58 (s, 1H).

la-67

mp 199-200 °C

30 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.14 (d, 6H, J = 6.3 Hz), 1.28 (s, 9H), 1.31-1.48 (m, 4H), 1.76-1.88 (m, 2H), 2.17 (t, 2H, J = 11.1 Hz), 2.82 (t, 2H, J = 11.7 Hz), 3.46 (d, 2H, J = 11.4 Hz), 3.20-3.36 (m, 1H), 3.62-3.74 (m, 2H), 4.02 (d, 2H, J = 12.9 Hz), 6.83 (d, 2H, J = 9.0 Hz), 6.89 (d, 1H, J = 8.7 Hz), 7.28 (d, 2H, J = 9.0 Hz), 8.27 (s, 1H).

la-68

mp 237-239 °C

35 <sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.40 (s, 9H), 1.49-1.65 (m, 2H), 1.99-2.10 (m, 2H), 2.95 (t, 2H, J = 11.1 Hz), 3.36-3.52 (m, 1H), 4.17 (d, 1H, J = 12.9 Hz), 5.84 (d, 1H, J = 8.7 Hz), 6.39 (d, 1H, J = 9.6 Hz), 7.21 (d, 1H, J = 9.3 Hz), 7.51 (dd, 1H, J = 2.4, 9.3 Hz), 7.72 (d, 1H, J = 9.9 Hz), 7.85 (d, 1H, J = 2.7 Hz), 8.04 (s, 1H).

la-69

mp 259-260 °C

40 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.25-1.55 (m, 4H), 1.27 (s, 9H), 1.82-2.05 (m, 4H), 2.22-2.36 (m, 1H), 2.98-3.17 (m, 1H), 4.16 (s, 3H), 6.80 (d, 1H, J = 8.4 Hz), 7.77-7.87 (m, 4H), 10.16 (s, 1H).

la-70

mp 259-260 °C

45 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.28 (s, 9H), 1.36-1.56 (m, 2H), 1.80-1.92 (m, 2H), 2.86-3.02 (m, 2H), 3.36-3.52 (m, 1H), 4.04-4.20 (m, 2H), 6.92 (d, 1H, J = 7.5 Hz), 7.38-7.58 (m, 3H), 8.00-8.14 (m, 2H), 8.90 (s, 1H), 9.08 (s, 1H), 9.63 (s, 1H).

la-71

mp 228-229 °C

50 <sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.27-1.42 (m, 2H), 1.38 (s, 9H), 1.57-1.75 (m, 2H), 1.90-2.02 (m, 2H), 2.12-2.34 (m, 3H), 3.14-3.32 (m, 1H), 5.37 (d, 1H, J = 9.3 Hz), 7.38-7.43 (m, 3H), 7.46 (d, 2H, J = 8.7 Hz), 7.51-7.60 (m, 2H), 7.68 (d, 2H, J = 9.0 Hz), 9.33 (s, 1H).

la-75

mp 169-170 °C

55 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.58-0.72 (m, 1H), 0.80 (d, 3H, J = 6.6 Hz), 0.94 (d, 3H, J = 6.0 Hz), 1.14-1.35 (m, 3H), 1.39 (s, 9H), 1.48-1.66 (m, 2H), 1.74-2.06 (m, 5H), 2.06-2.44 (m, 6H), 3.18-3.35 (m, 1H), 3.64-3.74 (m, 1H), 4.46-4.60 (m, 1H), 6.98-7.38 (m, 5H).

la-76

mp 236-237 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.27-1.42 (m, 2H), 1.38 (d, 6H, J = 6.6 Hz), 1.60-1.78 (m, 2H), 1.94-2.06 (m, 2H),



# EP 1 249 233 A1

2.12-2.30 (m, 3H), 3.06-3.34 (m, 2H), 5.10 (brs, 1H), 6.41 (d, 1H, J = 9.9 Hz), 7.25 (d, 1H, J = 8.4 Hz), 7.48 (dd, 1H, J = 2.4, 8.7 Hz), 7.68 (d, 1H, J = 9.9 Hz), 8.12 (d, 1H, J = 2.4 Hz), 8.88 (brs, 1H).

la-77

mp 117-118 °C

5 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.38 (d, 6H, J = 6.9 Hz), 1.65 (quintet, 2H, J = 5.4 Hz), 1.75-1.91 (m, 2H), 2.42 (t, 2H, J = 7.4 Hz), 3.10-3.24 (m, 3H), 4.77 (brs, 1H), 6.41 (d, 1H, J = 9.6 Hz), 7.18-7.26 (m, 1H), 7.48 (dd, 1H, J = 1.8, 8.7 Hz), 7.67 (d, 1H, J = 9.9 Hz), 8.01 (s, 1H), 8.23 (brs, 1H).

la-78

mp 138-139 °C

10 <sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.41 (s, 9H), 1.64 (quintet, 2H, J = 6.6 Hz), 1.84 (quintet, 2H, J = 7.3 Hz), 2.42 (t, 2H, J = 7.5 Hz), 3.26 (q, 2H, J = 6.5 Hz), 4.59 (brs, 1H), 6.41 (d, 1H, J = 9.3 Hz), 7.23 (d, 1H, J = 8.7 Hz), 7.49 (dd, 1H, J = 2.4, 9.0 Hz), 7.67 (d, 1H, J = 9.9 Hz), 8.03 (d, 1H, J = 2.4 Hz), 8.28 (brs, 1H).

la-79

mp 289-290 °C

15 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.24-1.63 (m, 4H), 1.28 (s, 9H), 1.84-2.08 (m, 4H), 2.24-2.41 (m, 1H), 3.00-3.16 (m, 1H), 6.82 (d, 1H, J = 8.1 Hz), 7.36-7.60 (m, 5H), 7.86-7.99 (m, 2H), 8.28 (s, 1H), 10.50 (s, 1H).

la-80

mp 239-240 °C

20 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.22 (d, 1H, J = 6.6 Hz), 1.23-1.40 (m, 2H), 1.40-1.59 (m, 2H), 1.83-2.04 (m, 4H), 2.23-2.39 (m, 1H), 2.98-3.23 (m, 2H), 7.00 (d, 1H, J = 7.8 Hz), 7.36-7.59 (m, 5H), 7.85-7.97 (m, 2H), 8.29 (s, 1H), 10.50 (s, 1H).

la-81

mp 205-206 °C

25 <sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.40 (s, 9H), 1.66 (quintet, 2H, J = 7.0 Hz), 1.85 (quintet, 2H, J = 7.2 Hz), 2.45 (t, 2H, J = 7.5 Hz), 3.24 (t, 2H, J = 6.5 Hz), 5.17 (brs, 1H), 7.36-7.54 (m, 5H), 7.85 (d, 1H, J = 8.4 Hz), 8.07 (dd, 1H, J = 1.8, 8.1 Hz), 8.23 (d, 1H, J = 1.8 Hz), 9.61 (s, 1H).

la-82

mp 216-217 °C

30 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.14 (d, 6H, J = 6.3 Hz), 1.22 (d, 6H, J = 6.9 Hz), 1.22-1.53 (m, 4H), 1.76-1.98 (m, 2H), 2.21 (t, 2H, J = 10.8 Hz), 2.22-2.36 (m, 1H), 2.96-3.20 (m, 2H), 3.57 (d, 2H, J = 12.0 Hz), 3.60-3.74 (m, 1H), 6.66-6.85 (m, 2H), 6.98 (d, 1H, J = 7.8 Hz), 7.47 (d, 1H, J = 8.7 Hz), 9.30 (s, 1H).

la-83

mp 118-119 °C

35 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.41 (d, 6H, J = 6.3 Hz), 1.26 (s, 9H), 1.40-1.67 (m, 4H), 2.17-2.36 (m, 3H), 2.97-3.10 (m, 2H), 3.57 (d, 2H, J = 12.0 Hz), 3.61-3.74 (m, 1H), 6.67-6.92 (m, 3H), 7.48 (t, 1H, J = 9.0 Hz), 9.37 (s, 1H).

la-84

mp 265-267 °C

40 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.21 (d, 6H, J = 6.6 Hz), 1.20-1.57 (m, 4H), 1.60-2.30 (m, 9H), 2.99-3.20 (m, 4H), 3.40-3.52 (m, 2H), 5.09 (s, 1H), 6.91 (d, 2H, J = 8.7 Hz), 6.98 (d, 1H, J = 7.5 Hz), 7.37 (d, 2H, J = 8.7 Hz), 7.42 (d, 2H, J = 8.7 Hz), 7.51 (d, 2H, J = 8.7 Hz), 9.56 (s, 1H).

la-85

mp 185-186 °C

45 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.26 (s, 9H), 1.42-1.72 (m, 6H), 1.96-2.10 (m, 2H), 2.26 (t, 2H, J = 6.9 Hz), 2.96-3.12 (m, 4H), 3.41-3.52 (m, 2H), 5.09 (s, 1H), 6.88 (d, 1H, J = 8.7 Hz), 6.92 (d, 2H, J = 9.0 Hz), 7.37 (d, 2H, J = 8.7 Hz), 7.43 (d, 2H, J = 9.0 Hz), 7.52 (d, 2H, J = 8.7 Hz), 9.63 (s, 1H).

la-86

mp 162-164 °C

50 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.21 (d, 6H, J = 6.6 Hz), 1.41-1.73 (m, 6H), 1.96-2.10 (m, 2H), 2.26 (t, 2H, J = 7.2 Hz), 2.91-3.20 (m, 5H), 3.42-3.52 (m, 2H), 5.09 (s, 1H), 6.92 (d, 2H, J = 9.3 Hz), 6.99 (t, 1H, J = 6.0 Hz), 7.37 (d, 2H, J = 8.7 Hz), 7.43 (d, 2H, J = 9.3 Hz), 7.52 (d, 2H, J = 8.7 Hz), 9.64 (s, 1H).

la-87

mp 245-247 °C

55 <sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.22 (d, 6H, J = 6.6 Hz), 1.22-1.58 (m, 4H), 1.81-2.02 (m, 4H), 2.22-2.36 (m, 1H), 3.00-3.20 (m, 2H), 3.01 (s, 3H), 6.99 (d, 1H, J = 8.4 Hz), 7.75-7.88 (m, 2H), 8.19 (d, 1H, J = 1.2 Hz), 10.43 (s, 1H).

la-88

mp 208-209 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.22 (d, 6H, J = 6.9 Hz), 1.22-1.55 (m, 4H), 1.75-1.98 (m, 4H), 2.11-2.24 (m, 1H), 2.98-3.20 (m, 2H), 5.96 (s, 2H), 6.82 (d, 1H, J = 8.4 Hz), 6.91-7.03 (m, 2H), 7.30 (d, 1H, J = 1.8 Hz), 9.72 (s, 1H).

la-89

# EP 1 249 233 A1

	mp 142-143 °C
	<sup>1</sup> H-NMR (DMSO-d <sub>6</sub> ) δ ppm: 1.27 (s, 9H), 1.40-1.66 (m, 4H), 2.26 (t, 2H, J = 7.5 Hz), 3.02 (q, 2H, J = 6.6 Hz), 5.96 (s, 2H), 6.82 (d, 1H, J = 8.4 Hz), 6.88 (t, 1H, J = 8.4 Hz), 6.94 (dd, 1H, J = 1.8, 8.4 Hz), 7.30 (d, 1H, J = 1.8 Hz), 9.78 (s, 1H).
5	la-90
	mp 100 °C
	<sup>1</sup> H-NMR (DMSO-d <sub>6</sub> ) δ ppm: 1.20 (d, 6H, J = 6.9 Hz), 1.40-1.66 (m, 4H), 2.26 (t, 2H, J = 7.5 Hz), 2.89-2.99 (m, 2H), 3.13 (quint, 1H, J = 6.6 Hz), 5.96 (s, 2H), 6.83 (d, 1H, J = 8.1 Hz), 6.91-7.02 (m, 2H), 7.30 (d, 1H, J = 1.8 Hz), 9.78 (s, 1H).
10	la-91
	mp 189-190 °C
	<sup>1</sup> H-NMR (DMSO-d <sub>6</sub> ) δ ppm: 1.26 (s, 9H), 1.43-1.71 (m, 4H), 2.40 (t, 2H, J = 7.5 Hz), 2.97-3.09 (m, 2H), 3.01 (s, 3H), 6.85-6.93 (m, 1H), 7.76-7.88 (m, 2H), 8.20 (d, 1H, J = 1.2 Hz), 10.49 (s, 1H).
	la-104
15	mp 238-241 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.50 (m, 1H), 3.05 (m, 1H), 6.55 (br s, 1H), 6.79 (d, 1H, J = 8.2), 7.15 (t, 1H, J = 4.8), 8.64 (d, 2H, J = 4.8).
	la-105
	mp 232-234 °C
20	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.26 (s, 9H), 1.2-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.55 (m, 1H), 3.05 (m, 1H), 6.77 (d, 1H, J = 8.7), 9.92 (s, 2H), 10.93 (s, 1H).
	la-106
	mp 226-228 °C
25	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.28 (s, 9H), 1.22-1.58 (m, 4H), 1.82-2.04 (m, 4H), 2.29 (m, 1H), 3.07 (m, 1H), 6.79 (d, 1H, J = 8.7 Hz), 7.61 (d-d, 1H, J = 1.8 Hz, 8.7 Hz), 8.04 (d, 1H, J = 8.7 Hz), 8.48 (d, 1H, 2.1 Hz), 9.35 (s, 1H), 10.05 (s, 1H).
	la-107
	mp 282-283 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.22-1.57 (m, 4H), 1.27 (s, 9H), 1.80-2.04 (m, 4H), 2.27 (m, 1H), 3.06 (m, 1H), 6.81 (d, 1H, J = 8.7 Hz), 7.32 (m, 1H), 7.44 (t, 2H, J = 7.5 Hz), 7.57-7.72 (m, 6H), 9.91 (s, 1H).
30	la-108
	mp 191-192 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.24-1.58 (m, 4H), 1.28 (s, 9H), 1.86-2.04 (m, 4H), 2.70 (m, 1H), 3.08 (m, 1H), 6.83 (d, 1H, J = 8.7 Hz), 7.63-7.79 (m, 2H), 8.31 (d, 1H, J = 7.2 Hz), 10.27 (s, 1H).
	la-109
35	mp 283-285 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.24-1.60 (m, 4H), 1.28 (s, 9H), 1.87-2.04 (m, 4H), 2.42 (m, 1H), 3.09 (m, 1H), 3.87 (s, 2H), 6.82 (d, 1H, J = 8.7 Hz), 7.28-7.43 (m, 3H), 7.60 (d, 2H, J = 7.8 Hz), 7.68 (d, 1H, J = 7.2 Hz), 7.89 (d, 1H, J = 7.5 Hz), 9.48 (s, 1H).
	la-110
40	mp 263-265 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.24-1.54 (m, 4H), 1.27 (s, 9H), 1.76-1.87 (m, 2H), 1.89-2.01 (m, 2H), 2.17 (m, 1H), 3.04 (m, 1H), 4.01 (s, 4H), 6.01 (s, 2H), 6.44 (d, 2H, J = 8.7 Hz), 6.77 (d, 1H, J = 8.7 Hz), 7.39 (d, 2H, J = 9.0 Hz), 9.44 (s, 1H).
	la-111
45	mp 239-241 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.24-1.54 (m, 4H), 1.27 (s, 9H), 1.62-1.76 (m, 4H), 1.80-2.02 (m, 4H), 2.30 (m, 1H), 2.47-2.59 (m, 2H), 2.66-2.76 (m, 2H), 6.08 (m, 1H), 6.79 (d, 1H, J = 9.0 Hz), 6.88 (d, 1H, J = 6.9 Hz), 7.02 (t, 1H, J = 7.5 Hz), 7.13 (d, 1H, J = 7.5 Hz), 8.98 (s, 1H).
	la-124
50	mp 247-249 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.15 (d, 6H, J = 6.3 Hz), 1.30 (s, 9H), 2.15-2.26 (m, 2H), 3.48-3.57 (m, 2H), 3.63-3.76 (m, 2H), 6.92 (d, 2H, J = 8.7 Hz), 7.59 (d, 2H, J = 9.0 Hz), 7.38 (d, 2H, J = 9.0 Hz), 7.87 (d, 2H, J = 8.7 Hz), 9.92 (brs, 1H), 9.98 (brs, 1H).
	la-125
55	mp 228-232 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.30 (s, 9H), 1.95-2.08 (m, 2H), 2.77-2.89 (m, 4H), 7.17 (d, 1H, J = 8.4 Hz), 7.39 (d, 2H, J = 9.0 Hz), 7.42-7.48 (m, 1H), 7.64 (brs, 1H), 7.87 (d, 2H, J = 9.0 Hz), 9.99 (brs, 2H).
	la-126

mp 244-246 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 7.42 (d, 2H, J = 8.4 Hz), 7.81 (d-d, 1H, J = 2.1 Hz, 8.7 Hz), 7.93 (d, 2H, J = 9.0 Hz), 8.05 (d, 1H, J = 9.0 Hz), 8.66 (d, 1H, J = 2.1 Hz), 9.29 (s, 1H), 10.05 (brs, 1H), 10.39 (brs, 1H).

la-127

5 mp 238-239 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.30 (s, 9H), 4.18-4.27 (m, 4H), 6.81 (d, 1H, J = 8.4 Hz), 7.16 (d-d, 1H, J = 2.7 Hz, 9.0 Hz), 7.34-7.42 (m, 3H), 7.85 (d, 2H, J = 8.4 Hz), 9.94 (brs, 1H), 9.99 (brs, 1H).

la-128

mp 286-287 °C

10 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 7.41 (d, 2H, J = 8.7 Hz), 7.71 (d, 2H, J = 8.4 Hz), 7.91 (d, 2H, J = 8.7 Hz), 7.99 (d, 2H, J = 8.7 Hz), 10.05 (brs, 1H), 10.44 (brs, 1H).

la-129

mp 232-234 °C

15 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.25 (1H, m), 3.07 (m, 1H), 6.80 (d, 1H, J = 9.0), 7.37 (d, 1H, J = 8.1), 7.53 (t, 1H, J = 8.1), 7.75 (t, 1H, J = 8.1), 8.12 (s, 1H), 10.16 (s, 1H).

la-130

mp 274-277 °C

20 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.23-1.58 (m, 4H), 1.81-2.03 (m, 4H), 2.28 (m, 1H), 3.07 (m, 1H), 6.80 (d, 1H, J = 8.4 Hz), 7.36 (d-d, 1H, J = 0.9 Hz, 5.7 Hz), 7.43 (d-d, 1H, J = 2.1 Hz, 8.7 Hz), 7.60 (d, 1H, J = 5.4 Hz), 7.78 (d, 1H, J = 8.7 Hz), 8.40 (d, 1H, 1.8 Hz), 9.97 (brs, 1H).

la-131

mp 259-260 °C

25 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 7.40 (d, 1H, J = 4.8 Hz), 7.41 (d, 2H, J = 8.7 Hz), 7.66 (d, 1H, J = 5.1 Hz), 7.67 (d-d, 1H, J = 1.8 Hz, 8.7 Hz), 7.84 (d, 1H, J = 9.0 Hz), 7.92 (d, 2H, J = 8.7 Hz), 8.50 (s, 1H), 10.03 (brs, 1H), 10.27 (brs, 1H).

la-132

mp 265-266 °C

30 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.17 (d, 6H, J = 6.6 Hz), 1.31 (s, 9H), 4.10 (m, 1H), 7.35-7.46 (m, 3H), 7.54 (d, 1H, J = 7.5 Hz), 7.87-7.97 (m, 3H), 8.15 (brs, 1H), 8.20 (d, 1H, J = 7.5 Hz), 10.03 (brs, 1H), 10.25 (brs, 1H).

la-133

mp 249-250 °C

35 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 7.41 (d, 2H, J = 8.7 Hz), 7.45 (d, 1H, J = 5.4 Hz), 7.67 (d-d, 1H, J = 1.8 Hz, 8.7 Hz), 7.76 (d, 1H, J = 5.4 Hz), 7.92 (d, 2H, J = 8.7 Hz), 7.95 (d, 1H, J = 8.1 Hz), 8.39 (d, 1H, J = 1.8 Hz), 10.02 (brs, 1H), 10.23 (brs, 1H).

la-134

mp 305-306 °C

40 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.25 (m, 2H), 1.25 (s, 9H), 1.52 (m, 2H), 1.82 (m, 2H), 1.94 (m, 2H), 2.13 (m, 1H), 3.04 (m, 1H), 6.00 (d, 1H, J = 8.1), 6.74 (d, 1H, J = 8.4), 7.3-7.5 (m, 6H), 7.85 (d, 2H, J = 7.5), 8.31 (d, 1H, J = 8.4).

la-135

mp 220-222 °C

45 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.37 (m, 1H), 3.03 (m, 1H), 6.80 (d, 1H, J = 8.7), 7.04 (m, 1H), 7.29 (m, 1H), 7.79 (m, 1H), 9.60 (s, 1H).

la-136

mp 263-264 °C

50 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.20 (m, 1H), 3.03 (m, 1H), 6.80 (d, 1H, J = 8.4), 6.87 (m, 1H), 7.31 (m, 2H), 10.21 (s, 1H).

la-137

mp 260-262 °C

55 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.30 (m, 1H), 3.05 (m, 1H), 6.80 (d, 1H, J = 8.4), 7.13 (t, 2H, J = 8.1), 7.31 (m, 1H), 9.52 (s, 1H).

la-138

mp 270-273 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.12 (m, 1H), 3.05 (m, 1H), 6.79 (d, 1H, J = 9.0), 7.31 (m, 2H), 7.80 (m, 1H), 10.05 (s, 1H).

la-139

mp 267-270 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.30 (s, 9H), 4.05 (s, 4H), 6.04 (s, 2H), 6.51 (d, 2H, J = 8.7 Hz), 7.34 (d, 2H, J = 8.4 Hz), 7.54 (d, 2H, J = 8.4 Hz), 7.87 (d, 2H, J = 8.4 Hz), 9.82 (brs, 1H), 9.97 (brs, 1H).

# EP 1 249 233 A1

	la-140
	mp 227-229 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.22 (d, 6H, J = 6.6 Hz), 1.20-1.57 (m, 4H), 1.80-2.01 (m, 4H), 2.27 (m, 1H), 2.95-3.22 (m, 2H), 6.99 (d, 1H, J = 7.8 Hz), 7.65 (d, 2H, J = 8.7 Hz), 7.80 (d, 2H, J = 8.4 Hz), 10.18 (brs, 1H).
5	la-141
	mp 205-207 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.22 (d, 6H, J = 6.9 Hz), 1.20-1.55 (m, 4H), 1.75-2.05 (m, 6H), 2.21 (m, 1H), 2.72-2.85 (m, 4H), 2.93-3.20 (m, 2H), 6.98 (d, 1H, J=8.1 Hz), 7.10 (d, 1H, J= 8.1 Hz), 7.26 (d-d, 1H, J = 2.1 Hz, 8.1 Hz), 7.51 (s, 1H), 9.67 (brs, 1H).
10	la-142
	mp 295-296 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.15 (d, 6H, J=6.6), 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.27 (m, 1H), 3.05 (m, 1H), 4.07 (m, 1H), 6.80 (d, 1H, J=8.7), 7.64 (d, 2H, J=8.7), 7.79 (d, 2H, J=8.7), 8.06 (d, 1H, J=7.5), 10.01 (s, 1H).
	la-143
15	mp 146-147°C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.26 (s, 9H), 1.5-1.7 (m, 4H), 2.36 (t, 2H, J=7.8), 3.03 (q, 2H, J=6.3), 6.89 (t, 1H, J=6.3), 7.66 (d, 2H, J=8.4), 7.80 (d, 2H, J=8.4), 10.25 (s, 1H).
	la-144
20	mp 138-140 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.21 (d, 6H, J=6.0), 1.4-1.7 (m, 4H), 2.37 (t, 2H, J=7.5), 2.96 (q, 2H, J=6.3), 3.14 (m, 1H), 6.99 (t, 1H, J=5.4), 7.66 (d, 2H, J=7.8), 7.81 (d, 2H, J=7.8), 10.26 (s, 1H).
	la-145
	mp 134-136 °C
25	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.26 (s, 9H), 1.39 (m, 2H), 1.4-1.7 (m, 4H), 2.28 (t, 2H, J=7.2), 2.79 (m, 4H), 3.02 (q, 2H, J=7.2), 6.88 (t, 1H, J=6.0), 7.10 (t, 1H, J=6.0), 7.51 (s, 1H), 9.73 (s, 1H).
	la-146
	mp 135-137 °C
30	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.20 (d, 6H, J=6.6), 1.4-1.7 (m, 4H), 1.99 (m, 2H), 2.28 (t, 2H, J=7.2), 2.79 (m, 4H), 2.94 (q, 2H, J=6.3), 3.13 (m, 1H), 6.98 (t, 1H, J=6.9), 7.10 (d, 2H, J=8.1), 7.26 (d, 2H, J=8.1), 7.51 (s, 1H), 9.73 (s, 1H).
	la-147
	mp 206-207 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.29 (s, 9H), 4.54 (d, 2H, J = 5.7 Hz), 7.35 (d, 2H, J = 9.0 Hz), 7.52 (d, 2H, J = 7.8 Hz), 7.69 (d, 2H, J = 8.1 Hz), 7.83 (d, 2H, J = 8.7Hz), 9.02 (t, 1H, J = 5.7 Hz), 9.97 (brs, 1H).
35	la-148
	mp 250-251 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.30 (s, 9H), 7.18 (t, 2H, J = 9.3 Hz), 7.40 (d, 2H, J = 8.7 Hz), 7.76 (d-d, 2H, J = 5.1 Hz, 9.3 Hz), 7.88 (d, 2H, J = 9.0 Hz), 10.02 (brs, 1H), 10.17 (brs, 1H).
	la-149
40	mp 220-222 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.30 (s, 9H), 3.74 (s, 3H), 6.92 (d, 2H, J = 9.0 Hz), 7.38 (d, 2H, J= 9.0 Hz), 7.64 (d, 2H, J = 9.0 Hz), 7.87 (d, 2H, J = 9.6 Hz), 9.99 (s, 2H).
	la-150
	mp 264-266 °C
45	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 1.66-1.76 (m, 4H), 2.57-2.66 (m, 2H), 2.71-2.80 (m, 2H), 6.98 (m, 1H), 7.06-7.16 (m, 2H), 7.38 (d, 2H, J = 9.0 Hz), 7.90 (d, 2H, J = 8.7 Hz), 9.60 (s, 1H), 9.99 (s, 1H).
	la-151
	mp 235-236 °C
50	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.03-1.39 (m, 5H), 1.27 (s, 9H), 1.55-1.87 (m, 5H), 3.73 (m, 1H), 7.31 (d, 2H, J = 8.7 Hz), 7.76 (d, 2H, J = 8.4 Hz), 8.01 (d, 1H, J = 7.8 Hz), 9.90 (s, 1H).
	la-152
	mp 244.246 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 0.50-0.72 (m, 4H), 1.27 (s, 9H), 2.81 (m, 1H), 7.31 (d, 2H, J = 8.7 Hz), 7.73 (d, 2H, J = 8.7 Hz), 8.30 (d, 1H, J = 4.2 Hz), 9.91 (brs, 1H).
55	la-153
	mp >300 °C
	<sup>1</sup> H-NMR (DMSO) δ ppm: 1.06 (m, 6H), 1.27 (s, 9H), 1.2-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.25 (m, 1H), 2.7 (m, 1H), 3.05 (m, 1H), 3.51 (m, 4H), 4.30 (m, 1H), 6.80 (d, 1H, J=8.4), 7.34 (d, 2H, J=8.4), 7.65 (d, 2H, J=8.4), 10.01 (s, 1H).
	la-154

# EP 1 249 233 A1

mp 247-249 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.05 (m, 6H), 1.27 (s, 9H), 1.2-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.23 (m, 1H), 2.77 (m, 1H), 3.05 (m, 1H), 3.52 (m, 4H), 4.33 (m, 1H), 6.80 (d, 1H, J=9.0), 7.03 (d, 1H, J=7.8), 7.35 (t, 1H, J=7.8), 7.59 (d, 1H, J=7.8), 7.68 (s, 1H), 9.96 (s, 1H).

5 Ia-155

mp 258-259 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.25 (m, 2H), 1.50 (m, 2H), 1.86 (m, 2H), 1.99 (m, 2H), 2.28 (m, 1H), 2.93 (s, 3H), 3.10 (m, 1H), 7.02 (d, 1H, J=7.5), 7.65 (d, 2H, J=8.4), 7.80 (d, 2H, J=8.4), 10.20 (s, 1H).

Ia-156

10 mp 250-253 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.28 (m, 2H), 1.50 (m, 2H), 1.82 (m, 2H), 2.00 (m, 4H), 2.22 (m, 1H), 2.79 (m, 4H), 2.92 (s, 3H), 3.11 (m, 1H), 7.01 (d, 1H, J=7.1), 7.26 (d, 1H, J=8.1), 7.51 (s, 1H), 9.68 (s, 1H).

Ia-157

mp 259-262 °C

15 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.13 (d, 6H, J=6.0), 1.25 (m, 2H), 1.50 (m, 2H), 1.80 (m, 2H), 1.95 (m, 2H), 2.17 (m, 3H), 2.92 (s, 3H), 3.10 (m, 1H), 3.70 (m, 2H), 3.68 (m, 2H), 6.86 (d, 2H, J=9.3), 7.00 (d, 1H, J=7.2), 7.43 (d, 2H, J=9.3), 9.58 (s, 1H).

Ia-158

mp 298-300 °C

20 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 7.30-7.50 (m, 5H), 7.63-7.71 (m, 4H), 7.87 (d, 2H, J = 8.7 Hz), 7.91 (d, 2H, J = 9.0 Hz), 10.03 (brs, 1H), 10.22 (brs, 1H).

Ia-159

mp 278-281 °C

25 <sup>1</sup>H-NMR (DMSO) δ ppm: 0.74-1.87 (m, 20H), 1.29 (s, 9H), 3.76 (m, 1H), 7.32 (d, 2H, J = 8.4 Hz), 7.75 (d, 2H, J = 8.7 Hz), 7.75 (d, 1H, J = 8.7 Hz), 7.90 (brs, 1H).

Ia-160

mp 227-228 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.55 (m, 4H), 1.27 (s, 9H), 1.80-2.02 (m, 4H), 2.23 (m, 1H), 3.06 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 7.45 (t, 1H, J = 9.9 Hz), 7.82 (m, 1H), 8.12 (d-d, 1H, J = 2.4 Hz, 6.3 Hz), 10.17 (brs, 1H).

30 Ia-161

mp 259-260 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.54 (m, 4H), 1.27 (s, 9H), 1.78-2.01 (m, 4H), 2.16 (s, 3H), 2.21 (m, 1H), 3.05 (m, 1H), 6.77 (d, 1H, J = 8.4 Hz), 7.12-7.21 (m, 2H), 7.53 (m, 1H), 9.90 (brs, 1H).

Ia-162

35 mp 222-226 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.15 (d, 6H, J = 6.3 Hz), 1.26 (d, 6H, J = 6.9 Hz), 2.16-2.26 (m, 2H), 3.31 (m, 1H), 3.48-3.58 (m, 2H), 3.63-3.76 (m, 2H), 6.92 (d, 2H, J = 9.0 Hz), 7.32 (d, 2H, J = 8.7 Hz), 7.59 (d, 2H, J = 9.0 Hz), 7.89 (d, 2H, J = 9.0 Hz), 9.92 (s, 1H), 10.13 (brs, 1H).

Ia-163

40 mp 197-200 °C,

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.26 (d, 6H, J = 6.3 Hz), 1.95-2.09 (m, 2H), 2.77-2.90 (m, 4H), 3.32 (m, 1H), 7.17 (d, 1H, J = 8.1 Hz), 7.32 (d, 2H, J = 8.7 Hz), 7.45 (d-d, 1H, J = 1.8 Hz, 8.1 Hz), 7.64 (brs, 1H), 7.90 (d, 2H, J = 8.7 Hz), 9.99 (brs, 1H), 10.13 (brs, 1H).

Ia-164

45 mp 145-247 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-2.0 (m, 16H), 2.19 (m, 1H), 3.05 (m, 1H), 4.74 (m, 1H), 6.79 (d, 1H, J=9.0), 6.80 (d, 2H, J=9.0), 7.47 (d, 2H, J=9.0), 9.63 (s, 1H).

Ia-165

mp >300 °C

50 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.03-2.02 (m, 18H), 1.27 (s, 9H), 2.26 (m, 1H), 3.06 (m, 1H), 3.73 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 7.63 (d, 2H, J = 9.0 Hz), 7.78 (d, 2H, J = 8.7 Hz), 8.02 (d, 1H, J = 8.1 Hz), 10.00 (brs, 1H).

Ia-166

mp 200-201 °C

55 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.03-2.02 (m, 18H), 1.27 (s, 9H), 2.25 (m, 1H), 3.06 (m, 1H), 3.73 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 7.33 (t, 1H, J = 8.1 Hz), 7.46 (d, 1H, J = 8.1 Hz), 7.76 (m, 1H), 7.94 (m, 1H), 8.14 (d, 1H, J = 8.1 Hz), 9.92 (brs, 1H).

Ia-167

mp 282-285 °C

# EP 1 249 233 A1

- <sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.57 (m, 4H), 1.27 (s, 9H), 1.87-2.03 (m, 4H), 2.49 (m, 1H), 3.07 (m, 1H), 6.83 (d, 1H, J = 8.7 Hz), 13.20 (brs, 1H).  
la-168  
mp 120-124 °C
- 5 <sup>1</sup>H-NMR (DMSO) δ ppm: 0.94-1.66 (m, 14H), 1.27 (s, 9H), 1.80-2.04 (m, 4H), 2.25 (m, 1H), 2.92 (m, 1H), 3.06 (m, 1H), 6.78 (d, 1H, J = 8.7 Hz), 7.42-7.53 (m, 2H), 7.63 (d, 1H, J = 7.2 Hz), 7.73 (m, 1H), 8.17 (m, 1H), 10.11 (brs, 1H).  
la-169  
mp 256-257 °C
- 10 <sup>1</sup>H-NMR (DMSO) δ ppm: 0.93-1.20 (m, 5H), 1.24-1.64 (m, 9H), 1.27 (s, 9H), 1.80-2.02 (m, 4H), 2.27 (m, 1H), 2.87 (m, 1H), 3.06 (m, 1H), 6.79 (d, 1H, J = 9.0 Hz), 7.48 (d, 1H, J = 7.2 Hz), 7.68-7.79 (m, 4H), 10.17 (brs, 1H).  
la-171  
mp 242-244 °C
- 15 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (m, 12H), 1.45 (m, 4H), 1.90 (m, 4H), 2.25 (m, 1H), 3.07 (m, 1H), 3.67 (m, 2H), 6.77 (d, 1H, J=8.7), 6.90 (d, 1H, J=7.8), 7.31 (t, 1H, J=7.5), 7.53 (d, 1H, J=7.8), 7.59 (s, 1H), 9.89 (s, 1H).  
la-172  
mp >310 °C
- 20 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (m, 12H), 1.38 (m, 4H), 1.84 (m, 2H), 1.97 (m, 2H), 2.25 (m, 1H), 3.07 (m, 1H), 3.66 (m, 2H), 6.81 (d, 1H, J=8.7), 7.20 (d, 2H, J=6.7), 7.61 (d, 2H, J=8.7), 9.94 (s, 1H).  
la-173  
mp 279-281 °C
- 25 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.83 (m, 6H), 1.93 (m, 2H), 2.21 (m, 1H), 2.36 (m, 2H), 3.05 (m, 1H), 3.54 (m, 2H), 6.79 (d, 1H, J=8.7), 7.16 (d, 2H, J=9.0), 7.56 (d, 2H, J=9.0), 9.83 (s, 1H).  
la-174  
mp 258-262 °C
- 30 <sup>1</sup>H-NMR (DMSO) δ ppm: 0.29 (m, 2H), 0.53 (m, 2H), 1.20 (m, 1H), 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.7-2.0 (m, 4H), 2.20 (m, 1H), 3.05 (m, 1H), 3.75 (d, 2H, J=6.9), 6.79 (d, 1H, J=9.0), 6.83 (d, 2H, J=9.0), 7.46 (d, 2H, J=9.0), 9.64 (s, 1H).  
la-175  
mp 246-248 °C
- 35 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-2.0 (m, 18H), 2.19 (m, 1H), 3.04 (m, 1H), 4.23 (m, 1H), 6.79 (d, 1H, J=8.7), 6.84 (d, 2H, J=9.0), 7.45 (d, 2H, J=9.0), 9.64 (s, 1H).  
la-176  
mp 200-202 °C
- 40 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-2.0 (m, 18H), 2.21 (m, 1H), 3.05 (m, 1H), 4.23 (m, 1H), 6.57 (d, 1H, J=6.9), 6.80 (d, 1H, J=9.0), 7.0-7.2 (m, 2H), 7.28 (s, 1H), 9.74 (s, 1H).  
la-177  
mp 266-268 °C
- 45 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.56 (m, 4H), 1.27 (s, 9H), 1.79-2.02 (m, 4H), 2.25 (m, 1H), 3.05 (m, 1H), 6.56 (m, 1H), 6.77-6.84 (m, 2H), 7.58-7.71 (m, 5H), 9.92 (brs, 1H).  
la-178  
mp 223-224 °C
- 50 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.26-1.54 (m, 4H), 1.27 (s, 9H), 1.81-2.02 (m, 4H), 2.45 (m, 1H), 3.06 (m, 1H), 6.80 (d, 1H, J = 8.7 Hz), 8.15 (d-d, 1H, J = 2.4 Hz, 9.0 Hz), 8.27 (d, 1H, J = 9.0 Hz), 8.70 (m, 1H), 10.85 (brs, 1H).  
la-179  
mp 224-227 °C
- 55 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.24-1.56 (m, 4H), 1.27 (s, 9H), 1.80-2.03 (m, 4H), 2.27 (m, 1H), 3.06 (m, 1H), 6.80 (d, 1H, J = 8.7 Hz), 6.90 (d, 1H, J = 1.8 Hz), 7.72-7.84 (m, 4H), 8.60 (d, 1H, J = 1.8 Hz), 10.09 (brs, 1H).  
la-180  
mp 226-227 °C
- <sup>1</sup>H-NMR (DMSO) δ ppm: 0.92 (d, 6H, J = 6.6 Hz), 1.26-1.55 (m, 4H), 1.27 (s, 9H), 1.80-2.03 (m, 4H), 2.27 (m, 1H), 3.05 (m, 1H), 3.20 (m, 1H), 6.80 (d, 1H, J = 8.7 Hz), 7.42 (d, 1H, J = 7.2 Hz), 7.67-7.79 (m, 4H), 10.19 (brs, 1H).  
la-181  
mp 191-192 °C
- <sup>1</sup>H-NMR (DMSO) δ ppm: 0.95 (d, 6H, J = 6.6 Hz), 1.26-1.55 (m, 4H), 1.27 (s, 9H), 1.80-2.03 (m, 4H), 2.25 (m, 1H), 3.06 (m, 1H), 3.23 (m, 1H), 6.80 (d, 1H, J = 8.4 Hz), 7.41-7.53 (m, 2H), 7.58 (d, 1H, J = 7.2 Hz), 7.73 (m, 1H), 8.18 (m, 1H), 10.13 (brs, 1H).  
la-182  
mp 192-193 °C
- <sup>1</sup>H-NMR (DMSO) δ ppm: 0.30 (m, 2H), 0.55 (m, 2H), 1.2-1.5 (m, 5H), 1.27 (s, 1H), 1.8-2.0 (m, 4H), 2.20 (m, 1H),

# EP 1 249 233 A1

3.04 (m, 1H), 3.75 (d, 2H, J=6.9), 6.58 (m, 1H), 6.79 (d, 1H, J=8.7), 7.0-7.2 (m, 2H), 7.31 (s, 1H), 9.76 (s, 1H).

la-183

mp >310°C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.82 (m, 2H), 1.97 (m, 2H), 2.04 (m, 2H), 2.39 (m, 1H), 2.46 (t, 2H, J=7.8), 3.07 (m, 1H), 3.79 (t, 2H, J=7.5), 6.79 (d, 1H, J=8.7), 7.56 (m, 4H), 9.80 (s, 1H).

la-184

mp 281-283 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.24-1.57 (m, 4H), 1.27 (s, 9H), 1.80-2.04 (m, 4H), 2.27 (m, 1H), 3.06 (m, 1H), 6.80 (d, 1H, J = 9.0 Hz), 7.33 (s, 1H), 7.75 (d, 2H, J = 9.3 Hz), 7.91 (d, 2H, J = 8.7 Hz), 8.16 (s, 1H), 10.09 (brs, 1H).

la-185

mp 226-227 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.24-1.58 (m, 10H), 1.27 (s, 9H), 1.81-2.02 (m, 4H), 2.28 (m, 1H), 2.78-2.88 (m, 4H), 3.06 (m, 1H), 6.80 (d, 1H, J = 8.7 Hz), 7.64 (d, 2H, J = 8.7 Hz), 7.82 (d, 2H, J = 8.7 Hz), 10.25 (brs, 1H).

la-186

mp 148-150 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.25-1.60 (m, 10H), 1.27 (s, 9H), 1.82-2.03 (m, 4H), 2.24 (m, 1H), 2.82-2.92 (m, 4H), 3.06 (m, 1H), 6.79 (d, 1H, J = 8.4 Hz), 7.36 (m, 1H), 7.55 (t, 1H, J = 7.8 Hz), 7.84 (m, 1H), 8.06 (m, 1H), 10.18 (brs, 1H).

la-187

mp >310°C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.36 (s, 9H), 1.43 (m, 4H), 1.85 (m, 2H), 1.93 (m, 2H), 2.27 (m, 1H), 3.06 (m, 1H), 6.80 (d, 1H, J=8.7), 7.58 (s, 1H), 7.62 (d, 2H), 7.75 (d, 2H, J=9.0), 10.00 (s, 1H).

la-188

mp 285-292 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 0.85 (t, 3H, J=7.5), 1.11 (d, 3H, J=6.3), 1.26 (s, 9H), 1.3-1.6 (m, 6H), 1.85 (m, 2H), 1.95 (m, 2H), 2.27 (m, 1H), 3.06 (m, 1H), 3.90 (m, 1H), 6.80 (d, 1H, J=8.4), 7.64 (d, 2H, J=8.7), 7.79 (d, 2H, J=8.7), 7.99 (d, 1H, J=8.1), 10.02 (s, 1H).

la-189

mp 278-281 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.2-2.0 (m, 17H), 2.03 (m, 2H), 3.03 (m, 1H), 6.79 (d, 1H, J=8.4), 7.1-7.3 (m, 3H), 7.94 (s, 1H), 9.78 (m, 2H).

la-190

mp >310°C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.1-2.0 (m, 17H), 1.27 (s, 9H), 2.25 (m, 2H), 3.03 (m, 1H), 6.79 (d, 1H, J=8.7), 7.48 (m, 4H), 9.71 (m, 2H).

la-191

mp 275-277 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.16 (d, 6H, J = 6.6 Hz), 1.31 (s, 9H), 4.09 (m, 1H), 7.41 (d, 2H, J = 8.7 Hz), 7.84 (s, 4H), 7.90 (d, 2H, J = 9.0 Hz), 8.11 (d, 1H, J = 7.5 Hz), 10.04 (brs, 1H), 10.30 (brs, 1H).

la-192

mp 204-205 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.15 (d, 6H, J = 6.6 Hz), 1.20-1.56 (m, 4H), 1.22 (d, 6H, J = 6.6 Hz), 1.78-2.00 (m, 4H), 2.25 (m, 1H), 2.98-3.22 (m, 2H), 4.06 (m, 1H), 6.99 (d, 1H, J = 8.1 Hz), 7.34 (t, 1H, J= 8.1 Hz), 7.46 (d, 1H, J= 7.8 Hz), 7.75 (m, 1H), 7.96 (m, 1H), 8.17 (d, 1H, J = 8.7 Hz), 9.94 (brs, 1H).

la-193

mp 285-286 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.15 (d, 6H, J = 6.6 Hz), 1.20-1.56 (m, 4H), 1.22 (d, 6H, J = 6.9 Hz), 1.79-2.00 (m, 4H), 2.26 (m, 1H), 2.97-3.20 (m, 2H), 4.07 (m, 1H), 6.99 (d, 1H, J = 7.8 Hz), 7.64 (d, 2H, J = 8.7 Hz), 7.79 (d, 2H, J = 8.7 Hz), 8.06 (d, 1H, J = 7.5 Hz), 10.02 (brs, 1H).

la-194

mp 248-250 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.57 (m, 4H), 1.22 (d, 6H, J = 6.6 Hz), 1.78-2.00 (m, 4H), 2.25 (m, 1H), 2.98-3.22 (m, 2H), 6.56 (m, 1H), 6.82 (d, 1H, J = 3.3 Hz), 6.99 (d, 1H, J= 7.8 Hz), 7.58-7.71 (m, 5H), 9.92 (brs, 1H).

la-195

mp 271-275 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.28-1.56 (m, 4H), 1.80-2.02 (m, 4H), 2.25 (m, 1H), 3.06 (m, 1H), 6.80 (d, 1H, J = 9.0 Hz), 7.57 (s, 1H), 7.62-7.74 (m, 4H), 8.39 (s, 1H), 9.99 (brs, 1H).

la-196

EP 1 249 233 A1

mp 226-228 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.30 (m, 2H), 1.23 (d, 6H, J=6.9), 1.2-2.0 (m, 4H), 2.20 (m, 1H), 3.10 (m, 2H), 3.76 (d, 2H, J=6.9), 6.83 (d, 2H, J=8.7), 6.99 (d, 1H, J=8.1), 7.46 (d, 2H, J=8.7), 9.65 (s, 1H).

la-197

5 mp 173-175 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 0.31 (m, 2H), 0.56 (m, 2H), 1.22 (d, 6H, J=6.6), 1.2-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.22 (m, 1H), 3.10 (m, 1H), 3.76 (d, 1H, J=7.2), 6.58 (d, 1H, J=8.1), 7.0-7.2 (m, 2H), 7.32 (s, 1H), 9.78 (s, 1H).

la-198

mp 233-235 °C

10 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.25 (d, 6H, J=6.9), 1.2-2.0 (m, 16H), 2.19 (m, 1H), 3.10 (m, 2H), 4.73 (m, 1H), 6.80 (d, 2H, J=8.7), 6.98 (d, 1H, J=7.8), 7.45 (d, 2H, J=8.7), 9.63 (s, 1H). la-199

mp 185-186 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.22 (d, 6H, J=6.9), 1.2-2.0 (m, 16H), 2.22 (m, 1H), 3.10 (m, 2H), 4.73 (m, 1H), 6.54 (m, 1H), 7.0-7.2 (m, 2H), 7.3 (s, 1H), 9.75 (s, 1H).

15 la-200

mp 235-237 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.6 (m, 6H), 1.8-2.0 (m, 6H), 2.20 (m, 1H), 3.05 (m, 1H), 3.45 (m, 2H), 3.82 (m, 2H), 4.47 (m, 1H), 6.79 (d, 1H, J=9.0), 6.89 (d, 2H, J=9.0), 7.47 (d, 2H, J=9.0), 9.66 (s, 1H).

la-201

20 mp 300-301 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.15 (d, 6H, J = 6.6 Hz), 1.26-1.56 (m, 4H), 1.27 (s, 9H), 1.82-2.03 (m, 4H), 2.23 (s, 3H), 2.37 (m, 1H), 3.06 (m, 1H), 4.07 (m, 1H), 6.81 (d, 1H, J = 8.7 Hz), 7.52 (d, 1H, J = 8.4 Hz), 7.62 (d, 1H, J = 8.4 Hz), 7.68 (s, 1H), 8.09 (d, 1H, J = 7.5 Hz), 9.22 (brs, 1H).

la-202

25 mp 269-270 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.25-1.26 (m, 4H), 1.27 (s, 9H), 1.80-2.03 (m, 4H), 2.25 (m, 1H), 3.07 (m, 1H), 6.80 (d, 1H, J = 8.4 Hz), 7.11 (m, 1H), 7.42 (d, 1H, J = 3.6 Hz), 7.48 (m, 1H), 7.58 (d, 2H, J = 8.7 Hz), 7.64 (d, 2H, J = 8.4 Hz), 9.92 (brs, 1H).

la-203

30 mp 271-273 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.14-1.54 (m, 9H), 1.26 (s, 9H), 1.63-1.88 (m, 7H), 1.89-2.01 (m, 2H), 2.21 (m, 1H), 2.42 (m, 1H), 3.04 (m, 1H), 6.79 (d, 1H, J = 9.0 Hz), 7.11 (d, 2H, J = 8.4 Hz), 7.47 (d, 2H, J = 8.1 Hz), 9.70 (brs, 1H).

la-204

mp 250-251 °C

35 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.22-1.39 (m, 2H), 1.22 (d, 6H, J = 6.6 Hz), 1.40-1.57 (m, 2H), 1.80-2.01 (m, 4H), 2.28 (m, 1H), 2.98-3.21 (m, 2H), 7.00 (d, 1H, J = 7.8 Hz), 7.34 (s, 1H), 7.75 (d, 2H, J = 9.0 Hz), 7.91 (d, 2H, J = 8.7 Hz), 8.17 (s, 1H), 10.10 (brs, 1H).

la-205

mp 239-240 °C

40 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.2-1.5 (m, 4H), 1.8-2.0 (m, 5H), 2.08 (m, 2H), 3.05 (m, 1H), 3.80 (m, 4H), 4.95 (m, 1H), 6.79 (d, 1H, J=8.7), 6.83 (d, 2H, J=8.7), 7.48 (d, 2H, J=8.7), 9.66 (s, 1H).

la-206

mp 236-238 °C

45 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.2-1.7 (m, 8H), 1.8-2.0 (m, 6H), 2.18 (m, 1H), 3.04 (m, 1H), 3.3-3.6 (m, 2H), 3.85 (m, 3H), 6.80 (d, 1H, J=9.0), 6.84 (d, 2H, J=9.0), 7.47 (d, 2H, J=9.0), 9.65 (s, 1H).

la-207

mp 224-226 °C

50 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.2-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.24 (m, 1H), 2.39 (m, 2H), 3.06 (m, 1H), 3.50 (t, 2H, J=7.5), 3.70 (t, 2H, J=6.3), 6.78 (d, 1H, J=6.6), 6.83 (m, 1H), 7.25 (m, 1H), 7.27 (m, 1H), 7.54 (s, 1H), 9.61 (s, 1H).

la-208

mp 275-277 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.3-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.22 (m, 1H), 2.38 (m, 2H), 3.07 (m, 1H), 3.47 (t, 2H, J=6.9), 3.69 (t, 2H, J=6.6), 6.80 (d, 1H, J=8.7), 7.14 (d, 2H, J=8.4), 7.58 (d, 2H, J=8.4), 9.83 (s, 1H).

55 la-209

mp 214-215 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.26-1.56 (m, 4H), 1.27 (s, 9H), 1.80-2.03 (m, 4H), 2.25 (m, 1H), 3.06 (m, 1H), 6.59 (m, 1H), 6.81 (d, 1H, J = 8.4 Hz), 6.86 (d, 1H, J = 2.7 Hz), 7.28-7.40 (m, 2H), 7.47 (m, 1H), 7.75 (s, 1H), 8.01 (s, 1H),



- 9.91 (brs, 1H).  
 Ia-210  
 mp 212-275 °C  
<sup>1</sup>H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 6.59 (m, 1H), 6.87 (d, 1H, J = 3.3 Hz), 7.41 (d, 2H, J = 8.7 Hz), 7.68 (d, 2H, J = 8.7 Hz), 7.72 (m, 1H), 7.83 (d, 2H, J = 8.7 Hz), 7.90 (d, 2H, J = 8.7 Hz), 10.03 (brs, 1H), 10.22 (brs, 1H).  
 5 Ia-211  
 mp 251-255 °C  
<sup>1</sup>H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 7.36 (s, 1H), 7.41 (d, 2H, J = 8.4 Hz), 7.91 (d, 2H, J = 8.4 Hz), 7.92-8.00 (m, 4H), 8.19 (s, 1H), 10.06 (brs, 1H), 10.38 (brs, 1H).  
 10 Ia-212  
 mp 241-244 °C  
<sup>1</sup>H-NMR (DMSO) δ ppm: 1.30 (s, 9H), 1.50-1.78 (m, 6H), 1.81-1.97 (m, 2H), 4.78 (m, 1H), 6.87 (d, 2H, J = 9.0 Hz), 7.38 (d, 2H, J = 8.7 Hz), 7.61 (d, 2H, J = 9.0 Hz), 7.87 (d, 2H, J = 8.7 Hz), 9.97 (brs, 1H), 9.99 (brs, 1H).  
 Ia-213  
 15 mp 283-286 °C  
<sup>1</sup>H-NMR (DMSO) δ ppm: 1.31 (s, 9H), 7.12 (d-d, 1H, J = 3.6 Hz, 5.1 Hz), 7.41 (d, 2H, J = 9.0 Hz), 7.46 (m, 1H), 7.50 (d-d, 1H, J = 1.2 Hz, 5.1 Hz), 7.64 (d, 2H, J = 8.7 Hz), 7.82 (d, 2H, J = 8.7 Hz), 7.90 (d, 2H, J = 9.3 Hz), 10.03 (brs, 1H), 10.22 (brs, 1H).  
 Ia-216  
 20 mp 224-225 °C  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.22 (d, 6H, J=6.9), 1.2-1.5 (m, 4H), 1.8-2.0 (m, 4H), 2.45 (m, 1H), 3.12 (m, 2H), 6.99 (d, 1H, J=8.1), 8.15 (m, 1H), 8.27 (d, 1H, J=9.0), 8.69 (s, 1H), 10.86 (s, 1H).  
 Ia-219  
 mp 270-272 °C  
 25 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.28 (s, 9H), 1.34-1.51 (m, 2H), 1.80-1.92 (m, 2H), 2.83-2.97 (m, 2H), 3.32 (m, 1H), 3.99-4.12 (m, 2H), 6.92 (d, 1H, J = 8.7 Hz), 7.57 (d, 2H, J = 8.7 Hz), 7.68 (d, 2H, J = 9.0 Hz), 8.90 (brs, 1H).  
 Ia-220  
 mp 187-189 °C  
 30 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.28 (s, 9H), 1.31-1.51 (m, 2H), 1.78-1.90 (m, 2H), 2.78-2.93 (m, 2H), 3.30 (m, 1H), 3.97-4.09 (m, 2H), 6.90 (d, 1H, J = 8.7 Hz), 7.06 (t, 2H, J = 9.0 Hz), 7.44 (d-d, 2H, J = 4.8 Hz, 9.0 Hz), 8.53 (brs, 1H).  
 Ia-221  
 mp 260-262 °C  
 35 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.12-1.50 (m, 7H), 1.28 (s, 9H), 1.63-1.90 (m, 7H), 2.40 (m, 1H), 2.76-2.91 (m, 2H), 3.28 (m, 1H), 3.96-4.09 (m, 2H), 6.90 (d, 1H, J = 8.7 Hz), 7.06 (d, 2H, J = 8.4 Hz), 7.32 (d, 2H, J = 8.4 Hz), 8.40 (brs, 1H).  
 Ia-222  
 mp 265-267 °C  
 40 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.23 (d, 6H, J = 6.6 Hz), 1.31-1.48 (m, 2H), 1.77-1.90 (m, 2H), 2.84-2.98 (m, 2H), 3.16 (m, 1H), 3.33 (m, 1H), 3.96-4.10 (m, 2H), 7.11 (d, 1H, J = 7.8 Hz), 7.57 (d, 2H, J = 8.7 Hz), 7.67 (d, 2H, J = 8.4 Hz), 8.90 (brs, 1H).  
 Ia-223  
 mp 183-186 °C  
 45 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.23 (d, 6H, J = 6.9 Hz), 1.28-1.47 (m, 2H), 1.76-1.88 (m, 2H), 2.80-3.16 (m, 2H), 3.16 (m, 1H), 3.32 (m, 1H), 3.94-4.07 (m, 2H), 7.00-7.14 (m, 3H), 7.44 (d-d, 2H, J = 4.8 Hz, 9.0 Hz), 8.53 (brs, 1H).  
 Ia-224  
 mp 232-234 °C  
 50 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.12-1.46 (m, 7H), 1.23 (d, 6H, J = 6.6 Hz), 1.63-1.87 (m, 7H), 2.40 (m, 1H), 2.78-2.93 (m, 2H), 3.15 (m, 1H), 3.31 (m, 1H), 3.94-4.07 (m, 2H), 7.06 (d, 2H, J = 8.4 Hz), 7.09 (d, 1H, J = 8.1 Hz), 7.32 (d, 2H, J = 8.4 Hz), 8.39 (brs, 1H).  
 Ia-225  
 mp 222-224 °C  
 55 <sup>1</sup>H-NMR (DMSO) δ ppm: 1.28 (s, 9H), 1.30-1.61 (m, 4H), 1.77-1.98 (m, 4H), 2.66-2.90 (m, 2H), 3.28 (m, 1H), 3.40-3.50 (m, 2H), 3.79-3.88 (m, 2H), 3.96-4.08 (m, 2H), 4.44 (m, 1H), 6.85 (d, 2H, J = 9.0 Hz), 6.91 (d, 1H, J = 9.0 Hz), 7.31 (d, 2H, J = 9.3 Hz), 8.34 (brs, 1H).  
 Ia-226  
 mp 194-195 °C  
<sup>1</sup>H-NMR (CDCl<sub>3</sub>/DMSO) δ ppm: 1.39 (d, 6H, J = 7.2 Hz), 1.66 (quintet, 2H, J = 6.8 Hz), 1.87 (quintet, 2H, J = 7.7 Hz), 2.47 (t, 2H, J = 7.5 Hz), 3.11-3.22 (m, 1H), 3.21 (t, 2H, J = 6.2 Hz), 5.00 (brs, 1H), 7.35-7.56 (m, 5H), 7.86 (d, 1H, J = 8.4 Hz), 8.05 (dd, 1H, J = 1.8, 8.1 Hz), 8.20 (d, 1H, J = 1.8 Hz), 9.24 (s, 1H).

la-227

mp &gt;300 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.22 (d, 6H, J = 6.3 Hz), 1.20-1.40 (m, 4H), 1.74-2.10 (m, 4H), 2.20-2.40 (m, 1H), 2.39 (s, 3H), 3.00-3.30 (m, 2H), 6.25 (s, 1H), 6.99 (brs, 1H), 7.43-7.57 (m, 1H), 7.71 (d, 1H, J = 8.1 Hz), 7.76 (s, 1H), 10.27 (s, 1H).

la-228

mp 168-169 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.26 (s, 9H), 1.49 (quintet, 2H, J = 7.5 Hz), 1.64 (quintet, 2H, J = 7.4 Hz), 2.38 (t, 2H, J = 7.2 Hz), 2.40 (s, 3H), 3.04 (q, 2H, J = 6.5 Hz), 6.25 (s, 1H), 6.89 (t, 1H, J = 6.0 Hz), 7.48 (dd, 1H, J = 1.8, 8.4 Hz), 7.71 (d, 1H, J = 8.4 Hz), 7.77 (d, 1H, J = 1.8 Hz), 10.33 (s, 1H).

la-229

mp 174-175 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.21 (d, 6H, J = 6.6 Hz), 1.42-1.56 (m, 2H), 1.56-1.70 (m, 2H), 2.33-2.42 (m, 2H), 2.40 (s, 3H), 2.90-3.02 (m, 2H), 3.14 (septet, 1H, J = 6.5 Hz), 6.26 (s, 1H), 6.99 (brs, 1H), 7.48 (d, 1H, J = 8.4 Hz), 7.71 (d, 1H, J = 8.7 Hz), 7.77 (s, 1H), 10.33 (s, 1H).

la-230

mp 194-195 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 0.86 (d, 6H, J = 6.9 Hz), 1.25-1.65 (m, 4H), 1.27 (s, 9H), 1.81-2.05 (m, 5H), 2.23-2.35 (m, 1H), 2.99-3.15 (m, 1H), 3.36 (d, 2H, J = 7.2 Hz), 6.80 (d, 1H, J = 8.4 Hz), 7.80 (d, 1H, J = 8.4 Hz), 7.87 (d, 1H, J = 8.4 Hz), 8.19 (s, 1H), 10.44 (s, 1H).

la-231

mp 221-222 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 0.86 (d, 6H, J = 6.9 Hz), 1.22-1.40 (m, 2H), 1.23 (d, 6H, J = 6.9 Hz), 1.40-1.58 (m, 2H), 1.82-2.04 (m, 5H), 2.22-2.37 (m, 1H), 3.00-3.16 (m, 1H), 3.15 (septet, 1H, J = 6.6 Hz), 3.36 (d, 2H, J = 7.5 Hz), 6.99 (d, 1H, J = 7.5 Hz), 7.80 (d, 1H, J = 8.4 Hz), 7.86 (d, 1H, J = 8.4 Hz), 8.19 (s, 1H), 10.45 (s, 1H).

la-232

mp 196-197 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93 (d, 6H, J = 6.6 Hz), 1.42 (s, 1H), 1.60-1.70 (m, 2H), 1.88 (quintet, 2H, J = 7.4 Hz), 2.02-2.20 (m, 1H), 2.46 (t, 2H, J = 7.7 Hz), 3.29 (q, 2H, J = 6.1 Hz), 3.48 (d, 2H, J = 7.8 Hz), 4.26 (t, 1H, J = 6.0 Hz), 7.76 (d, 1H, J = 8.1 Hz), 7.90 (dd, 1H, J = 1.8, 8.1 Hz), 8.07 (d, 1H, J = 1.5 Hz), 8.39 (s, 1H).

la-233

p. 151-152 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 0.93 (d, 6H, J = 6.6 Hz), 1.40 (d, 6H, J = 6.6 Hz), 1.62-1.69 (m, 2H), 1.88 (quintet, 2H, J = 7.3 Hz), 2.03-2.16 (m, 1H), 2.47 (t, 2H, J = 7.5 Hz), 3.21 (septet, 1H, J = 6.8 Hz), 3.23 (q, 2H, J = 6.3 Hz), 3.48 (d, 2H, J = 7.5 Hz), 4.43 (t, 1H, J = 6.0 Hz), 7.76 (d, 1H, J = 8.4 Hz), 7.91 (dd, 1H, J = 1.8, 8.4 Hz), 8.06 (d, 1H, J = 1.8 Hz), 8.36 (s, 1H).

la-234

mp 219-220 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.28 (s, 9H), 1.30-1.50 (m, 2H), 1.74-1.88 (m, 2H), 2.83 (t, 2H, J = 11.1 Hz), 3.20-3.32 (m, 1H), 3.94-4.07 (m, 2H), 5.94 (s, 2H), 6.77 (d, 1H, J = 8.8 Hz), 6.82 (dd, 1H, J = 1.8, 8.7 Hz), 6.89 (d, 1H, J = 8.7 Hz), 7.11 (d, 1H, J = 1.8 Hz), 8.38 (s, 1H).

la-235

mp 280-282 °C

<sup>1</sup>H-NMR (DMSO-d<sub>6</sub>) δ ppm: 1.27 (s, 9H), 1.26-1.57 (m, 4H), 1.86-2.03 (m, 4H), 2.38-2.50 (m, 1H), 3.00-3.14 (m, 1H), 6.81 (d, 1H, J = 8.4 Hz), 7.29 (t, 1H, J = 8.4 Hz), 7.43 (t, 1H, J = 7.5 Hz), 7.73 (d, 1H, J = 8.4 Hz), 7.96 (d, 1H, J = 7.5 Hz), 12.27 (s, 1H).

la-237

mp 204-205 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.23 (d, 6H, J = 6.6 Hz), 1.29-1.61 (m, 4H), 1.75-1.98 (m, 4H), 2.78-2.92 (m, 2H), 3.15 (m, 1H), 3.29 (m, 1H), 3.38-3.51 (m, 2H), 3.78-3.89 (m, 2H), 3.94-4.06 (m, 2H), 4.44 (m, 1H), 6.85 (d, 2H, J = 9.0 Hz), 7.10 (d, 1H, J = 7.8 Hz), 7.31 (d, 2H, J = 9.3 Hz), 8.34 (brs, 1H).

la-238

mp 128-130 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.26 (s, 9H), 1.41-1.53 (m, 2H), 1.55-1.68 (m, 2H), 2.44 (t, 2H, J = 7.2 Hz), 2.98-3.07 (m, 2H), 6.90 (t, 1H, J = 6.0 Hz), 8.16 (d-d, 1H, J = 2.1 Hz, 8.7 Hz), 8.29 (d, 1H, J = 8.7 Hz), 8.70 (m, 1H), 10.91 (brs, 1H).

la-239

mp 256-258 °C

## EP 1 249 233 A1

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.26-1.53 (m, 4H), 1.26 (s, 9H), 1.76-2.00 (m, 4H), 2.23 (s, 3H), 2.39 (m, 1H), 3.04 (m, 1H), 6.80 (d, 1H, J = 8.7 Hz), 7.57 (d-d, 1H, J = 2.4 Hz, 8.4 Hz), 7.97 (d, 1H, J = 8.4 Hz), 8.12 (m, 1H), 10.26 (brs, 1H).

la-240

mp 288-290 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.26-1.53 (m, 4H), 1.27 (s, 9H), 1.78-1.90 (m, 4H), 2.40 (m, 1H), 3.04 (m, 1H), 6.81 (d, 1H, J = 8.7 Hz), 7.07 (m, 1H), 7.75 (m, 1H), 8.07 (d, 1H, J = 8.4 Hz), 8.29 (m, 1H), 10.36 (brs, 1H).

la-241

mp 249-250 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.28 (s, 9H), 1.34-1.50 (m, 2H), 1.79-1.90 (m, 2H), 2.74-2.98 (m, 2H), 3.32 (m, 1H), 4.02-4.14 (m, 2H), 6.91 (d, 1H, J = 8.4 Hz), 7.94 (d, 1H, J = 9.0 Hz), 8.04 (d-d, 1H, J = 2.1 Hz, 9.0 Hz), 8.60 (s, 1H), 9.76 (brs, 1H).

la-242

mp 250-252 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.24 (s, 9H), 1.27 (s, 9H), 1.24-1.54 (m, 4H), 1.76-1.88 (m, 2H), 1.90-2.01 (m, 2H), 2.21 (m, 1H), 3.05 (m, 1H), 6.79 (d, 1H, J = 8.7 Hz), 6.88 (d, 2H, J = 9.0 Hz), 7.48 (d, 2H, J = 9.0 Hz), 9.72 (brs, 1H).

136-0290

mp 250-252 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.15 (d, 6H, J = 6.6 Hz), 1.28 (s, 9H), 1.35-1.52 (m, 2H), 1.78-1.92 (m, 2H), 2.20 (s, 3H), 2.81-2.96 (m, 2H), 3.33 (m, 1H), 3.96-4.16 (m, 3H), 6.92 (d, 1H, J = 8.7 Hz), 7.27 (d, 1H, J = 8.1 Hz), 7.60 (m, 1H), 7.66 (m, 1H), 8.06 (d, 1H, J = 7.8 Hz), 8.14 (brs, 1H).

la-244

mp 211-213 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.29 (s, 9H), 1.35-1.52 (m, 2H), 1.81-1.93 (m, 2H), 2.83-2.97 (m, 2H), 3.32 (m, 1H), 4.03-4.14 (m, 2H), 6.93 (d, 1H, J = 8.7 Hz), 7.55 (d-d, 1H, J = 2.1 Hz, 9.0 Hz), 7.94 (d, 1H, J = 9.0 Hz), 8.29 (d, 1H, J = 1.8 Hz), 8.78 (brs, 1H), 9.19 (s, 1H).

la-245

mp 196-197 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.2-1.6 (m, 6H), 1.8-2.0 (m, 6H), 2.23 (m, 1H), 3.05 (m, 1H), 3.73 (m, 4H), 4.99 (s, 1H), 6.79 (d, 1H, J=8.7), 7.13 (d, 1H, J=6.8), 7.22 (t, 1H, J=6.8), 7.49 (d, 1H, J=6.8), 7.72 (s, 1H), 9.78 (s, 1H).

la-246

mp 242-244 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.2-1.5 (m, 4H), 1.65 (m, 4H), 1.8-2.0 (m, 4H), 2.23 (m, 1H), 2.71 (m, 1H), 3.06 (m, 1H), 3.43 (m, 2H), 3.93 (m, 2H), 6.79 (d, 1H, J=8.7), 6.91 (d, 1H, J=8.7), 7.20 (t, 1H, J=7.5), 7.40 (d, 1H, J=7.5), 7.53 (s, 1H), 9.76 (s, 1H).

la-247

mp 242-245 °C

<sup>1</sup>H-NMR (DMSO) δ ppm: 1.27 (s, 9H), 1.2-1.6 (m, 6H), 1.8-2.0 (m, 6H), 2.23 (m, 1H), 3.05 (m, 1H), 3.74 (m, 4H), 4.94 (brs, 1H), 6.79 (d, 1H, J=8.7), 7.38 (d, 1H, J=8.7), 7.52 (d, 1H, J=8.7), 9.76 (s, 1H).

la-248

mp 272-274 °C

<sup>1</sup>H-NMR (CDCl<sub>3</sub>) δ ppm: 1.27 (s, 9H), 1.2-1.5 (m, 4H), 1.62 (m, 4H), 1.8-2.0 (m, 4H), 2.22 (m, 1H), 2.68 (m, 1H), 3.05 (m, 1H), 3.41 (m, 2H), 3.92 (m, 2H), 6.79 (d, 1H, J=9.0), 7.15 (d, 2H, J=8.7), 7.50 (d, 2H, J=8.7), 9.73(s, 1H).

la-249 mp 174-176 °C

la-250 mp 255-257 °C

la-252 mp 249-251 °C

la-253 mp 120-121 °C

la-254 mp 236-237 °C

la-255 mp 172-174 °C

la-256 mp 257-259 °C

la-257 mp 179-180 °C

la-258 mp 227-229 °C

la-259 mp 135-136 °C

### Experiment 1 Affinity for NPY Y5 receptor

[0157] cDNA sequence encoding a human NPY Y5 receptor (WO96/16542) was cloned in the expression vector pME18S (Takebe et al. Mol. Cell Biol. 8, 8957). The obtained expression vector was transfected into a host CHO cells

by using a Lipofect AMINE reagent (Trademark, Glico BRL Co., Ltd.) according to an instruction protocol to obtain the cells that stably express NPY Y5 receptor.

[0158] The membranes prepared from the above CHO cells expressing NPY Y5 receptor, the compound of the present invention and 30,000 cpm [<sup>125</sup>I] peptide YY (60 pM of final concentration: Amersham) were incubated in the assay buffer (20 mM HEPES-Hanks buffer containing 0.1% bovine serum albumin, pH 7.4) at 25 °C for 2 hours, and then the mixture was filtered with a glassfilter GF/C treated with polyethylenimine. After the glassfilter was washed with 50 mM Tris-HCl buffer (pH 7.4), the radioactivity on the filter was measured with a gamma counter. The non-specific binding was detected in the presence of 200 nM of peptide YY. The 50 % inhibitory concentration of the test compound against the specific peptide YY binding (IC<sub>50</sub> value) was calculated (Inui, A. et al. Endocrinology 131, 2090 - 2096 (1992)). The results are shown in Tables 1 and 2.

[0159] The compounds of the present invention inhibited the binding of peptide YY (NPY homologue) to NPY Y5 receptors. In other words, the compounds of the present invention showed affinity for the NPY Y5 receptor.

#### Experiment 2 cAMP production inhibitory activity in CHO cells

[0160] After CHO cells expressing human NPY Y5 receptor were incubated in the presence of 2.5 mM isobutylmethylxanthine (SIGMA) at 37 °C for 20 min, the compound of the present invention was added and incubated for 5 min. Then, 50 nM NPY and 10 μM forskolin (SIGMA) were added to the cells and incubated for 30 min. After the reaction was terminated by adding HCl, the amount of cAMP in the supernatant was measured with EIA kit (Amersham LIFE SCIENCE). The inhibitory activity of NPY against forskolin stimulated cAMP was regarded as 100 % and the 50 % inhibitory concentration (IC<sub>50</sub> value) of the compound of the present invention against the NPY activity was calculated. The results are shown in Tables 1 to 4.

Table 1

Compound	binding IC <sub>50</sub> (nM)	cAMP IC <sub>50</sub> (nM)
I-2	7.5	72
I-7	3	<10
I-11	1.3	5
I-18	4.4	29
I-20	7	21
I-22	8.6	51
I-24	9.6	71
I-25	0.6	2.6
I-41	5.3	38.2
I-44	1.0	13.4
I-45	1.2	27.9
I-46	0.8	10.5
I-47	0.6	14.9
I-49	0.4	8.1
I-50	0.3	8.4
I-53	4.1	21
I-55	9.0	40
I-57	4.8	47
I-59	0.8	35
I-60	0.69	18
I-61	0.26	5.3
I-62	0.58	16

# EP 1 249 233 A1

Table 1 (continued)

Compo und	binding IC <sub>50</sub> (nM)	cAMP IC <sub>50</sub> (nM)
I-63	1.3	50
I-64	2.2	80
I-65	1.8	72
I-66	1.5	30
I-67	2	17
I-69	3.8	13
I-72	2.3	2.1
I-75	0.55	3.4
I-76	0.61	5.5
I-77	1.8	28
I-79	0.59	25
I-83	0.61	29
I-84	1.3	25
I-86	3.4	100
I-87	0.66	21
I-90	2.8	50
I-92	7	61
I-101	3.9	38
I-102	1.7	14
I-106	6.4	29

Table 2

I-109	1.2	3.2
I-110	4.3	13.6
I-111	1.8	6.1
I-114	7	30
I-116	1.2	11
I-120	1.4	4.8
I-123	1.8	168
I-126	0.6	13.2
I-127	1.4	30.4
I-128	1.3	10.2
I-129	2.1	174
I-130	1.1	42.5
I-131	1.1	34.8
I-132	2.2	30.4
I-133	0.9	21.1
I-134	0.5	10.0

EP 1 249 233 A1

Table 2 (continued)

I-135	0.7	22.0
I-136	2.8	-
I-137	1.4	68.2
I-138	1.0	18.6
I-139	0.41	7.6
I-140	0.48	8.9
I-141	0.42	7.4
I-142	0.49	28
I-143	3.5	44
I-144	3.4	52
I-146	2.3	20
I-147	7.1	63
I-149	0.83	15
I-150	0.17	5.2
I-151	0.17	2.6
I-152	0.88	46
I-153	1.7	29
I-154	1.1	11
I-156	0.81	17
I-160	0.61	8.8
I-161	0.49	3.1
I-162	1.7	32
I-163	2.3	83
I-164	0.71	5.9
I-165	0.44	47
I-166	0.37	9.7
I-167	0.72	39
I-168	2.1	32
I-171	2.4	71
I-172	0.91	36
I-187	0.58	13
I-191	1.1	11
I-196	1.4	6.8
I-197	6.7	38
I-198	7.2	33
I-199	4.8	31
I-202	6.7	67
I-204	1.0	6.3
I-205	2.9	17

# EP 1 249 233 A1

Table 2 (continued)

I-206	5.9	54
I-207	4.6	23
I-210	1.1	13
I-212	0.67	7.5
I-213	0.44	4.0
Ia-1	4.8	31
Ia-3	9.2	150
Ia-4	1.4	15
Ia-5	1.6	43
Ia-6	2.4	23
Ia-8	2.9	34
Ia-9	0.94	11
Ia-10	0.47	2.7
Ia-11	0.64	7.2
Ia-12	0.94	5.5
Ia-13	1.5	3.3
Ia-14	4.8	28
Ia-16	0.1	-
Ia-17	0.1	1.9
Ia-20	4.9	100

Table 3

Ia-21	3.4	35
Ia-22	3.1	38
Ia-24	5.2	74
Ia-25	1.1	18
Ia-26	1.9	27
Ia-28	5.2	130
Ia-29	1	7.3
Ia-30	2.6	25
Ia-31	3.8	11
Ia-32	0.52	6.7
Ia-33	1.8	64
Ia-35	1.8	-
Ia-36	1.6	86
Ia-37	0.73	3.8
Ia-38	1	2.2
Ia-39	1.5	3.5
Ia-40	2.2	9.3

**EP 1 249 233 A1**

**Tabl 3 (continuu d)**

5	la-41	2.5	9
	la-42	3.6	20
	la-44	4.8	27
	la-45	4.8	42
	la-46	0.87	8.3
10	la-47	0.82	3.8
	la-48	1.2	6.1
	la-49	2.6	83
15	la-50	1.7	24
	la-51	1.3	3.4
	la-52	1.9	22
	la-53	0.22	8.1
20	la-54	0.44	9
	la-55	1.1	27
	la-56	2.3	96
	la-57	0.93	31
25	la-58	2.5	110
	la-59	0.71	16
	la-60	0.95	10
	la-61	0.68	19
30	la-62	1.1	29
	la-63	3.9	370
	la-64	7.1	96
	la-65	1.1	11
35	la-66	0.59	3.2
	la-67	6.3	75
	la-68	9.5	180
	la-69	2.7	33
40	la-70	1.5	31
	la-71	1.3	12
	la-76	2.2	-
	la-78	2	150
45	la-79	0.82	-
	la-80	0.44	3.0
	la-81	2.7	4.5
	la-83	1.2	53
50	la-84	0.25	13
	la-85	0.22	14
	la-86	0.73	11



# EP 1 249 233 A1

Table 3 (continuation)

5	la-87	0.49	61
	la-88	0.62	48
	la-91	4	150
	la-106	1.9	24
	la-107	0.14	1.3
10	la-109	0.6	3.9
	la-110	0.3	1.1
	la-111	5.1	28
	la-124	1.1	22
15	la-125	4.1	46
	la-126	2.3	58
	la-127	6.1	160
20	la-129	1.3	26
	la-130	0.21	3
	la-131	1.3	17
	la-132	2.8	76
25	la-133	1.7	8.8
	la-135	8.2	49
	la-136	1.6	13
30	la-138	2.2	28
	la-139	1.9	25
	la-140	1	24
35	la-141	1	5.7
	la-142	0.67	5.5

Table 4

40	la-143	7.8	39
	la-144	6.1	57
	la-145	7	86
45	la-146	9.9	79
	la-158	0.71	1.7
	la-160	0.76	140
	la-161	1.9	18
50	la-163	7	400
	la-164	0.38	4.7
	la-168	0.95	13
55	la-169	1.9	88
	la-173	6.9	140
	la-174	0.35	5.4

EP 1 249 233 A1

Table 4 (continued)

	la-175	0.49	9.2
	la-176	0.63	5.1
5	la-177	0.49	7.5
	la-178	4.6	16
	la-179	0.89	19
10	la-180	1.9	11
	la-181	7.7	25
	la-182	0.24	2.1
	la-183	1.9	7.8
15	la-184	0.38	-
	la-185	0.94	4.4
	la-186	0.93	12
20	la-187	1.9	60
	la-188	0.75	28
	la-189	3.5	95
	la-190	0.34	1000
25	la-191	0.49	220
	la-192	5.9	200
	la-193	1.4	43
30	la-194	0.22	8.1
	la-195	1.4	31
	la-196	0.39	1.3
35	la-197	0.44	2.5
	la-198	0.23	2.6
	la-199	0.11	1.6
	la-200	1.4	18
40	la-201	3.1	74
	la-202	0.37	3.4
	la-203	0.2	2.6
45	la-204	1	6.3
	la-205	2.4	99
	la-206	1.9	460
	la-207	0.55	5.9
50	la-208	1.2	9.7
	la-209	0.55	-
	la-210	2.8	99
55	la-211	4.8	240
	la-212	0.52	2.6
	la-213	0.91	28

Tabl 4 (continued)

la-219	2.5	28
la-221	0.47	1.5
la-222	3.7	18
la-224	0.1	1.2
la-225	3.4	20
la-226	0.37	21
la-227	0.59	-
la-228	0.96	-
la-229	1.9	-
la-230	0.32	-
la-231	0.29	-
la-232	0.7	-
la-233	0.63	-
la-235	5.5	-
la-237	1.1	15
la-241	1.9	-
la-243	1.3	-
la-246	0.26	20
la-247	0.79	31
la-248	0.27	17
la-250	1.9	-
la-252	1.2	-
la-253	0.53	-
la-254	2.0	-
la-255	3.2	-
la-256	5.7	-
la-257	8.6	-
la-258	1.8	-

[0161] As shown in Tables 1 to 4, the compounds of the present invention have an NPY Y5 receptor antagonistic activity.

### Experiment 3

[0162] Using the membranes prepared from Y1-expression cells (human neuroblastoma, SK-N-MC) and the membranes prepared from Y2-expression cells (human neuroblastoma, SMS-KAN), the experiment was carried out in a similar way as Experiment 1 to determine the affinity for NPY Y1 receptor and NPY Y2 receptor.

[0163] Binding IC<sub>50</sub> values for NPY Y1 and NPY Y2 receptors of I-27, I-32, I-41, I-45, I-46, I-47, I-48, I-49, I-59, I-61, I-63, I-64, I-66, I-69, I-72, I-152, I-154, I-204, I-205, I-212, Ia-3, Ia-5, Ia-6, Ia-12, Ia-16, Ia-17, Ia-20, Ia-21, Ia-22, Ia-26, Ia-28, Ia-29, Ia-30, Ia-31, Ia-32,

[0164] Ia-33, Ia-37, Ia-39, Ia-40, Ia-50, Ia-51, Ia-54, Ia-62, Ia-67, Ia-124, Ia-126, Ia-139, Ia-140, Ia-142, Ia-178, Ia-199 and Ia-200 were 100,000 nM or higher and each compound had a selectivity for NPY Y5 receptor.

## Formulation Example 1 Tablets

[0165]

Compound (I-1)	15 mg
Starch	15 mg
Lactose	15 mg
Crystalline cellulose	19 mg
Polyvinyl alcohol	3 mg
Distilled water	30 ml
Calcium stearate	3 mg

[0166] After all of the above ingredients except for calcium stearate are uniformly mixed, the mixture is crushed and granulated, and dried to obtain a suitable size of granules. After calcium stearate is added to the granules, tablets are formed by compression molding.

## Formulation Example 2 Capsules

[0167]

Compound (I-2)	10 mg
Magnesium stearate	10 mg
Lactose	80 mg

[0168] After the above ingredients are mixed to prepare powders or granules, the obtained are filled in capsules.

## Formulation Example 3 Granules

[0169]

Compound (I-3)	30 g
Lactose	265 g
Magnesium Stearate	5 g


[0170] After the above ingredients are mixed uniformly and formed by compression molding, the obtained are crushed, granulated and sieved to prepare suitable volume of granules.

## Industrial Applicability

[0171] As shown in the above Experiments, the compounds of the present invention have an NPY Y5 receptor antagonistic activity. Therefore, the compounds of the present invention are useful as an anti-obestic agent and anorectic agent.

## Claims

1. A pharmaceutical composition for use as an NPY Y5 receptor antagonist comprising a compound of the formula (I):



wherein

R<sup>1</sup> is optionally substituted lower alkyl, optionally substituted cycloalkyl or optionally substituted aryl,  
 R<sup>2</sup> is hydrogen or lower alkyl, and R<sup>1</sup> and R<sup>2</sup> taken together may form lower alkylene,  
 n is 1 or 2,

X is optionally substituted lower alkyl, n,  
 optionally substituted lower alkenylene,  
 optionally substituted -CO-lower alkylene,  
 optionally substituted -CO-lower alkenylene or



wherein R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>6</sup> are each independently hydrogen or lower alkyl,



is optionally substituted cycloalkylene, optionally substituted cycloalkenylene, optionally substituted bicycloalkylene, optionally substituted arylene or optionally substituted heterocyclydiyl and p and q are each independently 0 or 1,  
 -NR<sup>2</sup>-X- may be



wherein



is piperidinediyl, piperazinediyl, pyridinediyl, pyrazinediyl, pyrrolidinediyl or pyrrolediyl and U is single bond, lower alkylene or lower alkenylene,  
 Y is OCONR<sup>7</sup>, CONR<sup>7</sup>, CSNR<sup>7</sup>, NR<sup>7</sup>CO or NR<sup>7</sup>CS,  
 R<sup>7</sup> is hydrogen or lower alkyl, and  
 Z is optionally substituted lower alkyl, optionally substituted lower alkenyl, optionally substituted amino, optionally substituted lower alkoxy, optionally substituted carbocyclyl or optionally substituted heterocyclyl,

prodrug, pharmaceutically acceptable salt or solvate thereof.

2. The pharmaceutical composition for use as an NPY Y5 receptor antagonist claimed in Claim 1 wherein R<sup>2</sup> is hydrogen or lower alkyl and Z is optionally substituted lower alkyl, optionally substituted lower alkenyl, optionally substituted lower alkoxy, optionally substituted carbocyclyl, optionally substituted heterocyclyl or optionally substituted amino, provided that R<sup>1</sup> is optionally substituted C3 to C10 alkyl when Z is optionally substituted amino.
3. The pharmaceutical composition for use as an NPY Y5 receptor antagonist claimed in Claim 1 wherein R<sup>1</sup> is optionally substituted lower alkyl or optionally substituted cycloalkyl, X is optionally substituted lower alkylene, optionally substituted lower alkenylene or



wherein



is the same as defined in Claim 1, and

Z is optionally substituted lower alkyl, optionally substituted carbocyclyl or optionally substituted heterocyclyl.

4. The pharmaceutical composition for use as an NPY Y5 receptor antagonist claimed in any one of Claims 1 to 3 wherein R<sup>1</sup> is optionally substituted C3 to C10 alkyl.

5. The pharmaceutical composition for use as an NPY Y5 receptor antagonist claimed in any one of Claims 1 to 4 which is an anti-obestic agent.

6. The pharmaceutical composition for use as an NPY Y5 receptor antagonist claimed in any one of Claims 1 to 4 which is an anorectic agent.


7. A method for treating and/or preventing obesity comprising administering an effective dose of an NPY Y5 receptor antagonist claimed in any one of Claims 1 to 4.

8. A method for suppressing food intake comprising administering an effective dose of an NPY Y5 receptor antagonist claimed in any one of Claims 1 to 4.

9. Use of an NPY Y5 receptor antagonist claimed in any one of Claims 1 to 4 for manufacturing a medicine for treating and/or preventing obesity.

10. Use of an NPY Y5 receptor antagonist claimed in any one of Claims 1 to 4 for manufacturing a medicine for suppressing food intake.


11. A compound of the formula (I):



wherein X is C2 to C6 alkylene or C3 to C6 alkenylene, R<sup>1</sup> is optionally substituted C3 to C10 alkyl or optionally substituted C5 to C6 cycloalkyl and the other symbols are the same as defined in Claim 1, provided that Z is not lower alkylphenylamino, hydroxy(lower)alkylphenylamino and acylphenylamino when Y is NR<sup>2</sup>CO, prodrug, pharmaceutically acceptable salt or solvate thereof.

12. The compound described in Claim 11 wherein Z is optionally substituted lower alkyl or optionally substituted phenyl, prodrug, pharmaceutically acceptable salt or solvate thereof.

13. A compound of the formula (I):



wherein X is



5



10

is optionally substituted cycloalkylene, optionally substituted cycloalkenylene, optionally substituted bicycloalkylene or optionally substituted piperidinylene,  $R^1$  is optionally substituted C3 to C10 alkyl or optionally substituted C5 to C6 cycloalkyl and the other symbols are the same as defined in Claim 1, prodrug, pharmaceutically acceptable salt or solvate thereof.

15

14. The compound described in Claim 13 wherein



20

is optionally substituted cyclohexylene or optionally substituted piperidinylene and p and q are simultaneously 0, prodrug, pharmaceutically acceptable salt or solvate thereof.


25

15. The compound described in Claim 13 or 14 wherein Y is CONH, prodrug, pharmaceutically acceptable salt or solvate thereof.

16. The compound claimed in any one of Claims 13 to 15 wherein Z is optionally substituted lower alkyl, optionally substituted phenyl, optionally substituted pyridyl or optionally substituted benzopyranyl, prodrug, pharmaceutically acceptable salt or solvate thereof.

30

17. A compound of the formula (I):



35

40

wherein X is




45

$R^1$  is optionally substituted C3 to C10 alkyl or optionally substituted C5 to C6 cycloalkyl, Z is p-lower alkylphenyl and the other symbols are the same as defined in Claim 1, provided that Z is not p-n-butylphenyl when  $R^1$  is isopropyl, prodrug, pharmaceutically acceptable salt or solvate thereof.

50

18. A compound of the formula (I):



55

wherein X is



is heteroarylene, R<sup>1</sup> is optionally substituted C3 to C10 alkyl or optionally substituted C5 to C6 cycloalkyl and the other symbols are the same as defined in Claim 1, prodrug, pharmaceutically acceptable salt or solvate thereof.

19. The compound claimed in Claim 18 wherein



is thiophenediyl or furandiyl, prodrug, pharmaceutically acceptable salt or solvate thereof.

20. A pharmaceutical composition comprising the compound claimed in any one of Claims 11 to 19, prodrug, pharmaceutically acceptable salt or solvate thereof.



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/08197

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> (See extra sheet.).		
According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b>		
Minimum documentation searched (classification system followed by classification symbols) (See extra sheet.)		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) CAPLUS (STN), MEDLINE (STN), EMBASE (STN)		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
EX	WO, 01/02379, A1 (SYNAPTIC PHARMA CORP.), 11 January, 2001 (11.01.01) (Family: none) & Database CAPLUS on STN, AMERICAN CHEMICAL SOCIETY (ACS), (Columbus, OH, USA), AN.2001:31483 especially compounds of RN:319495-03-9, 319495-07-3	1-3,5,6,9,10
PX	WO, 00/63171, A1 (MEIJI SEIKA KAISHA LTD.), 26 October, 2000 (26.10.00) (Family: none) & Database CAPLUS on STN, AMERICAN CHEMICAL SOCIETY (ACS), (Columbus, OH, USA), DN.133: 309842 especially compounds of RN:302555-53-9, 302555-54-0, 302555-57-3, 302555-58-4, 302555-59-5, 302555-61-9	1,2,5,6,9,10
PA	EP, 1010691, A2 (ADIR ET COMPAGNIE), 21 June, 2000 (21.06.00) & JP, 2000-178240, A& US, 6172108, A	1-6,9-20
A	WO, 99/32466, A1 (NOVARTIS-ERFINDUNGEN VERWALTUNGS GESELLSCHAFT M.B.H.), 01 July, 1999 (01.07.99) (Family: none)	1-6,9,10
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 13 February, 2001 (13.02.01)		Date of mailing of the international search report 27 February, 2001 (27.02.01)
Name and mailing address of the ISA/ Japanese Patent Office		Authorized officer
Facsimile No.		Telephone No.

Form PCT/ISA/210 (second sheet) (July 1992)

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/08197

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO, 97/20820, A1 (NOVARTIS AG), 12 June, 1997 (12.06.97) (Family: none)	1-6, 9, 10
A	WO, 97/20821, A1 (NOVARTIS AG), 12 June, 1997 (12.06.97) (Family: none)	1-6, 9, 10
A	WO, 97/20823, A1 (NOVARTIS AG), 12 June, 1997 (12.06.97) (Family: none)	1-6, 9, 10
X	EP, 148725, A1 (SHIONOGI and CO. LTD.), 17 July, 1985 (17.07.85) & GB, 2152033, A & US, 4595780, A	17
X	JP, 59-16871, A (Shionogi & Co., Ltd.), 28 January, 1984 (28.01.84) (Family: none) & Database CAPLUS on STN, AMERICAN CHEMICAL SOCIETY (ACS), (Columbus, OH, USA), DN.100: 209423	17

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/08197

**Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)**

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 7,8  
because they relate to subject matter not required to be searched by this Authority, namely:  
Claims 7 and 8 pertain to methods for treatment of the human body by therapy and thus relate to a subject matter which this International Searching Authority is not required, under the provisions of Article 17(2)(a)(i) of the PCT and Rule 39.1(iv) of the Regulations under the PCT, to search.
2. ☐ Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

**Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)**

This International Searching Authority found multiple inventions in this international application, as follows:

(See extra sheet.)

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☒ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest ☐ The additional search fees were accompanied by the applicant's protest.  
☐ No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1992)

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP00/08197

## Continuation of Box No. II of continuation of first sheet (1)

The inventions as set forth in claims 1 to 10 relate to NPYY5 receptor antagonists which contain compounds represented by the formula (I) given in claim 1, prodrugs thereof, pharmaceutically acceptable salts thereof or solvates of the same.

The inventions as set forth in claims 11 and 12, 13 to 16, 17 and 18 and 19 relate to specific compounds each having a fundamental structure similar to the compounds represented by the formula (I) as described above, prodrugs thereof, pharmaceutically acceptable salts thereof or solvates of the same per se. The inventions as set forth in claim 20 relate to medicinal compositions for unspecified purposes which contain the ingredient as described in any of the claims 11 to 19.

It is understood that the compounds as set forth in claims 11 and 12, 13 to 16, 17 and 18 and 19 each falls within the category of the compounds represented by the formula given in claim 1. By taking the results of the prior art search into consideration, it is recognized that the descriptions of claims 1 to 10 involve two inventive concepts, i.e., "invention of medicinal use of novel compound" and "invention of novel medicinal use of publicly known compound". Such being the case, the inventions as set forth in claims 1 to 10, the inventions as set forth in claims 11 and 12, 13 to 16, 17, 18 and 19, and the invention as set forth in claim 20 are not considered as relating to a group of inventions so linked as to form a single general inventive concept.

## Continuation of A CLASSIFICATION OF SUBJECT MATTER (IPC)

Int. Cl<sup>7</sup> A61K31/18, 31/5375, 31/381, 31/343, 31/445, 31/4035, 31/472, 31/4164, 31/36, 31/505, 31/37, 31/40, 31/415, 31/433, 31/495, 31/426, 31/4409, 31/428, 31/343, 31/47, 31/423, 31/421, 31/42, 31/416, 31/5377, 31/506, 31/454, 31/4525, 31/4535, 31/453, 31/357, 31/353, 31/351, 31/216, 31/27, 31/275, 31/196  
A61P43/00, 3/04,  
C07D265/30, 333/38, 307/68, 211/58, 209/48, 209/88, 211/62, 211/70, 217/40, 207/335, 233/68, 317/66, 211/26, 239/42, 311/18, 207/14, 209/08, 231/12, 207/16, 285/06, 257/04, 277/46, 295/12, 207/12, 213/40, 277/72, 307/91, 215/38, 263/56, 263/32, 261/08, 231/56, 33/54, 333/20, 413/04, 413/12, 401/12, 409/12, 405/12, 417/12, 215/36, 319/18, 285/12, 311/58, 309/12, 309/10, 309/04, 309/06, 285/14, C07C311/06, 311/07, 311/08, 311/09, 311/42, 311/46

## Continuation of B FIELDS SEARCHED (IPC)

Int. Cl<sup>7</sup> A61K31/18, 31/5375, 31/381, 31/343, 31/445, 31/4035, 31/472, 31/4164, 31/36, 31/505, 31/37, 31/40, 31/415, 31/433, 31/495, 31/426, 31/4409, 31/428, 31/343, 31/47, 31/423, 31/421, 31/42, 31/416, 31/5377, 31/506, 31/454, 31/4525, 31/4535, 31/453, 31/357, 31/353, 31/351, 31/216, 31/27, 31/275, 31/196  
A61P43/00, 3/04,  
C07D265/30, 333/38, 307/68, 211/58, 209/48, 209/88, 211/62, 211/70, 217/40, 207/335, 233/68, 317/66, 211/26, 239/42, 311/18, 207/14, 209/08, 231/12, 207/16, 285/06, 257/04, 277/46, 295/12, 207/12, 213/40, 277/72, 307/91, 215/38, 263/56, 263/32, 261/08, 231/56, 33/54, 333/20, 413/04, 413/12, 401/12, 409/12, 405/12, 417/12, 215/36, 319/18, 285/12, 311/58, 309/12, 309/10, 309/04, 309/06, 285/14, C07C311/06, 311/07, 311/08, 311/09, 311/42, 311/46